

Hospital Performance Report

29 Common Medical Procedures & Treatments




Report Period: Federal Fiscal Year 2003 (October 1, 2002 through September 30, 2003)

PHC4

Pennsylvania Health Care Cost Containment Council

September 2004



**Counties included
in this Report:**

- Adams
- Bradford
- Centre
- Clinton
- Columbia
- Cumberland
- Dauphin
- Franklin
- Fulton
- Huntingdon
- Juniata
- Lackawanna
- Lancaster
- Lebanon
- Luzerne
- Lycoming
- Mifflin
- Monroe
- Montour
- Northumberland
- Perry
- Pike
- Snyder
- Sullivan
- Susquehanna
- Tioga
- Union
- Wayne
- Wyoming
- York

Table of Contents

Key Findings 1

Understanding this Report 2

Descriptions 8

Diagnoses

- Abnormal Heartbeat 10
- Blood Clot in Extremities 12
- Blood Clot in Lung 14
- Chronic Obstructive Pulmonary Disease (COPD) 16
- Congestive Heart Failure (CHF) 18
- Diabetes with Amputation 20
- Diabetes – Medical Management 22
- Heart Attack – Medical Management 24
- Intestinal Obstruction 26
- Kidney Failure 28
- Kidney and Urinary Tract Infections 30
- Pneumonia – Aspiration 32
- Pneumonia – Infectious 34
- Respiratory Failure with Mechanical Ventilation 36
- Respiratory Failure without Mechanical Ventilation 38
- Septicemia 40
- Stomach and Intestinal Bleeding 42
- Stroke – Hemorrhagic 44
- Stroke – Non-Hemorrhagic 46

Procedures

- Abdominal Aortic Aneurysm Repair 48
- Colorectal Procedures 50
- Gallbladder Removal – Laparoscopic 52
- Gallbladder Removal – Open 54
- Heart Attack – Angioplasty/Stent 56
- Hip Fracture – Surgical Repair 58
- Hysterectomy – Abdominal 60
- Hysterectomy – Vaginal 62
- Prostatectomy – Radical 64
- Prostatectomy – Transurethral 66

Key Findings



- Patient mortality decreased significantly in 7 of the 26 treatment categories between 2002 and 2003 (in categories where two years of mortality data were available). The largest decline was in Heart Attack (Medical Management), where the mortality decreased from 14.4% in 2002 to 13.5% in 2003. No procedure or treatment group showed a significant increase in mortality.
- The mortality rate for all conditions reported for both 2002 and 2003 decreased significantly, dropping from 4.3% in 2002 to 4.1% in 2003.
- There were 54,610 readmissions for any reason in 2003 (for the categories covered in the report). These readmissions amounted to approximately \$1.7 billion in charges and 341,000 hospital days.
- The readmission rate for conditions reported for both 2002 and 2003 increased, rising from 18.1% in 2002 to 18.4% in 2003.
- There were 12,917 readmissions for a complication or infection in 2003 (for the categories covered in the report). These readmissions amounted to approximately \$530 million in charges and 98,000 hospital days.
- Statewide readmission rates for complication or infection in Stroke (Non-hemorrhagic) increased significantly, rising from 4.8% in 2002 to 5.4% in 2003. Statewide readmission rates for complication or infection for Infectious Pneumonia dropped significantly – from 6.0% to 5.7%. No other procedure or treatment group showed a significant change in the readmission rate for complication or infection.
- Among the conditions reported, Stroke (Hemorrhagic) had the highest readmission rate for complication or infection at 7.5% and Hysterectomy (Vaginal) had the lowest rate at 1.8%.
- Between 2002 and 2003, there was a significant increase in the readmission rate for any reason in Stroke - Non-hemorrhagic (13.9% in 2002 to 14.8% in 2003) and Congestive Heart Failure (25.5% in 2002 to 26.0% in 2003). No other procedure or treatment group showed a significant change in the readmission rate for any reason.
- There was wide variation in length of stay among hospitals. The condition with the most variation was Diabetes with Amputation, where hospitals' average length of stay ranged from 4.2 to 16.8 days after taking patient risk factors into account.
- Between 2002 and 2003, there were significant decreases in average length of stay for 7 of the 26 procedure or treatment groups (with two years of data available). There were also significant increases in 3 procedure or treatment groups.



Understanding this Report

Foreword

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and the Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payors, and policy makers can make more informed decisions about the delivery of health care. This *Hospital Performance Report* is one of a series of public reports designed to achieve this goal. Information about additional treatment and surgical categories is posted on the PHC4 Web site at www.phc4.org.

What is the purpose of the report?

Before we make a major purchase, we normally familiarize ourselves with as much information as we can gather about the available products or services. By comparing what we can learn about the quality of the product as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. It should be the same with health care services. Unfortunately, the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's *Hospital Performance Report* can help to fill that vacuum of information and assist consumers and purchasers in

making more informed health care decisions. This report can also serve as an aid to providers in highlighting additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

What is new in this report?

Clinical Conditions - This report now includes 29 conditions based on ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) codes, which specify the clinical reason(s) for a patient's hospitalization. Of the 29 code-based conditions, there are 19 diagnoses and 10 procedures. Descriptions of these conditions are on pages 8 and 9.

About this report

- This report covers inpatient hospital discharges during Federal Fiscal Year (FFY) 2003, which includes data from October 1, 2002 through September 30, 2003.
- This report is divided into three regional versions and is hospital-specific.
- All Pennsylvania general and most specialty general acute care hospitals, regardless of bed size, are included.
- The hospital names have been shortened in many cases for formatting purposes. Hospital names may be different today than during the time period covered in this report due to mergers and name changes. A list of changes can be found on the PHC4 Web site at www.phc4.org.



Where does the data come from?

Pennsylvania hospitals are required by law to submit certain information to PHC4. The data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals are required to submit data indicating in simple terms “how sick the patient was” or, in technical jargon, a “severity score.” The data is then risk-adjusted.

Accounting for high-risk patients

Even though two patients may be admitted to the hospital with the same illness, there may be differences in the seriousness of their conditions. In order to report fair comparisons among hospitals, PHC4 uses a complex mathematical formula to “risk-adjust” the mortality, length of stay and readmission data, meaning that hospitals receive “extra credit” for treating patients that are more seriously ill or at a greater risk than others. Risk-adjusting the data is important because sicker patients may be more likely to die, stay in the hospital longer, or be readmitted.

A sophisticated patient risk classification system called Atlas Outcomes™ is used to collect clinical information about hospital patients and to predict each patient’s chance of mortality and expected length of stay. Atlas Outcomes™ is a clinical information system developed by MediQual Systems, Inc.®, a business of Cardinal Health. This system is based on electronically available admit/discharge/transfer and laboratory data, as well as selected

clinical data abstracted from the patient record including EKG readings, vital signs, medical history, imaging, pathology and operative results. PHC4 also independently adjusts for other risk factors such as poverty rate or the presence of cancer in the patient population included in this report.

A comprehensive description of the risk-adjustment techniques used for this report can be found in the *Technical Notes* on PHC4’s Web site at www.phc4.org.

What is measured in the report and why is it important?

PHC4’s mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not an exact science. There may be a number of ways to define quality; however, for the purposes of this report, six measures are suggested. With the exception of volume of cases, each of these measures has been adjusted for patient risk. (For more information, see the previous section entitled, Accounting for high-risk patients.)

- **Volume of Cases** – For each hospital, the number of cases for each condition, after exclusions, is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that in at least some areas, the volume of cases treated by a physician or hospital can be a factor in the success of the treatment.

Information about additional treatment and surgical categories is posted on the Web site at www.phc4.org



The number of cases represents separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Outcome data are not reported for hospitals that had fewer than five cases evaluated for a measure; such low volume cannot be considered meaningful and, as such, the outcome data are not displayed. Not Reported appears in the table when this occurs.

Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- **Risk-Adjusted Mortality** – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. To determine the mortality rating, PHC4 compares the number of patients one could reasonably expect to die in a given hospital in a given condition with the actual number of deaths.

Understanding the Symbols

Symbols representing ratings for risk-adjusted mortality, readmissions, and length of stay outliers are displayed in the report. These symbols reflect a comparison of a hospital's actual rate and what is expected.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.

- **Risk-Adjusted Length of Stay** – The length of time a patient stays in the hospital can reflect how successful the hospital is in providing treatment and has an impact on the resources used in delivering treatment.
- **Risk-Adjusted Length of Stay Outliers** – Length of stay “outliers” are abnormally short or long hospitalizations – those individual hospitalizations where the difference between the actual and expected length of stay was in the top (long length of stay outliers) or bottom (short length of stay outliers) 5% of all statewide hospitalizations. They are the hospitalizations where the difference between the actual and expected length of stay was above or below the normal range for all hospitalizations in the state. For any one hospital, the outlier rate is the number of outliers divided by the total number of hospitalizations. Length of stay may be an important quality of care indicator; however, many factors affect length of stay, some of which are beyond the hospital's control. Abnormally short or long hospital stays may result from factors such as payor expectations, complications, clinical treatment advancements, or avoidable admissions due to inadequate health and social support in the community. Reported ratings should be interpreted cautiously and do not necessarily indicate high or low quality care.
- **Risk-Adjusted Readmissions** – A readmission is defined as a subsequent acute care hospitalization, for any reason in any Pennsylvania hospital, where the admit



date is within 30 days of the discharge date of the original hospitalization. To determine the risk-adjusted readmission rating, PHC4 compares the number of patients one could reasonably expect to be readmitted in a given hospital in a given condition with the actual number of readmissions. The methodology was designed to limit planned readmissions; however, some may still be included. While some re-hospitalizations can be expected, high quality care may lessen the need for subsequent hospitalizations.

- **Risk-Adjusted Readmissions for Complication/Infection** – The risk-adjusted readmission rating (discussed above) takes into consideration all subsequent hospitalizations within 30 days of the discharge date of the original hospitalization. However, this measure includes only readmissions with a principal diagnosis of a complication/infection (see the *Technical Notes* on the PHC4 Web site, www.phc4.org, for a detailed description).

Other data issues

- **Do Not Resuscitate Cases** - The mortality analysis includes Do Not Resuscitate (DNR) cases.
- Not all data is reported for all measures. For example, readmission rates are not reported for Heart Attack – Medical Management because subsequent admissions are often planned.

Hospital charges

This report also includes the average hospital charge for each of the 29 code-based conditions. While charges are what the hospital reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge. However, charges are the only data compiled that reflect the relative cost of all services provided by hospitals. Consequently, hospital charges are used almost universally by those attempting to assess the costs of health care.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for services, and the amount they receive in Net Patient Revenue (NPR). According to PHC4's *Hospital Financial Analysis 2003, Volume One*, Pennsylvania hospitals received, on average statewide, \$.30 in NPR for every dollar that they charged in PA Fiscal Year 2003 (7/1/02 through 6/30/03).

Within the geographic area covered in this report, hospitals received, on average, \$.46 in NPR for every dollar charged. Broken down even further, hospitals within Northcentral Pennsylvania received, on average, \$.45 in NPR for every dollar charged, Southcentral Pennsylvania hospitals received an average of \$.51 on the dollar, and hospitals in Northeastern Pennsylvania received an average of \$.38 on the dollar.

These regional figures are aggregate only and cannot be applied to individual hospitals or



individual average charges for conditions to calculate actual payment figures. This is due to substantial variation in hospital charges from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payors, and even individual patients.

How to use the report

- **Patients/Consumers** can use this report as an aid in making decisions about where to seek treatment for the conditions detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- **Group Benefits Purchasers/Insurers** can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.
- **Health Care Providers** can use this report as an aid in identifying opportunities for quality improvement and cost containment.

- **Policy Makers/Public Officials** can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.
- **All of the previously mentioned groups** can use this information to raise important questions about why differences exist in the quality and efficiency of care.

This report can be used as a tool. It should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in specific treatment categories. The measurement of quality is highly complex, and the information used to capture such measures is limited. A hospital death is frequently an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right and the patient can still die. However, the statistical methods used eliminate many of the clinical and medical differences among the patients in different hospitals, thereby allowing us to explore the real differences in the measures presented in this report. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.



Non-compliant hospitals

Hospitals are required under Pennsylvania law (Act 14) to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing the required UB-92 data or patient severity scores in excess of or equal to 10% overall are non-compliant with state law and are excluded from this report. These hospitals are listed below. Although hospitalization data specific to non-compliant hospitals is not shown in this report, these records have been included in the overall analysis for the measures included in this report, and thus are reflected in the statewide and regional totals.

Hospitals excluded from this report due to non-compliance

- Phillipsburg Area Hospital



Code-Based Diagnosis Descriptions

Abnormal Heartbeat: Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects, or heart valve disorders.

Blood Clot in Extremities: Inflammation of a blood vessel with the formation of a thrombus (blood clot) in a deep or superficial vein involving the legs, arms, and other parts of the body. Includes deep vein thrombosis (DVT).

Blood Clot in Lung: The formation of a thrombus (blood clot) and/or infarction (damage or death) of the lung tissue. Often called pulmonary embolism or pulmonary infarct.

Chronic Obstructive Pulmonary Disease (COPD): Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma, or emphysema.

Congestive Heart Failure (CHF): Heart failure occurs when the heart loses its ability to pump enough blood through the body. Heart failure usually worsens over time as the heart gradually loses its pumping ability and works less efficiently, resulting in high blood pressure and fluid collection in the lungs.

Diabetes with Amputation: Includes patients who have diabetes and undergo an amputation of the arm, leg, or toe.

Diabetes – Medical Management: Includes patients hospitalized for control of blood sugar. Conditions include coma, high blood sugar crisis, and fluid imbalances. Kidney, eye, nerve, or blood vessel damage related to diabetes are included.

Heart Attack – Medical Management: A heart attack (myocardial infarction) occurs when there is blockage or obstruction in the blood vessels that supply oxygen to the heart muscle causing an infarction (damage or death) to an area of the heart.

Included are heart attack patients who were treated without a balloon (angioplasty) procedure or open heart surgery.

Intestinal Obstruction: Partial or complete blockage of the intestine often caused by scar tissue, tumors, twisting and kinking, or decreased blood supply that prevents the contents in the intestine from passing beyond the blockage.

Kidney Failure: Short and long-term kidney (renal) failure due to high blood pressure, heart disease, or damage to kidney tissue. Does not include dialysis or transplants.

Kidney and Urinary Tract Infections: Acute and chronic infections of the kidney and urinary tract. Does not include urinary stone or urinary symptoms such as frequency, bleeding, or pain.

Pneumonia – Aspiration: Inflammation of the lungs and bronchial tubes caused by inhaling foreign material, such as food, drink, vomit, or secretions from the mouth into the lungs. Does not include infectious pneumonia.

Pneumonia – Infectious: Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy, an inflammation of the membrane surrounding the lungs.

Respiratory Failure with Mechanical Ventilation: Failure of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) making the use of mechanical ventilation necessary. A mechanical ventilator (“breathing machine”) delivers oxygen through a tube placed in the mouth or nose into the trachea (windpipe). The breathing machine can be set to help or completely control breathing.

Respiratory Failure without Mechanical Ventilation: Inability of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) without the need for mechanical ventilation.

Stomach and Intestinal Bleeding: Bleeding from ulcers or areas of inflammation in the stom-

ach, small or large intestine, rectum, or esophagus (muscular tube that connects the mouth to the stomach).

Septicemia: Also known as blood poisoning, is a system-wide infection of the patient's blood. Does not include post-operative or post-injury infections.

Stroke – Hemorrhagic: Stroke is a cardiovascular disease that affects the blood vessels supplying blood to the brain. In hemorrhagic strokes, a blood vessel in the brain breaks or ruptures and causes bleeding (hemorrhage) within or around the brain.

Stroke – Non-hemorrhagic: In ischemic (non-hemorrhagic) strokes, a blood clot blocks a blood vessel in the brain or an artery leading to the brain. This is the most common type of stroke. Transient ischemic attack (temporary stroke symptoms) is not included.

Code-Based Procedure Descriptions

Abdominal Aortic Aneurysm Repair: An abdominal aortic aneurysm (AAA) is a bulge in the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. Does not include endovascular (minimally invasive graft technique) repairs or ruptured aneurysm repairs.

Colorectal Procedures: The majority of colorectal procedures are performed in relation to the presence of cancer or diverticulitis (inflammation of part of the lower digestive tract). Does not include patients with abdominal trauma.

Gallbladder Removal – Laparoscopic: Cholecystectomy is the operation for removal of the gallbladder. Included are patients who underwent this type of surgery carried out with a laparoscope (microscopic camera) through 3 or 4 small incisions.

Gallbladder Removal – Open: Traditional gallbladder removal surgery that is carried out

through an incision in the right side of the upper abdomen.

Heart Attack – Angioplasty/Stent: Treatment (called percutaneous transluminal coronary angioplasty or PTCA) of a heart attack using special balloons to open up obstructed arteries and increase blood flow to the heart. Often, a stent (a mesh tube) is inserted in the blocked or narrowed artery to open it wider and prevent renarrowing or recurring blockage. Does not include coronary artery bypass graft surgery (CABG).

Hip Fracture – Surgical Repair: Fracture (“broken bone”) of the hip involves the top portion of the femur (thigh bone). Surgical repair includes inserting a pin, rod or screw into the bone to hold the fracture together for healing or may also include a partial or total hip joint replacement.

Hysterectomy – Abdominal: An operation, performed through an abdominal incision, to remove the uterus (womb) and sometimes the ovaries and fallopian tubes. This type of surgery is performed when vaginal or laparoscopic approaches are deemed inappropriate for a variety of conditions including female cancers, uterine fibroids, endometriosis, pelvic trauma, and uterine or vaginal prolapse.

Hysterectomy – Vaginal: Includes hysterectomy through a vaginal approach and those laparoscopically (use of microscopic camera) assisted. Includes hysterectomy performed for a variety of conditions such as female cancers, pelvic trauma, uterine fibroids, and endometriosis.

Prostatectomy – Radical: Radical prostatectomy is the surgical removal of the entire prostate. This type of surgery is usually performed when localized cancer is present.

Prostatectomy – Transurethral: This type of surgery involves the surgical removal of part of the prostate gland and is usually done to relieve urinary symptoms caused by benign (non-cancerous) enlargement of the prostate.



Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	32	⊖	3.9	0.0	⊖	3.1	⊖	⊖	⊖	\$10,377
Berwick	86	⊖	2.4	2.4	⊖	1.2	⊖	⊖	⊖	\$15,774
Bloomsburg	62	⊖	2.1	17.7	●	0.0	⊖	⊖	⊖	\$10,132
Bucktail	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	164	⊖	3.5	3.8	⊖	3.2	⊖	⊖	⊖	\$21,224
Centre Community	232	⊖	2.9	6.1	⊖	3.0	⊖	⊖	⊖	\$10,307
Chambersburg	265	⊖	3.6	5.7	⊖	4.2	⊖	⊖	⊖	\$15,934
Community Lancaster	72	⊖	4.1	4.2	⊖	1.4	⊖	⊖	⊖	\$23,542
Community/Scranton	270	⊖	4.1	1.1	⊖	7.9	●	⊖	⊖	\$16,717
Ephrata Community	189	⊖	3.5	6.4	⊖	4.3	⊖	⊖	⊖	\$12,663
Evangelical Community	213	⊖	3.5	4.3	⊖	2.8	⊖	⊖	⊖	\$9,142
Fulton County	39	⊖	3.5	2.6	⊖	0.0	⊖	⊖	⊖	\$12,407
Geisinger Wyoming Valley	165	⊖	3.2	9.1	●	3.0	⊖	⊖	⊖	\$15,437
Geisinger/Danville	280	⊖	2.4	20.5	●	1.1	⊖	⊖	⊖	\$14,640
Gettysburg	96	⊖	3.6	5.3	⊖	3.2	⊖	⊖	⊖	\$12,846
Good Samaritan/Lebanon	322	⊖	3.7	5.0	⊖	3.8	⊖	⊖	⊖	\$14,745
Hanover	130	⊖	3.0	7.8	⊖	2.3	⊖	⊖	⊖	\$10,556
Hazleton General	143	⊖	3.8	7.0	⊖	7.7	⊖	⊖	⊖	\$16,800
Hazleton St Joseph	105	⊖	3.6	3.9	⊖	3.9	⊖	⊖	⊖	\$16,081
Holy Spirit	397	⊖	4.0	3.8	⊖	8.1	●	⊖	⊖	\$14,800
J C Blair Memorial	45	⊖	3.7	6.7	⊖	4.4	⊖	⊖	⊖	\$8,512
Jersey Shore	27	⊖	2.6	3.7	⊖	0.0	⊖	⊖	●	\$8,949
Lancaster General	936	⊖	4.4	2.7	⊖	10.8	●	⊖	⊖	\$16,289
Lancaster Regional	200	⊖	3.7	5.6	⊖	7.1	⊖	⊖	⊖	\$23,052
Lewistown	167	⊖	2.9	3.7	⊖	1.2	⊖	⊖	⊖	\$10,070
Lock Haven	68	⊖	2.9	10.4	⊖	0.0	⊖	●	⊖	\$12,422

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Marian Community	78	○	3.3	4.0	○	2.7	○	○	○	\$11,056
Memorial York	91	○	3.7	4.4	○	2.2	○	○	○	\$14,671
Memorial/Towanda	38	●	3.0	5.6	○	0.0	○	○	○	\$12,102
Mercy/Scranton	356	○	3.4	5.4	○	4.5	○	○	○	\$18,234
Mercy/Wilkes-Barre	219	○	4.1	3.2	○	2.7	○	○	○	\$20,491
Mid-Valley	42	○	3.2	4.8	○	0.0	○	○	○	\$12,260
Milton S Hershey	265	○	2.9	13.0	●	3.1	○	○	○	\$12,186
Montrose General	28	○	2.4	3.7	○	0.0	○	○	○	\$5,663
Moses Taylor	217	○	4.1	4.8	○	5.3	○	○	○	\$16,992
Muncy Valley	12	○	2.7	16.7	○	0.0	○	○	○	\$11,821
Pinnacle Health	685	○	4.0	5.0	○	6.0	○	○	○	\$19,138
Pocono	313	○	3.7	4.9	○	7.4	○	○	○	\$16,023
Robert Packer	541	○	2.9	7.6	●	2.2	○	○	○	\$11,016
Shamokin Area Community	64	○	3.7	3.1	○	0.0	○	○	○	\$8,632
Soldiers & Sailors	38	○	2.2	10.5	○	0.0	○	○	○	\$9,966
Sunbury Community	87	○	3.0	3.5	○	1.2	○	○	○	\$7,818
Troy Community	7	○	3.0	14.3	○	0.0	○	●	○	\$9,599
Tyler Memorial	67	○	3.8	3.0	○	1.5	○	○	○	\$15,121
Wayne Memorial	110	○	3.6	8.3	○	5.5	○	○	○	\$12,826
Waynesboro	90	○	3.1	9.1	○	2.3	○	○	○	\$13,340
Williamsport	269	○	2.9	8.2	●	4.1	○	○	○	\$14,840
WVHCS	490	○	4.2	3.1	○	7.2	●	○	○	\$14,215
York	467	○	3.1	6.9	○	2.6	○	○	○	\$11,949
Central & Northeastern	9,328		3.5	5.9		4.8				\$14,907
TOTAL: Statewide	40,201		3.6	5.0		5.0				\$23,677

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	7	⊖	4.9	0.0	⊖	0.0	⊖	\$5,441
Berwick	21	⊖	4.4	5.0	⊖	0.0	⊖	\$9,633
Bloomsburg	9	⊖	3.4	11.1	⊖	0.0	⊖	\$5,157
Bucktail	0	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	45	⊖	4.9	11.1	⊖	2.2	⊖	\$9,780
Centre Community	55	⊖	5.2	0.0	⊖	7.3	⊖	\$7,309
Chambersburg	69	⊖	5.1	1.4	⊖	5.8	⊖	\$7,219
Community Lancaster	10	⊖	3.9	0.0	⊖	10.0	⊖	\$7,644
Community/Scranton	34	⊖	4.3	0.0	⊖	0.0	⊖	\$8,363
Ephrata Community	45	⊖	3.7	2.2	⊖	2.2	⊖	\$6,281
Evangelical Community	36	⊖	4.5	5.7	⊖	2.9	⊖	\$5,527
Fulton County	12	⊖	4.4	0.0	⊖	0.0	⊖	\$4,681
Geisinger Wyoming Valley	28	⊖	4.5	7.4	⊖	3.7	⊖	\$8,718
Geisinger/Danville	27	⊖	2.8	25.9	●	0.0	⊖	\$8,237
Gettysburg	32	⊖	5.2	0.0	⊖	3.1	⊖	\$7,795
Good Samaritan/Lebanon	64	⊖	4.8	1.6	⊖	3.1	⊖	\$7,947
Hanover	40	⊖	4.5	2.5	⊖	2.5	⊖	\$5,351
Hazleton General	28	⊖	3.5	21.4	●	0.0	⊖	\$5,086
Hazleton St Joseph	44	⊖	3.8	0.0	⊖	0.0	⊖	\$5,626
Holy Spirit	101	⊖	5.1	2.0	⊖	5.0	⊖	\$7,437
J C Blair Memorial	11	⊖	3.8	9.1	⊖	0.0	⊖	\$3,113
Jersey Shore	5	⊖	4.6	0.0	⊖	0.0	⊖	\$3,647
Lancaster General	92	⊖	4.7	4.3	⊖	6.5	⊖	\$7,936
Lancaster Regional	33	⊖	3.6	12.1	⊖	6.1	⊖	\$9,513
Lewistown	55	⊖	4.3	1.8	⊖	3.6	⊖	\$5,662
Lock Haven	12	⊖	3.7	8.3	⊖	0.0	⊖	\$6,319

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Marian Community	14	○	4.3	14.3	○	7.1	○	\$4,874
Memorial York	39	○	4.1	7.9	○	2.6	○	\$5,294
Memorial/Towanda	9	○	4.3	11.1	○	0.0	○	\$5,873
Mercy/Scranton	50	○	5.3	0.0	○	6.0	○	\$12,506
Mercy/Wilkes-Barre	52	○	5.0	3.8	○	1.9	○	\$9,663
Mid-Valley	15	○	4.0	6.7	○	6.7	○	\$4,989
Milton S Hershey	37	○	3.4	21.6	●	2.7	○	\$6,689
Montrose General	8	○	3.9	0.0	○	0.0	○	\$4,566
Moses Taylor	48	○	5.3	2.1	○	6.3	○	\$8,411
Muncy Valley	5	○	4.3	20.0	○	0.0	○	\$7,461
Pinnacle Health	105	○	4.7	2.9	○	6.7	○	\$9,285
Pocono	50	○	4.1	4.0	○	4.0	○	\$8,700
Robert Packer	15	○	3.5	20.0	●	6.7	○	\$6,263
Shamokin Area Community	40	○	4.2	2.5	○	0.0	○	\$4,709
Soldiers & Sailors	13	○	4.1	7.7	○	0.0	○	\$4,419
Sunbury Community	28	○	3.9	7.1	○	3.6	○	\$4,857
Troy Community	2	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	15	○	4.1	0.0	○	0.0	○	\$8,114
Wayne Memorial	21	○	4.3	4.8	○	4.8	○	\$5,943
Waynesboro	26	○	4.3	3.8	○	0.0	○	\$7,228
Williamsport	39	○	4.3	5.1	○	0.0	○	\$8,135
WVHCS	89	○	5.6	1.1	○	4.5	○	\$8,550
York	115	○	4.2	10.5	●	2.6	○	\$4,846
Central & Northeastern	1,761		4.5	5.1		3.5		\$7,311
TOTAL: Statewide	7,904		4.4	5.0		5.0		\$12,779

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	0	NR	NR	NR	NR	NR	NR	NR
Berwick	8	⊖	4.9	12.5	⊖	0.0	⊖	\$21,783
Bloomsburg	13	⊖	4.4	15.4	⊖	0.0	⊖	\$11,123
Bucktail	0	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	38	⊖	5.7	0.0	⊖	0.0	⊖	\$14,955
Centre Community	73	⊖	6.0	2.8	⊖	9.9	⊖	\$11,570
Chambersburg	39	⊖	5.2	0.0	⊖	0.0	⊖	\$11,277
Community Lancaster	10	⊖	6.1	10.0	⊖	0.0	⊖	\$17,436
Community/Scranton	26	⊖	6.3	0.0	⊖	0.0	⊖	\$19,417
Ephrata Community	29	⊖	5.5	0.0	⊖	3.6	⊖	\$14,440
Evangelical Community	39	⊖	5.4	2.6	⊖	2.6	⊖	\$8,148
Fulton County	5	⊖	6.6	0.0	⊖	0.0	⊖	\$13,223
Geisinger Wyoming Valley	14	⊖	5.3	7.7	⊖	0.0	⊖	\$20,533
Geisinger/Danville	81	⊖	3.8	30.8	●	0.0	⊖	\$14,199
Gettysburg	26	⊖	6.4	0.0	⊖	7.7	⊖	\$12,232
Good Samaritan/Lebanon	59	⊖	5.9	6.9	⊖	5.2	⊖	\$13,499
Hanover	26	⊖	5.8	4.0	⊖	0.0	⊖	\$10,043
Hazleton General	12	⊖	4.6	16.7	⊖	0.0	⊖	\$11,753
Hazleton St Joseph	13	⊖	4.6	0.0	⊖	0.0	⊖	\$13,338
Holy Spirit	135	⊖	6.7	1.5	⊖	4.5	⊖	\$15,127
J C Blair Memorial	7	⊖	5.3	14.3	⊖	0.0	⊖	\$5,865
Jersey Shore	5	⊖	6.0	0.0	⊖	0.0	⊖	\$8,840
Lancaster General	111	⊖	6.5	4.7	⊖	6.6	⊖	\$13,238
Lancaster Regional	19	⊖	6.5	0.0	⊖	0.0	⊖	\$19,156
Lewistown	42	⊖	4.4	4.9	⊖	0.0	⊖	\$7,574
Lock Haven	8	⊖	4.3	12.5	⊖	0.0	⊖	\$12,737

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Marian Community	5	○	7.5	0.0	○	20.0	○	\$13,891
Memorial York	15	○	4.6	6.7	○	0.0	○	\$8,551
Memorial/Towanda	3	NR	NR	NR	NR	NR	NR	NR
Mercy/Scranton	19	○	7.0	5.6	○	5.6	○	\$21,955
Mercy/Wilkes-Barre	26	○	5.5	8.3	○	0.0	○	\$21,630
Mid-Valley	5	○	6.0	0.0	○	0.0	○	\$12,289
Milton S Hershey	63	○	4.8	16.7	●	1.7	○	\$12,291
Montrose General	2	NR	NR	NR	NR	NR	NR	NR
Moses Taylor	28	○	6.1	3.6	○	10.7	○	\$15,348
Muncy Valley	2	NR	NR	NR	NR	NR	NR	NR
Pinnacle Health	135	○	6.5	2.3	○	5.3	○	\$19,061
Pocono	20	○	4.5	5.3	○	0.0	○	\$15,162
Robert Packer	40	○	5.3	10.5	○	2.6	○	\$9,783
Shamokin Area Community	34	○	4.8	3.1	○	3.1	○	\$8,114
Soldiers & Sailors	34	○	5.1	6.1	○	3.0	○	\$9,477
Sunbury Community	7	○	4.9	14.3	○	0.0	○	\$10,693
Troy Community	1	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	6	○	7.6	0.0	○	16.7	○	\$19,877
Wayne Memorial	16	○	6.5	6.3	○	6.3	○	\$14,350
Waynesboro	14	○	6.4	0.0	○	0.0	○	\$13,645
Williamsport	41	●	5.1	2.7	○	0.0	○	\$12,456
WVHCS	40	○	6.3	0.0	○	10.3	○	\$13,403
York	107	○	6.1	3.9	○	2.0	○	\$9,672
Central & Northeastern	1,508		5.7	5.8		3.5		\$13,411
TOTAL: Statewide	5,229		5.9	5.0		5.0		\$21,789

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	94	○	5.7	2.1	○	8.5	○	○	\$6,478	
Berwick	132	○	4.6	3.1	○	5.4	○	○	\$12,934	
Bloomsburg	34	○	3.2	12.1	○	3.0	○	○	\$6,524	
Bucktail	17	○	3.2	5.9	○	0.0	○	○	\$8,557	
Carlisle Regional	149	○	4.3	3.4	○	4.1	○	○	\$11,056	
Centre Community	150	○	5.4	6.8	○	9.5	●	○	\$10,173	
Chambersburg	225	○	4.5	4.5	○	2.7	○	○	\$9,472	
Community Lancaster	80	○	5.6	1.3	○	8.8	○	○	\$14,739	
Community/Scranton	140	○	5.3	2.9	○	8.0	○	○	\$12,952	
Ephrata Community	199	○	4.7	2.5	○	4.5	○	○	\$9,940	
Evangelical Community	79	○	3.3	16.9	●	1.3	○	○	\$5,328	
Fulton County	63	○	3.8	3.2	○	3.2	○	○	\$7,379	
Geisinger Wyoming Valley	152	○	4.4	3.3	○	2.6	○	○	\$10,353	
Geisinger/Danville	94	○	2.7	28.0	●	1.1	○	○	\$9,992	
Gettysburg	46	○	4.6	6.5	○	6.5	○	○	\$8,677	
Good Samaritan/Lebanon	210	○	4.6	4.8	○	2.9	○	○	\$10,564	
Hanover	155	○	4.7	2.0	○	1.3	○	○	\$7,592	
Hazleton General	132	○	5.0	2.3	○	3.1	○	○	\$10,334	
Hazleton St Joseph	151	○	4.0	8.6	○	1.3	○	○	\$8,536	
Holy Spirit	285	○	5.5	2.1	○	8.2	●	○	\$13,950	
J C Blair Memorial	73	○	4.3	2.8	○	5.6	○	○	\$4,593	
Jersey Shore	60	○	3.9	3.4	○	1.7	○	○	\$5,683	
Lancaster General	234	○	5.2	4.3	○	8.7	●	○	\$11,394	
Lancaster Regional	99	○	4.7	7.1	○	4.1	○	○	\$12,729	
Lewistown	289	○	3.7	5.6	○	2.4	○	○	\$6,289	
Lock Haven	52	○	3.3	5.9	○	0.0	○	○	\$7,724	

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Marian Community	119	○	4.9	5.2	○	5.2	○	○	\$7,765	
Memorial York	109	○	4.5	2.8	○	2.8	○	○	\$8,477	
Memorial/Towanda	50	○	4.9	2.0	○	10.2	○	○	\$9,254	
Mercy/Scranton	130	○	4.4	8.5	○	2.3	○	○	\$13,544	
Mercy/Wilkes-Barre	172	○	4.9	2.4	○	4.7	○	○	\$14,277	
Mid-Valley	45	○	5.2	0.0	○	4.4	○	○	\$8,995	
Milton S Hershey	70	○	2.6	21.7	●	1.4	○	○	\$6,987	
Montrose General	59	○	5.1	3.4	○	1.7	○	○	\$6,782	
Moses Taylor	153	○	4.7	4.6	○	2.6	○	○	\$8,070	
Muncy Valley	19	○	4.0	5.3	○	0.0	○	○	\$8,071	
Pinnacle Health	193	○	4.9	3.7	○	6.3	○	○	\$14,747	
Pocono	265	○	4.7	2.3	○	5.7	○	●	\$11,516	
Robert Packer	96	○	4.6	12.6	●	5.3	○	○	\$8,507	
Shamokin Area Community	116	○	3.6	3.5	○	0.0	○	○	\$5,476	
Soldiers & Sailors	85	○	3.7	4.8	○	1.2	○	○	\$7,144	
Sunbury Community	104	○	4.2	5.8	○	1.9	○	○	\$6,245	
Troy Community	17	○	4.2	0.0	○	0.0	○	○	\$6,520	
Tyler Memorial	82	○	4.8	7.4	○	2.5	○	○	\$8,946	
Wayne Memorial	45	○	4.9	0.0	○	4.5	○	○	\$9,353	
Waynesboro	81	○	4.0	7.7	○	1.3	○	○	\$9,451	
Williamsport	134	○	4.0	7.6	○	0.8	○	○	\$9,203	
WVHCS	325	○	5.5	3.2	○	6.0	○	○	\$10,584	
York	275	○	3.9	12.1	●	3.7	○	○	\$6,649	
Central & Northeastern	6,232		4.5	5.4		4.2			\$9,688	
TOTAL: Statewide	27,793		4.7	5.0		5.0			\$16,851	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	70	⊖	6.4	0.0	⊖	5.8	⊖	⊖	\$7,282	
Berwick	165	⊖	4.3	3.2	⊖	1.9	⊖	⊖	\$12,030	
Bloomsburg	79	⊖	4.2	3.9	⊖	2.6	⊖	⊖	\$9,299	
Bucktail	26	⊖	3.8	0.0	⊖	0.0	⊖	⊖	\$7,116	
Carlisle Regional	274	●	4.3	4.4	⊖	2.8	⊖	⊖	\$12,425	
Centre Community	343	●	5.4	3.4	⊖	6.3	⊖	⊖	\$9,728	
Chambersburg	434	⊖	5.3	5.2	⊖	5.9	⊖	⊖	\$12,908	
Community Lancaster	101	⊖	5.7	4.3	⊖	4.3	⊖	⊖	\$16,740	
Community/Scranton	271	⊖	5.8	5.7	⊖	8.8	●	⊖	\$13,673	
Ephrata Community	257	⊖	4.7	6.5	⊖	4.0	⊖	⊖	\$10,549	
Evangelical Community	269	⊖	3.8	9.5	●	2.4	⊖	⊖	\$6,918	
Fulton County	52	⊖	4.4	2.0	⊖	0.0	⊖	⊖	\$8,012	
Geisinger Wyoming Valley	220	⊖	4.4	10.4	●	3.8	⊖	⊖	\$12,998	
Geisinger/Danville	385	⊖	2.9	34.2	●	0.3	⊖	⊖	\$11,885	
Gettysburg	161	⊖	4.7	5.0	⊖	1.9	⊖	⊖	\$8,897	
Good Samaritan/Lebanon	406	⊖	4.7	6.3	⊖	3.5	⊖	⊖	\$11,331	
Hanover	259	⊖	5.2	2.4	⊖	4.4	⊖	⊖	\$8,728	
Hazleton General	251	⊖	4.7	8.0	⊖	3.8	⊖	⊖	\$10,754	
Hazleton St Joseph	206	⊖	4.8	5.1	⊖	1.5	⊖	⊖	\$10,638	
Holy Spirit	491	●	5.9	4.4	⊖	9.0	●	⊖	\$14,338	
J C Blair Memorial	102	⊖	4.6	7.9	⊖	3.0	⊖	⊖	\$6,122	
Jersey Shore	89	⊖	3.8	2.3	⊖	0.0	⊖	⊖	\$6,060	
Lancaster General	447	⊖	5.9	7.0	⊖	10.1	●	⊖	\$14,061	
Lancaster Regional	251	⊖	5.8	4.5	⊖	8.6	●	⊖	\$15,822	
Lewistown	403	⊖	3.9	6.9	⊖	2.3	⊖	●	\$7,220	
Lock Haven	79	⊖	4.0	6.8	⊖	0.0	⊖	⊖	\$10,379	

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Marian Community	138	○	5.4	3.7	○	8.1	○	○	\$9,175	
Memorial York	225	○	5.0	1.8	○	3.2	○	○	\$10,979	
Memorial/Towanda	65	○	4.9	0.0	○	4.8	○	○	\$9,355	
Mercy/Scranton	469	○	4.7	5.3	○	2.0	○	○	\$15,620	
Mercy/Wilkes-Barre	389	○	5.3	2.7	○	3.5	○	○	\$16,871	
Mid-Valley	98	○	4.9	5.2	○	2.1	○	○	\$8,808	
Milton S Hershey	442	○	4.2	14.7	●	4.3	○	○	\$10,644	
Montrose General	54	●	4.5	0.0	○	2.0	○	○	\$5,990	
Moses Taylor	421	○	5.6	3.5	○	5.9	○	○	\$11,490	
Muncy Valley	35	○	4.2	0.0	○	0.0	○	○	\$8,380	
Pinnacle Health	743	○	5.5	4.2	○	6.4	○	○	\$16,048	
Pocono	398	○	4.7	3.4	○	3.1	○	●	\$11,911	
Robert Packer	266	○	3.7	16.9	●	0.8	○	○	\$7,861	
Shamokin Area Community	202	○	4.8	2.6	○	2.6	○	○	\$6,346	
Soldiers & Sailors	157	○	3.7	11.7	●	0.0	○	○	\$7,175	
Sunbury Community	209	○	4.1	6.6	○	1.0	○	○	\$7,452	
Troy Community	15	○	3.1	7.1	○	0.0	○	○	\$5,689	
Tyler Memorial	92	○	4.5	3.3	○	2.2	○	○	\$8,725	
Wayne Memorial	140	○	4.9	5.1	○	1.4	○	○	\$9,180	
Waynesboro	154	○	4.2	11.7	●	4.1	○	○	\$12,270	
Williamsport	286	○	4.3	7.6	○	2.5	○	○	\$10,795	
WVHCS	621	○	5.7	4.9	○	7.4	●	○	\$10,921	
York	739	○	4.5	6.8	●	3.7	○	○	\$8,615	
Central & Northeastern	12,559		4.8	6.7		4.3			\$11,339	
TOTAL: Statewide	56,108		5.0	5.0		5.0			\$19,914	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR	NR
Berwick	4	NR	NR	NR	NR	NR
Bloomsburg	3	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	13	⊖	10.4	⊖	⊖	\$31,317
Centre Community	17	⊖	12.4	⊖	⊖	\$26,054
Chambersburg	20	⊖	10.2	⊖	⊖	\$19,108
Community Lancaster	8	⊖	15.2	⊖	⊖	\$34,292
Community/Scranton	16	⊖	12.4	⊖	⊖	\$27,791
Ephrata Community	11	⊖	9.6	⊖	⊖	\$30,014
Evangelical Community	19	⊖	6.2	⊖	⊖	\$7,857
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	14	⊖	10.4	⊖	⊖	\$28,898
Geisinger/Danville	23	●	4.3	⊖	⊖	\$20,771
Gettysburg	8	⊖	11.1	⊖	⊖	\$14,856
Good Samaritan/Lebanon	8	⊖	7.8	⊖	⊖	\$19,553
Hanover	9	⊖	7.9	⊖	⊖	\$13,017
Hazleton General	2	NR	NR	NR	NR	NR
Hazleton St Joseph	4	NR	NR	NR	NR	NR
Holy Spirit	17	⊖	12.1	⊖	⊖	\$31,435
J C Blair Memorial	6	⊖	6.6	⊖	⊖	\$9,116
Jersey Shore	0	NR	NR	NR	NR	NR
Lancaster General	37	⊖	11.0	⊖	⊖	\$29,422
Lancaster Regional	18	⊖	13.7	⊖	⊖	\$36,689
Lewistown	3	NR	NR	NR	NR	NR
Lock Haven	4	NR	NR	NR	NR	NR

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Marian Community	1	NR	NR	NR	NR	NR
Memorial York	9	○	8.2	○	○	\$17,537
Memorial/Towanda	3	NR	NR	NR	NR	NR
Mercy/Scranton	7	○	11.2	○	○	\$36,219
Mercy/Wilkes-Barre	16	○	7.1	○	○	\$27,404
Mid-Valley	0	NR	NR	NR	NR	NR
Milton S Hershey	19	○	11.6	○	○	\$28,126
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	16	○	10.6	○	○	\$18,340
Muncy Valley	0	NR	NR	NR	NR	NR
Pinnacle Health	36	○	10.7	●	○	\$31,702
Pocono	15	○	14.3	○	○	\$34,311
Robert Packer	23	○	8.1	○	○	\$14,935
Shamokin Area Community	0	NR	NR	NR	NR	NR
Soldiers & Sailors	3	NR	NR	NR	NR	NR
Sunbury Community	4	NR	NR	NR	NR	NR
Troy Community	1	NR	NR	NR	NR	NR
Tyler Memorial	0	NR	NR	NR	NR	NR
Wayne Memorial	6	○	10.1	○	○	\$19,638
Waynesboro	12	○	6.6	○	○	\$12,215
Williamsport	14	○	8.1	○	○	\$20,529
WVHCS	24	○	10.0	○	○	\$18,230
York	56	○	8.7	○	○	\$15,597
Central & Northeastern	532		9.7			\$23,108
TOTAL: Statewide	2,084		9.9			\$48,374

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	23	○	3.6	○	○	\$4,761
Berwick	52	○	4.0	○	○	\$9,021
Bloomsburg	16	○	3.9	○	○	\$7,944
Bucktail	4	NR	NR	NR	NR	NR
Carlisle Regional	80	○	3.6	○	○	\$9,292
Centre Community	71	○	3.9	○	○	\$6,286
Chambersburg	131	○	4.2	○	○	\$7,381
Community Lancaster	69	○	4.3	○	○	\$10,615
Community/Scranton	76	○	4.7	○	○	\$10,083
Ephrata Community	100	○	3.8	○	○	\$8,178
Evangelical Community	56	○	3.2	○	○	\$5,527
Fulton County	19	○	3.6	○	○	\$3,436
Geisinger Wyoming Valley	79	○	4.2	○	○	\$10,154
Geisinger/Danville	89	○	3.1	○	○	\$11,062
Gettysburg	20	○	3.4	○	○	\$4,885
Good Samaritan/Lebanon	77	○	4.2	○	○	\$7,959
Hanover	42	○	3.9	○	○	\$5,628
Hazleton General	48	○	4.0	○	○	\$7,973
Hazleton St Joseph	45	○	3.5	○	○	\$7,398
Holy Spirit	117	○	3.7	○	○	\$8,664
J C Blair Memorial	25	○	3.4	○	○	\$3,673
Jersey Shore	10	○	4.1	○	○	\$6,967
Lancaster General	176	○	4.3	○	○	\$9,831
Lancaster Regional	69	○	4.1	○	○	\$9,990
Lewistown	101	○	3.3	○	○	\$6,476
Lock Haven	20	○	2.7	○	○	\$6,459

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Marian Community	41	○	4.4	○	○	\$7,026
Memorial York	57	○	4.6	○	○	\$7,562
Memorial/Towanda	16	○	3.1	○	○	\$4,782
Mercy/Scranton	86	○	3.8	○	○	\$11,283
Mercy/Wilkes-Barre	69	○	4.6	○	○	\$12,055
Mid-Valley	8	○	4.0	○	○	\$7,522
Milton S Hershey	118	○	2.9	○	○	\$7,765
Montrose General	17	○	4.0	○	○	\$4,546
Moses Taylor	95	○	4.6	○	○	\$8,274
Muncy Valley	15	○	3.3	○	○	\$6,103
Pinnacle Health	230	○	3.9	○	○	\$10,697
Pocono	116	○	3.8	○	○	\$9,404
Robert Packer	78	○	3.0	○	○	\$6,737
Shamokin Area Community	36	●	3.5	○	○	\$5,275
Soldiers & Sailors	27	○	4.9	○	○	\$7,533
Sunbury Community	44	○	3.7	○	○	\$5,854
Troy Community	10	○	3.5	○	○	\$6,156
Tyler Memorial	17	○	3.7	○	○	\$8,498
Wayne Memorial	57	○	4.1	○	○	\$7,042
Waynesboro	38	○	3.4	○	○	\$7,984
Williamsport	82	○	4.1	○	○	\$9,231
WVHCS	150	○	4.1	○	○	\$7,516
York	203	○	3.6	○	○	\$6,836
Central & Northeastern	3,264		3.9			\$8,296
TOTAL: Statewide	16,040		3.8			\$15,786

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating	%	Rating	
Barnes Kasson County	3	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	46	38.5	○	4.7	0.0	○	2.5	○	\$16,291
Bloomsburg	54	36.4	○	5.7	0.0	○	4.8	○	\$13,433
Bucktail	2	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	76	66.5	○	6.2	3.4	○	5.1	○	\$17,528
Centre Community	100	46.8	○	5.6	2.4	○	2.4	○	\$11,268
Chambersburg	124	48.3	○	6.8	1.0	○	5.8	○	\$17,992
Community Lancaster	20	69.6	●	7.0	0.0	○	7.1	○	\$25,205
Community/Scranton*	99	1.1	○	6.0	5.4	○	4.3	○	\$20,174
Ephrata Community	60	59.5	○	5.5	5.9	○	2.0	○	\$14,753
Evangelical Community	154	36.3	○	4.7	9.6	●	0.7	○	\$8,792
Fulton County	10	66.7	○	4.1	12.5	○	0.0	○	\$9,915
Geisinger Wyoming Valley*	63	1.7	○	5.3	1.7	○	8.6	○	\$19,738
Geisinger/Danville*	330	0.0	○	3.8	18.5	●	0.3	○	\$16,999
Gettysburg	115	34.0	○	5.0	2.8	○	3.7	○	\$10,540
Good Samaritan/Lebanon	198	44.4	○	6.0	2.9	○	3.4	○	\$16,941
Hanover	112	44.9	○	6.1	3.1	○	3.1	○	\$12,233
Hazleton General	40	59.7	○	6.9	3.4	○	6.9	○	\$17,314
Hazleton St Joseph	14	79.1	○	6.0	0.0	○	0.0	○	\$15,923
Holy Spirit*	168	16.1	●	6.1	3.1	○	3.8	○	\$18,052
J C Blair Memorial	26	73.1	○	5.6	0.0	○	4.0	○	\$6,897
Jersey Shore	35	37.3	○	5.1	0.0	○	0.0	○	\$7,803
Lancaster General*	252	0.4	○	6.0	4.5	○	5.4	○	\$17,618
Lancaster Regional*	124	4.2	○	6.4	2.7	○	11.6	●	\$20,730
Lewistown	186	39.2	○	5.1	2.5	○	2.5	○	\$9,182
Lock Haven	22	47.5	○	4.5	4.8	○	4.8	○	\$13,590

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating	%	Rating	
Marian Community	68	50.5	○	6.1	3.7	○	1.9	○	\$12,736
Memorial York	55	50.0	○	7.2	0.0	○	8.9	○	\$15,510
Memorial/Towanda	17	64.3	○	5.8	0.0	○	0.0	○	\$10,728
Mercy/Scranton*	242	2.6	○	5.6	7.2	○	4.5	○	\$24,158
Mercy/Wilkes-Barre*	227	5.5	○	5.6	6.3	○	4.3	○	\$22,649
Mid-Valley	25	42.9	○	6.9	5.0	○	10.0	○	\$13,436
Milton S Hershey*	244	1.8	○	4.2	13.4	●	2.8	○	\$14,627
Montrose General	8	70.8	○	3.0	14.3	○	0.0	○	\$9,021
Moses Taylor	91	42.1	○	6.3	1.4	○	5.7	○	\$15,425
Muncy Valley	36	17.5	○	5.3	0.0	○	3.0	○	\$11,329
Pinnacle Health*	376	2.8	○	5.6	4.8	○	4.8	○	\$18,717
Pocono	94	70.6	●	6.1	5.7	○	5.7	○	\$17,913
Robert Packer*	126	3.5	○	3.9	18.3	●	0.9	○	\$10,524
Shamokin Area Community	83	28.6	○	4.6	2.7	○	0.0	○	\$7,288
Soldiers & Sailors	45	43.5	○	4.3	5.1	○	0.0	○	\$9,556
Sunbury Community	72	41.0	○	5.6	3.2	○	0.0	○	\$11,238
Troy Community	2	NR	NR	NR	NR	NR	NR	NR	NR
Tyler Memorial	6	80.0	○	6.8	16.7	○	0.0	○	\$17,424
Wayne Memorial	47	50.7	○	5.8	2.7	○	0.0	○	\$12,039
Waynesboro	38	59.1	○	5.3	11.4	○	5.7	○	\$16,444
Williamsport*	201	2.7	○	4.5	5.5	○	1.1	○	\$13,616
WVHCS	173	10.0	○	7.1	2.8	○	9.7	●	\$14,672
York*	350	4.8	○	5.7	5.7	○	5.0	○	\$11,899
Central & Northeastern	5,086	29.7		5.4	6.1		3.8		\$15,484
TOTAL: Statewide	15,925	30.3		5.7	5.0		5.0		\$25,156

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Barnes Kasson County	16	⊖	4.5	\$5,202
Berwick	11	⊖	4.1	\$9,355
Bloomsburg	10	⊖	2.0	\$5,776
Bucktail	0	NR	NR	NR
Carlisle Regional	44	⊖	3.7	\$9,762
Centre Community	65	⊖	4.0	\$5,897
Chambersburg	47	⊖	6.1	\$8,661
Community Lancaster	16	⊖	3.2	\$9,133
Community/Scranton	28	⊖	4.8	\$12,501
Ephrata Community	28	⊖	3.6	\$6,625
Evangelical Community	43	⊖	3.7	\$5,492
Fulton County	5	⊖	5.1	\$6,566
Geisinger Wyoming Valley	30	⊖	3.8	\$8,172
Geisinger/Danville	98	⊖	3.7	\$10,255
Gettysburg	22	⊖	3.7	\$4,821
Good Samaritan/Lebanon	31	⊖	4.9	\$10,827
Hanover	39	⊖	4.3	\$5,803
Hazleton General	34	●	4.6	\$9,318
Hazleton St Joseph	21	⊖	4.0	\$8,246
Holy Spirit	88	⊖	4.6	\$8,889
J C Blair Memorial	16	⊖	5.3	\$6,691
Jersey Shore	10	⊖	3.1	\$4,698
Lancaster General	97	⊖	4.6	\$8,175
Lancaster Regional	36	⊖	4.3	\$9,895
Lewistown	25	⊖	3.8	\$7,854
Lock Haven	20	⊖	3.4	\$6,546

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Marian Community	32	⊖	5.0	\$8,291
Memorial York	20	⊖	5.0	\$8,923
Memorial/Towanda	19	⊖	4.9	\$7,499
Mercy/Scranton	66	⊖	4.6	\$13,457
Mercy/Wilkes-Barre	32	⊖	4.7	\$11,794
Mid-Valley	8	⊖	4.0	\$6,682
Milton S Hershey	58	⊖	3.3	\$7,568
Montrose General	10	⊖	3.9	\$3,958
Moses Taylor	54	⊖	5.0	\$8,248
Muncy Valley	11	⊖	5.4	\$10,107
Pinnacle Health	101	⊖	4.3	\$10,035
Pocono	64	⊖	3.9	\$9,015
Robert Packer	50	⊖	3.7	\$6,090
Shamokin Area Community	30	⊖	3.9	\$5,079
Soldiers & Sailors	17	⊖	2.7	\$4,548
Sunbury Community	35	⊖	4.4	\$5,286
Troy Community	3	NR	NR	NR
Tyler Memorial	9	⊖	4.8	\$12,335
Wayne Memorial	19	⊖	4.6	\$9,386
Waynesboro	22	⊖	4.2	\$8,152
Williamsport	60	⊖	4.4	\$7,293
WVHCS	118	⊖	5.5	\$9,181
York	153	⊖	4.1	\$6,334
Central & Northeastern	1,887		4.3	\$8,264
TOTAL: Statewide	8,116		4.5	\$15,568

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Kidney Failure

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	11	⊖	3.4	33.3	●	0.0	⊖	⊖	⊖	\$13,249
Bloomsburg	7	⊖	4.0	20.0	⊖	0.0	⊖	⊖	⊖	\$8,299
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	68	⊖	6.2	5.1	⊖	5.1	⊖	⊖	⊖	\$16,535
Centre Community	41	⊖	8.2	6.1	⊖	9.1	⊖	⊖	⊖	\$12,692
Chambersburg	95	⊖	6.4	4.7	⊖	5.9	⊖	⊖	⊖	\$11,894
Community Lancaster	24	⊖	8.0	4.3	⊖	13.0	⊖	⊖	⊖	\$18,056
Community/Scranton	46	⊖	7.9	5.3	⊖	13.2	●	⊖	⊖	\$16,014
Ephrata Community	54	⊖	5.6	3.8	⊖	0.0	⊖	⊖	⊖	\$14,852
Evangelical Community	32	⊖	3.7	13.3	⊖	0.0	⊖	⊖	⊖	\$5,934
Fulton County	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	76	⊖	5.9	5.8	⊖	4.3	⊖	⊖	⊖	\$15,262
Geisinger/Danville	104	⊖	4.5	17.2	●	2.0	⊖	⊖	⊖	\$16,925
Gettysburg	25	⊖	7.1	13.0	⊖	0.0	⊖	⊖	⊖	\$13,954
Good Samaritan/Lebanon	75	⊖	6.8	1.5	⊖	3.0	⊖	⊖	⊖	\$14,871
Hanover	36	⊖	6.5	0.0	⊖	2.9	⊖	⊖	⊖	\$10,744
Hazleton General	60	⊖	5.9	3.8	⊖	0.0	⊖	⊖	⊖	\$13,764
Hazleton St Joseph	30	⊖	4.7	11.5	⊖	3.8	⊖	⊖	⊖	\$9,313
Holy Spirit	139	●	7.1	2.5	⊖	8.3	⊖	⊖	⊖	\$16,311
J C Blair Memorial	15	⊖	6.5	0.0	⊖	0.0	⊖	⊖	⊖	\$6,440
Jersey Shore	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	161	⊖	6.2	4.7	⊖	3.3	⊖	⊖	⊖	\$14,285
Lancaster Regional	70	⊖	6.0	10.6	⊖	1.5	⊖	⊖	⊖	\$16,691
Lewistown	31	⊖	5.4	3.8	⊖	3.8	⊖	⊖	⊖	\$8,977
Lock Haven	10	⊖	5.1	0.0	⊖	0.0	⊖	⊖	⊖	\$10,642

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney Failure

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Marian Community	36	○	6.0	6.1	○	0.0	○	○	\$10,929	
Memorial York	43	○	6.6	5.1	○	0.0	○	○	\$13,695	
Memorial/Towanda	8	●	5.1	0.0	○	0.0	○	○	\$8,670	
Mercy/Scranton	108	○	6.8	5.3	○	7.4	○	○	\$20,084	
Mercy/Wilkes-Barre	86	○	6.6	4.1	○	4.1	○	○	\$20,330	
Mid-Valley	24	○	6.5	0.0	○	9.1	○	○	\$11,509	
Milton S Hershey	142	○	5.4	8.4	○	4.6	○	○	\$13,761	
Montrose General	6	○	5.9	0.0	○	0.0	○	○	\$5,377	
Moses Taylor	94	○	6.6	3.3	○	4.4	○	○	\$12,767	
Muncy Valley	2	NR	NR	NR	NR	NR	NR	NR	NR	
Pinnacle Health	275	○	6.5	4.8	○	5.6	○	○	\$18,683	
Pocono	68	○	5.9	8.6	○	5.2	○	○	\$16,619	
Robert Packer	63	○	4.0	25.0	●	1.9	○	○	\$9,292	
Shamokin Area Community	30	○	5.0	0.0	○	0.0	○	○	\$5,313	
Soldiers & Sailors	42	○	5.0	5.1	○	2.6	○	○	\$9,224	
Sunbury Community	34	○	5.2	3.0	○	0.0	○	○	\$6,449	
Troy Community	0	NR	NR	NR	NR	NR	NR	NR	NR	
Tyler Memorial	7	○	8.5	33.3	●	0.0	○	○	\$14,542	
Wayne Memorial	18	○	5.2	12.5	○	0.0	○	○	\$10,349	
Waynesboro	11	○	4.6	11.1	○	0.0	○	○	\$10,324	
Williamsport	85	○	5.8	6.8	○	5.4	○	○	\$13,249	
WVHCS	89	○	7.8	2.7	○	6.8	○	○	\$17,554	
York	218	○	6.0	7.5	○	4.0	○	○	\$10,963	
Central & Northeastern	2,712		6.1	6.4		4.2			\$14,276	
TOTAL: Statewide	12,380		6.3	5.0		5.0			\$24,798	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	29	⊖	4.9	0.0	⊖	6.9	⊖	⊖	\$6,702	
Berwick	40	⊖	4.9	0.0	⊖	5.3	⊖	⊖	\$10,835	
Bloomsburg	43	⊖	4.0	2.4	⊖	7.1	⊖	⊖	\$7,196	
Bucktail	8	⊖	3.3	0.0	⊖	0.0	⊖	⊖	\$8,253	
Carlisle Regional	62	⊖	4.0	8.2	⊖	3.3	⊖	⊖	\$9,034	
Centre Community	101	⊖	4.3	3.0	⊖	5.0	⊖	⊖	\$6,486	
Chambersburg	109	⊖	4.7	1.8	⊖	5.5	⊖	⊖	\$8,215	
Community Lancaster	22	⊖	3.9	0.0	⊖	4.5	⊖	⊖	\$9,455	
Community/Scranton	130	⊖	4.6	6.9	⊖	7.7	⊖	⊖	\$10,274	
Ephrata Community	110	⊖	3.9	2.7	⊖	0.9	⊖	⊖	\$7,171	
Evangelical Community	96	⊖	3.7	7.4	⊖	1.1	⊖	⊖	\$5,179	
Fulton County	24	⊖	4.7	0.0	⊖	0.0	⊖	⊖	\$6,294	
Geisinger Wyoming Valley	90	⊖	4.0	8.9	⊖	1.1	⊖	⊖	\$8,878	
Geisinger/Danville	133	⊖	2.6	17.6	●	0.0	⊖	⊖	\$9,409	
Gettysburg	54	⊖	4.1	1.9	⊖	1.9	⊖	⊖	\$6,429	
Good Samaritan/Lebanon	93	⊖	4.4	7.6	⊖	4.3	⊖	⊖	\$8,728	
Hanover	44	⊖	4.8	2.3	⊖	2.3	⊖	⊖	\$6,166	
Hazleton General	32	⊖	4.0	3.2	⊖	0.0	⊖	⊖	\$8,568	
Hazleton St Joseph	35	⊖	4.4	2.9	⊖	2.9	⊖	⊖	\$8,879	
Holy Spirit	203	⊖	5.3	0.0	⊖	5.9	⊖	⊖	\$10,625	
J C Blair Memorial	47	⊖	4.1	12.8	●	6.4	⊖	⊖	\$4,432	
Jersey Shore	15	⊖	3.9	0.0	⊖	0.0	⊖	⊖	\$4,896	
Lancaster General	190	⊖	5.3	2.6	⊖	8.9	●	⊖	\$10,180	
Lancaster Regional	77	⊖	4.2	0.0	⊖	2.7	⊖	⊖	\$10,674	
Lewistown	173	⊖	3.9	5.8	⊖	2.3	⊖	⊖	\$5,957	
Lock Haven	38	⊖	3.4	8.1	⊖	0.0	⊖	⊖	\$6,913	

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Marian Community	66	○	5.2	0.0	○	4.8	○	○	○	\$7,824
Memorial York	55	○	4.6	3.7	○	5.6	○	○	○	\$7,441
Memorial/Towanda	29	○	4.6	3.4	○	3.4	○	○	○	\$6,975
Mercy/Scranton	144	○	4.0	4.9	○	2.8	○	○	○	\$11,965
Mercy/Wilkes-Barre	57	○	5.2	1.8	○	5.3	○	○	○	\$13,580
Mid-Valley	24	○	4.5	4.2	○	0.0	○	○	○	\$6,482
Milton S Hershey	115	○	3.2	14.2	●	3.5	○	○	○	\$7,233
Montrose General	28	○	3.7	3.6	○	3.6	○	○	○	\$4,149
Moses Taylor	109	○	5.1	2.8	○	3.7	○	○	○	\$8,560
Muncy Valley	5	○	3.4	20.0	○	0.0	○	NR	NR	\$6,304
Pinnacle Health	166	○	4.7	3.1	○	8.0	○	○	○	\$10,795
Pocono	117	○	4.7	1.7	○	9.4	○	○	○	\$10,980
Robert Packer	90	○	3.3	11.1	●	1.1	○	○	○	\$6,014
Shamokin Area Community	68	●	4.6	1.6	○	4.9	○	○	○	\$5,674
Soldiers & Sailors	21	○	2.7	14.3	○	0.0	○	○	○	\$4,246
Sunbury Community	58	○	3.6	3.5	○	1.8	○	○	○	\$4,959
Troy Community	20	○	3.4	5.0	○	0.0	○	○	○	\$5,457
Tyler Memorial	28	○	3.4	14.3	●	3.6	○	○	○	\$6,827
Wayne Memorial	54	○	4.3	3.7	○	5.6	○	○	○	\$6,606
Waynesboro	41	○	4.6	2.4	○	4.9	○	○	○	\$7,766
Williamsport	82	○	4.0	2.4	○	2.4	○	○	○	\$7,925
WVHCS	184	○	5.4	1.6	○	8.8	●	○	○	\$8,923
York	275	○	4.0	7.4	○	5.1	○	○	○	\$5,761
Central & Northeastern	3,880		4.3	4.8		4.5				\$8,206
TOTAL: Statewide	19,840		4.3	5.0		5.0				\$15,509

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	18	○	8.1	0.0	○	14.3	○	○	○	\$19,898
Bloomsburg	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	42	○	6.9	10.0	○	3.3	○	○	○	\$17,099
Centre Community	23	●	8.3	0.0	○	14.3	○	○	○	\$14,335
Chambersburg	106	○	7.9	4.8	○	4.8	○	○	○	\$14,753
Community Lancaster	32	○	7.5	0.0	○	3.6	○	○	○	\$23,115
Community/Scranton	13	○	7.2	15.4	○	7.7	○	○	○	\$16,581
Ephrata Community	28	○	6.2	3.8	○	0.0	○	○	○	\$12,365
Evangelical Community	28	○	5.6	15.8	○	0.0	○	○	○	\$6,680
Fulton County	6	●	NR	NR	NR	NR	NR	NR	NR	\$6,865
Geisinger Wyoming Valley	30	○	5.7	8.0	○	0.0	○	○	○	\$13,500
Geisinger/Danville	69	○	5.6	25.9	●	1.7	○	○	○	\$17,526
Gettysburg	15	○	6.0	7.7	○	0.0	○	○	○	\$10,048
Good Samaritan/Lebanon	53	○	7.6	8.5	○	6.4	○	○	○	\$14,881
Hanover	23	○	5.2	5.0	○	0.0	○	○	○	\$7,496
Hazleton General	44	○	6.6	2.9	○	0.0	○	○	○	\$15,272
Hazleton St Joseph	29	○	5.3	4.2	○	0.0	○	○	○	\$10,225
Holy Spirit	75	●	8.8	3.5	○	8.8	○	○	○	\$22,363
J C Blair Memorial	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jersey Shore	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	78	○	7.2	8.0	○	2.7	○	○	○	\$17,080
Lancaster Regional	73	○	7.3	7.5	○	4.5	○	○	○	\$19,961
Lewistown	32	○	8.0	0.0	○	12.5	○	○	○	\$11,784
Lock Haven	2	NR	NR	NR	NR	NR	NR	NR	NR	NR

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Marian Community	8	○	5.1	28.6	●	0.0	○	○	\$8,152	
Memorial York	23	○	6.8	0.0	○	5.3	○	○	\$13,732	
Memorial/Towanda	6	○	6.2	40.0	●	0.0	○	○	\$17,260	
Mercy/Scranton	64	○	7.0	3.6	○	3.6	○	○	\$20,334	
Mercy/Wilkes-Barre	90	○	8.9	2.6	○	7.8	○	○	\$23,314	
Mid-Valley	4	NR	NR	NR	NR	NR	NR	NR	NR	
Milton S Hershey	54	○	5.8	8.3	○	4.2	○	○	\$12,892	
Montrose General	0	NR	NR	NR	NR	NR	NR	NR	NR	
Moses Taylor	55	○	7.0	3.9	○	5.9	○	○	\$11,379	
Muncy Valley	3	NR	NR	NR	NR	NR	NR	NR	NR	
Pinnacle Health	125	○	7.2	2.0	○	7.0	○	○	\$21,108	
Pocono	101	○	7.6	7.8	○	6.7	○	○	\$20,381	
Robert Packer	41	○	6.2	6.1	○	3.0	○	○	\$10,971	
Shamokin Area Community	11	○	6.7	12.5	○	0.0	○	○	\$8,723	
Soldiers & Sailors	10	○	5.1	20.0	○	10.0	○	○	\$10,549	
Sunbury Community	42	○	5.7	2.6	○	2.6	○	○	\$7,726	
Troy Community	7	○	4.3	33.3	●	0.0	○	○	\$7,052	
Tyler Memorial	5	○	NR	NR	NR	NR	NR	NR	\$10,005	
Wayne Memorial	26	○	8.4	4.3	○	4.3	○	○	\$15,603	
Waynesboro	13	○	6.0	27.3	●	0.0	○	○	\$11,934	
Williamsport	29	○	7.9	3.8	○	11.5	○	○	\$15,837	
WVHCS	129	○	8.5	4.8	○	5.7	○	○	\$16,264	
York	129	○	6.9	9.6	○	4.8	○	○	\$10,682	
Central & Northeastern	1,812		7.2	6.8		4.9			\$15,861	
TOTAL: Statewide	9,361		7.2	5.0		5.0			\$26,087	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	77	○	6.4	1.4	○	4.1	○	○	\$8,156	
Berwick	117	○	5.2	2.7	○	5.5	○	○	\$14,437	
Bloomsburg	84	●	4.2	5.3	○	1.3	○	○	\$9,001	
Bucktail	7	○	3.3	28.6	●	0.0	○	○	\$9,630	
Carlisle Regional	280	○	4.8	3.4	○	3.4	○	○	\$13,136	
Centre Community	317	●	6.2	2.8	○	8.0	●	○	\$10,576	
Chambersburg	400	○	5.4	3.9	○	3.1	○	○	\$11,158	
Community Lancaster	85	○	5.0	0.0	○	0.0	○	○	\$14,061	
Community/Scranton	206	○	5.7	3.0	○	5.4	○	○	\$13,761	
Ephrata Community	240	○	5.2	4.7	○	3.0	○	○	\$10,909	
Evangelical Community	276	○	4.1	9.7	●	1.6	○	○	\$6,411	
Fulton County	91	○	4.9	2.2	○	3.3	○	○	\$8,221	
Geisinger Wyoming Valley	180	○	5.0	7.0	○	3.5	○	○	\$12,657	
Geisinger/Danville	299	○	3.4	25.9	●	2.1	○	○	\$11,210	
Gettysburg	132	○	6.3	6.2	○	8.5	○	○	\$11,351	
Good Samaritan/Lebanon	356	○	4.7	4.7	○	1.8	○	○	\$11,004	
Hanover	143	○	5.1	6.0	○	6.0	○	○	\$9,000	
Hazleton General	293	○	5.6	4.3	○	5.8	○	●	\$13,251	
Hazleton St Joseph	232	○	5.2	3.2	○	0.9	○	○	\$11,680	
Holy Spirit	421	●	6.5	1.0	○	8.9	●	○	\$15,518	
J C Blair Memorial	128	○	5.6	5.0	○	4.1	○	○	\$6,035	
Jersey Shore	73	○	4.2	5.6	○	0.0	○	○	\$5,919	
Lancaster General	422	○	5.5	5.6	○	4.4	○	○	\$12,212	
Lancaster Regional	198	○	5.6	4.1	○	6.2	○	○	\$15,089	
Lewistown	303	○	4.7	4.1	○	3.4	○	○	\$7,857	
Lock Haven	100	●	4.1	3.3	○	0.0	○	○	\$8,615	

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Marian Community	199	○	6.0	3.6	○	9.3	●	●	○	\$9,932
Memorial York	162	○	4.6	2.6	○	1.9	○	○	○	\$8,881
Memorial/Towanda	95	○	5.2	4.3	○	5.4	○	○	○	\$9,846
Mercy/Scranton	358	○	5.4	4.3	○	4.3	○	○	○	\$16,046
Mercy/Wilkes-Barre	225	○	5.8	2.3	○	4.1	○	○	○	\$16,601
Mid-Valley	59	○	5.0	5.2	○	3.4	○	○	○	\$9,979
Milton S Hershey	243	○	3.8	15.0	●	1.7	○	○	○	\$9,026
Montrose General	49	○	5.3	0.0	○	2.1	○	○	○	\$7,572
Moses Taylor	314	○	6.0	3.7	○	6.6	○	○	○	\$10,322
Muncy Valley	30	○	4.6	6.9	○	0.0	○	○	○	\$9,691
Pinnacle Health	492	○	5.7	4.9	○	5.5	○	○	○	\$15,246
Pocono	444	○	5.2	5.0	○	5.9	○	●	○	\$13,212
Robert Packer	314	○	4.5	16.2	●	3.1	○	○	○	\$8,909
Shamokin Area Community	196	○	5.0	1.6	○	2.7	○	●	●	\$7,131
Soldiers & Sailors	165	○	4.3	12.8	●	0.6	○	○	○	\$8,103
Sunbury Community	263	○	4.6	7.7	○	0.8	○	○	●	\$6,980
Troy Community	46	○	3.5	23.3	●	0.0	○	○	○	\$6,519
Tyler Memorial	146	○	5.0	3.5	○	7.0	○	○	○	\$9,130
Wayne Memorial	243	○	5.1	7.2	○	3.8	○	○	○	\$10,317
Waynesboro	193	○	4.9	9.1	●	1.6	○	○	○	\$11,161
Williamsport	240	○	4.5	6.9	○	1.7	○	○	○	\$10,523
WVHCS	588	○	6.2	5.1	○	8.7	●	○	○	\$12,247
York	628	●	4.9	5.6	○	4.2	○	○	○	\$7,663
Central & Northeastern	11,265		5.2	5.9		4.3				\$11,052
TOTAL: Statewide	44,145		5.3	5.0		5.0				\$18,006

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR	NR
Berwick	5	⊖	NR	NR	NR	\$47,013
Bloomsburg	0	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	24	⊖	6.2	⊖	⊖	\$36,263
Centre Community	12	⊖	12.3	⊖	⊖	\$30,756
Chambersburg	20	⊖	11.8	⊖	⊖	\$38,708
Community Lancaster	9	⊖	9.5	⊖	⊖	\$55,386
Community/Scranton	36	⊖	9.9	⊖	⊖	\$38,310
Ephrata Community	10	⊖	12.0	⊖	⊖	\$51,099
Evangelical Community	2	NR	NR	NR	NR	NR
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	12	⊖	8.5	⊖	⊖	\$32,873
Geisinger/Danville	19	⊖	11.7	⊖	⊖	\$53,063
Gettysburg	7	⊖	NR	NR	NR	\$13,403
Good Samaritan/Lebanon	9	⊖	6.6	⊖	⊖	\$18,445
Hanover	19	⊖	15.8	⊖	⊖	\$35,349
Hazleton General	23	⊖	10.3	⊖	⊖	\$38,544
Hazleton St Joseph	12	⊖	10.3	⊖	⊖	\$29,970
Holy Spirit	42	●	12.8	⊖	⊖	\$54,546
J C Blair Memorial	5	⊖	7.2	NR	NR	\$11,318
Jersey Shore	0	NR	NR	NR	NR	NR
Lancaster General	31	⊖	10.6	⊖	⊖	\$37,269
Lancaster Regional	13	⊖	11.9	⊖	⊖	\$68,765
Lewistown	4	NR	NR	NR	NR	NR
Lock Haven	4	NR	NR	NR	NR	NR

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Marian Community	9	○	10.3	○	○	\$25,293
Memorial York	17	○	14.0	○	○	\$45,917
Memorial/Towanda	8	○	6.6	○	○	\$19,511
Mercy/Scranton	33	○	10.1	○	○	\$49,333
Mercy/Wilkes-Barre	28	○	9.6	○	○	\$54,797
Mid-Valley	11	○	8.4	○	○	\$22,873
Milton S Hershey	45	○	13.0	○	○	\$52,858
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	34	○	10.2	○	○	\$26,880
Muncy Valley	0	NR	NR	NR	NR	NR
Pinnacle Health	61	○	11.1	○	○	\$54,857
Pocono	39	○	11.1	○	○	\$40,721
Robert Packer	15	○	10.6	○	○	\$28,659
Shamokin Area Community	7	○	NR	NR	NR	\$13,511
Soldiers & Sailors	3	NR	NR	NR	NR	NR
Sunbury Community	5	○	NR	NR	NR	\$20,448
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	7	○	9.3	○	○	\$25,776
Wayne Memorial	7	○	11.7	○	○	\$36,749
Waynesboro	14	○	6.2	○	○	\$22,626
Williamsport	41	○	10.9	○	○	\$52,031
WVHCS	33	○	10.5	○	○	\$26,418
York	55	○	9.6	○	○	\$28,152
Central & Northeastern	794		10.5			\$39,846
TOTAL: Statewide	3,671		10.2			\$59,804

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	3	NR	NR	NR	NR	NR
Berwick	22	⊖	6.6	⊖	⊖	\$19,095
Bloomsburg	1	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	19	⊖	5.9	⊖	⊖	\$14,720
Centre Community	69	⊖	7.8	⊖	⊖	\$13,961
Chambersburg	110	⊖	6.4	⊖	⊖	\$15,831
Community Lancaster	44	⊖	6.9	⊖	⊖	\$20,200
Community/Scranton	18	⊖	5.3	⊖	⊖	\$16,471
Ephrata Community	18	⊖	6.1	⊖	⊖	\$16,223
Evangelical Community	24	⊖	4.2	⊖	⊖	\$7,072
Fulton County	2	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	25	⊖	5.6	⊖	⊖	\$12,534
Geisinger/Danville	7	⊖	7.0	⊖	⊖	\$19,764
Gettysburg	61	⊕	6.5	⊖	⊖	\$14,159
Good Samaritan/Lebanon	47	●	5.8	⊖	⊖	\$12,561
Hanover	28	⊖	7.3	⊖	⊖	\$11,800
Hazleton General	32	⊖	6.5	⊖	⊖	\$13,990
Hazleton St Joseph	30	⊖	5.6	⊖	⊖	\$11,894
Holy Spirit	53	⊖	8.3	⊖	⊖	\$24,093
J C Blair Memorial	7	⊖	6.5	⊖	⊖	\$8,534
Jersey Shore	6	⊖	4.7	⊖	⊖	\$7,985
Lancaster General	40	⊖	6.4	⊖	⊖	\$16,528
Lancaster Regional	50	⊖	6.6	⊖	⊖	\$20,477
Lewistown	24	⊖	5.3	⊖	●	\$9,408
Lock Haven	9	⊖	5.6	⊖	⊖	\$12,802

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Marian Community	15	○	5.4	○	○	\$9,205
Memorial York	18	○	5.4	○	○	\$11,254
Memorial/Towanda	4	NR	NR	NR	NR	NR
Mercy/Scranton	57	○	6.1	○	○	\$20,960
Mercy/Wilkes-Barre	19	○	6.4	○	○	\$24,281
Mid-Valley	15	○	5.8	○	○	\$10,529
Milton S Hershey	26	○	4.9	○	○	\$12,677
Montrose General	1	NR	NR	NR	NR	NR
Moses Taylor	126	○	6.4	○	○	\$11,229
Muncy Valley	4	NR	NR	NR	NR	NR
Pinnacle Health	117	○	6.2	○	○	\$19,924
Pocono	16	○	7.8	○	○	\$17,359
Robert Packer	16	○	7.2	○	○	\$17,160
Shamokin Area Community	2	NR	NR	NR	NR	NR
Soldiers & Sailors	20	○	5.0	●	●	\$12,089
Sunbury Community	3	NR	NR	NR	NR	NR
Troy Community	3	NR	NR	NR	NR	NR
Tyler Memorial	3	NR	NR	NR	NR	NR
Wayne Memorial	53	○	6.9	○	○	\$14,378
Waynesboro	10	○	5.1	○	○	\$10,344
Williamsport	56	○	5.7	○	○	\$14,660
WVHCS	38	○	6.9	○	○	\$12,872
York	27	○	6.1	○	○	\$11,700
Central & Northeastern	1,401		6.3			\$15,144
TOTAL: Statewide	4,004		6.5			\$22,768

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Barnes Kasson County	9	⊖	8.2	0.0	⊖	0.0	⊖	\$8,165
Berwick	20	⊖	6.3	0.0	⊖	0.0	⊖	\$18,514
Bloomsburg	4	NR	NR	NR	NR	NR	NR	NR
Bucktail	0	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	79	⊖	5.8	1.5	⊖	4.5	⊖	\$17,059
Centre Community	94	⊖	8.3	2.4	⊖	13.3	●	\$14,425
Chambersburg	111	⊖	8.3	5.1	⊖	4.1	⊖	\$16,805
Community Lancaster	26	⊖	6.9	0.0	⊖	4.3	⊖	\$19,796
Community/Scranton	71	⊖	6.7	5.8	⊖	3.8	⊖	\$17,228
Ephrata Community	37	⊖	6.3	3.1	⊖	0.0	⊖	\$14,915
Evangelical Community	55	⊖	6.6	4.7	⊖	2.3	⊖	\$9,219
Fulton County	7	⊖	4.7	0.0	⊖	0.0	⊖	\$8,897
Geisinger Wyoming Valley	107	⊖	6.7	9.4	⊖	4.2	⊖	\$17,457
Geisinger/Danville	111	⊖	5.2	20.0	●	2.2	⊖	\$18,066
Gettysburg	61	⊖	5.5	10.9	⊖	0.0	⊖	\$9,513
Good Samaritan/Lebanon	212	⊖	7.4	1.6	⊖	4.2	⊖	\$16,120
Hanover	110	⊖	6.0	7.8	⊖	3.3	⊖	\$9,436
Hazleton General	132	⊖	6.6	5.5	⊖	3.6	⊖	\$14,175
Hazleton St Joseph	70	⊖	6.4	3.3	⊖	4.9	⊖	\$13,126
Holy Spirit	214	⊖	8.5	1.8	⊖	8.4	⊖	\$20,304
J C Blair Memorial	51	⊖	5.6	4.2	⊖	0.0	⊖	\$5,800
Jersey Shore	14	⊖	4.5	0.0	⊖	0.0	⊖	\$6,956
Lancaster General	126	⊖	7.8	10.8	●	12.9	●	\$18,480
Lancaster Regional	79	⊖	6.8	0.0	⊖	2.8	⊖	\$18,288
Lewistown	20	⊖	5.9	0.0	⊖	0.0	⊖	\$9,849
Lock Haven	13	⊖	7.1	0.0	⊖	9.1	⊖	\$14,163

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Marian Community	26	○	7.2	5.3	○	0.0	○	\$11,817
Memorial York	33	○	6.4	3.3	○	0.0	○	\$14,246
Memorial/Towanda	22	○	5.9	0.0	○	0.0	○	\$10,234
Mercy/Scranton	142	○	7.4	3.5	○	2.6	○	\$23,097
Mercy/Wilkes-Barre	114	○	7.6	2.0	○	6.0	○	\$19,499
Mid-Valley	17	○	9.2	0.0	○	6.7	○	\$12,893
Milton S Hershey	201	○	7.0	6.7	○	7.3	○	\$19,389
Montrose General	17	○	4.8	0.0	○	0.0	○	\$3,838
Moses Taylor	152	○	7.1	7.0	○	4.7	○	\$13,789
Muncy Valley	7	○	5.4	0.0	○	0.0	○	\$9,045
Pinnacle Health	326	○	7.8	3.5	○	5.3	○	\$20,870
Pocono	66	○	7.4	0.0	○	0.0	○	\$17,766
Robert Packer	77	○	5.7	16.1	●	3.2	○	\$11,441
Shamokin Area Community	21	○	6.3	0.0	○	0.0	○	\$7,632
Soldiers & Sailors	48	○	5.1	7.5	○	0.0	○	\$10,207
Sunbury Community	37	○	6.1	3.2	○	3.2	○	\$8,400
Troy Community	6	○	3.9	20.0	○	0.0	○	\$6,627
Tyler Memorial	44	○	6.9	0.0	○	0.0	○	\$10,722
Wayne Memorial	112	○	7.6	2.1	○	4.1	○	\$12,187
Waynesboro	56	○	6.6	7.8	○	2.0	○	\$15,460
Williamsport	86	○	6.4	2.9	○	0.0	○	\$12,887
WVHCS	104	●	7.7	7.2	○	4.3	○	\$14,294
York	311	○	6.5	4.9	○	2.6	○	\$11,299
Central & Northeastern	3,893		7.0	4.9		4.2		\$15,434
TOTAL: Statewide	14,714		7.2	5.0		5.0		\$24,529

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	25	⊖	4.4	⊖	⊖	\$7,656
Berwick	43	⊖	4.0	⊖	⊖	\$14,956
Bloomsburg	41	⊖	3.0	⊖	⊖	\$8,199
Bucktail	1	NR	NR	NR	NR	NR
Carlisle Regional	129	⊖	3.7	⊖	⊖	\$12,515
Centre Community	104	⊖	4.3	⊖	⊖	\$7,942
Chambersburg	149	⊖	5.1	⊖	⊖	\$11,079
Community Lancaster	41	⊖	4.0	⊖	⊖	\$13,496
Community/Scranton	123	⊖	5.3	⊖	⊖	\$13,465
Ephrata Community	83	⊖	3.6	⊖	⊖	\$7,958
Evangelical Community	78	⊖	3.6	⊕	⊖	\$6,418
Fulton County	14	⊖	3.5	⊖	⊖	\$8,097
Geisinger Wyoming Valley	134	⊖	4.1	⊖	●	\$10,306
Geisinger/Danville	119	⊖	2.8	⊖	●	\$14,685
Gettysburg	84	⊖	4.4	⊖	⊖	\$8,611
Good Samaritan/Lebanon	134	⊖	4.6	⊕	⊖	\$10,250
Hanover	122	⊖	4.1	⊖	⊖	\$7,616
Hazleton General	106	⊖	4.2	⊖	⊖	\$10,091
Hazleton St Joseph	85	⊖	4.5	⊖	⊖	\$10,345
Holy Spirit	233	●	5.2	⊖	⊖	\$11,956
J C Blair Memorial	24	⊖	4.4	⊕	⊖	\$6,811
Jersey Shore	16	⊖	3.3	⊖	⊖	\$6,648
Lancaster General	346	⊖	4.4	⊕	⊖	\$12,566
Lancaster Regional	78	⊖	4.0	⊕	⊖	\$15,542
Lewistown	114	⊖	4.4	⊖	⊖	\$7,355
Lock Haven	15	⊖	3.7	⊖	⊖	\$9,822

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Marian Community	87	○	4.9	○	○	\$9,618
Memorial York	102	○	4.4	○	○	\$9,949
Memorial/Towanda	44	○	3.9	○	○	\$7,858
Mercy/Scranton	190	○	4.9	○	○	\$16,174
Mercy/Wilkes-Barre	134	○	4.1	○	○	\$11,693
Mid-Valley	42	○	4.1	○	○	\$7,057
Milton S Hershey	119	○	3.3	○	○	\$10,338
Montrose General	11	○	3.9	○	○	\$4,898
Moses Taylor	171	○	4.6	○	○	\$9,009
Muncy Valley	21	○	3.3	○	○	\$6,831
Pinnacle Health	309	○	5.1	○	○	\$14,258
Pocono	156	○	4.1	○	○	\$12,918
Robert Packer	130	○	3.4	○	●	\$7,821
Shamokin Area Community	41	●	4.0	○	○	\$7,423
Soldiers & Sailors	77	○	3.1	○	○	\$8,382
Sunbury Community	49	○	3.9	○	○	\$7,946
Troy Community	9	○	3.0	○	○	\$7,349
Tyler Memorial	23	○	3.6	○	○	\$9,918
Wayne Memorial	67	○	4.4	○	○	\$8,842
Waynesboro	71	○	3.6	○	○	\$9,583
Williamsport	173	○	3.6	○	○	\$9,094
WVHCS	309	○	4.6	○	○	\$9,696
York	310	○	4.2	○	○	\$7,790
Central & Northeastern	5,125		4.3			\$10,531
TOTAL: Statewide	21,373		4.3			\$17,333

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Berwick	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Bloomsburg	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$8,227
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Carlisle Regional	10	⊖	2.7	16.7	⊖	0.0	⊖	⊖	⊖	\$7,594
Centre Community	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$8,176
Chambersburg	19	⊖	5.2	7.7	⊖	7.7	⊖	⊖	⊖	\$10,970
Community Lancaster	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$14,165
Community/Scranton	27	⊖	8.3	0.0	⊖	0.0	⊖	⊖	⊖	\$23,152
Ephrata Community	20	⊖	4.7	12.5	⊖	0.0	⊖	⊖	⊖	\$10,351
Evangelical Community	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$7,724
Fulton County	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	23	⊖	5.8	11.1	⊖	5.6	⊖	⊖	⊖	\$15,288
Geisinger/Danville	95	⊖	6.2	4.6	⊖	3.1	⊖	⊖	⊖	\$24,710
Gettysburg	8	⊖	7.3	0.0	⊖	0.0	⊖	⊖	⊖	\$11,788
Good Samaritan/Lebanon	18	⊖	6.4	7.1	⊖	7.1	⊖	⊖	⊖	\$10,225
Hanover	11	⊖	4.6	0.0	⊖	0.0	⊖	⊖	⊖	\$6,455
Hazleton General	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$4,875
Hazleton St Joseph	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$7,876
Holy Spirit	22	⊖	9.7	0.0	⊖	13.3	⊖	⊖	⊖	\$17,809
J C Blair Memorial	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Jersey Shore	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lancaster General	81	⊖	6.3	10.7	⊖	7.1	⊖	⊖	⊖	\$13,165
Lancaster Regional	21	⊖	5.1	16.7	⊖	0.0	⊖	⊖	⊖	\$15,848
Lewistown	7	⊖	NR	NR	NR	NR	NR	NR	NR	\$10,244
Lock Haven	2	NR	NR	NR	NR	NR	NR	NR	NR	NR

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Marian Community	10	⊖	6.9	11.1	⊖	0.0	⊖	⊖	\$8,857	
Memorial York	8	⊖	NR	NR	NR	NR	NR	NR	\$7,246	
Memorial/Towanda	2	NR	NR	NR	NR	NR	NR	NR	NR	
Mercy/Scranton	39	⊖	6.2	4.0	⊖	0.0	⊖	⊖	\$20,647	
Mercy/Wilkes-Barre	22	⊖	5.5	15.4	⊖	0.0	⊖	⊖	\$19,320	
Mid-Valley	12	⊖	6.0	0.0	⊖	0.0	⊖	⊖	\$11,469	
Milton S Hershey	75	⊖	5.8	5.8	⊖	0.0	⊖	⊖	\$13,916	
Montrose General	1	NR	NR	NR	NR	NR	NR	NR	NR	
Moses Taylor	31	⊖	7.0	5.3	⊖	5.3	⊖	●	\$12,278	
Muncy Valley	0	NR	NR	NR	NR	NR	NR	NR	NR	
Pinnacle Health	47	⊖	7.4	5.4	⊖	8.1	⊖	⊖	\$17,901	
Pocono	17	⊖	6.9	0.0	⊖	0.0	⊖	⊖	\$8,803	
Robert Packer	34	⊖	5.6	17.6	⊖	5.9	⊖	⊖	\$11,962	
Shamokin Area Community	9	⊖	7.6	0.0	⊖	0.0	⊖	⊖	\$6,930	
Soldiers & Sailors	4	NR	NR	NR	NR	NR	NR	NR	NR	
Sunbury Community	1	NR	NR	NR	NR	NR	NR	NR	NR	
Troy Community	0	NR	NR	NR	NR	NR	NR	NR	NR	
Tyler Memorial	3	NR	NR	NR	NR	NR	NR	NR	NR	
Wayne Memorial	15	⊖	5.0	14.3	⊖	0.0	⊖	⊖	\$7,891	
Waynesboro	4	NR	NR	NR	NR	NR	NR	NR	NR	
Williamsport	26	⊖	6.2	0.0	⊖	4.8	⊖	⊖	\$13,141	
WVHCS	42	⊖	6.4	13.3	⊖	0.0	⊖	⊖	\$15,513	
York	56	⊖	7.2	0.0	⊖	6.3	⊖	⊖	\$11,022	
Central & Northeastern	862		6.3	7.0		3.3			\$14,633	
TOTAL: Statewide	3,619		6.6	5.0		5.0			\$29,709	

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Barnes Kasson County	6	○	5.5	0.0	○	0.0	○	○	\$8,565	
Berwick	41	○	4.8	12.8	●	2.6	○	○	\$17,782	
Bloomsburg	47	○	3.9	14.0	●	0.0	○	○	\$10,811	
Bucktail	0	NR	NR	NR	NR	NR	NR	NR	NR	
Carlisle Regional	126	○	4.9	2.6	○	0.9	○	○	\$11,369	
Centre Community	106	●	5.5	1.1	○	8.9	○	○	\$10,984	
Chambersburg	176	○	5.2	3.0	○	3.0	○	○	\$12,517	
Community Lancaster	43	○	5.6	5.1	○	5.1	○	○	\$16,302	
Community/Scranton	133	○	6.0	2.4	○	11.0	●	○	\$16,059	
Ephrata Community	106	○	5.3	5.0	○	2.0	○	○	\$11,505	
Evangelical Community	65	○	5.0	4.8	○	1.6	○	○	\$10,334	
Fulton County	14	○	5.9	14.3	○	7.1	○	○	\$11,118	
Geisinger Wyoming Valley	111	○	5.8	3.8	○	9.5	○	○	\$16,081	
Geisinger/Danville	250	○	4.2	12.1	●	1.7	○	○	\$16,707	
Gettysburg	92	○	4.8	3.4	○	1.1	○	○	\$8,894	
Good Samaritan/Lebanon	150	○	6.2	1.4	○	5.0	○	○	\$13,151	
Hanover	101	○	5.5	4.2	○	4.2	○	○	\$9,919	
Hazleton General	109	○	4.8	8.2	○	3.1	○	○	\$12,815	
Hazleton St Joseph	58	○	4.2	7.0	○	0.0	○	○	\$9,355	
Holy Spirit	233	○	6.3	2.3	○	6.0	○	○	\$14,145	
J C Blair Memorial	23	○	5.9	0.0	○	9.5	○	○	\$7,334	
Jersey Shore	16	○	4.0	13.3	○	0.0	○	○	\$7,124	
Lancaster General	315	○	5.6	4.9	○	6.5	○	○	\$13,233	
Lancaster Regional	74	○	6.0	2.9	○	10.3	○	○	\$15,379	
Lewistown	139	○	4.7	9.0	○	3.0	○	○	\$11,203	
Lock Haven	48	●	3.9	2.4	○	0.0	○	○	\$8,924	

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Marian Community	59	○	5.6	1.8	○	0.0	○	○	\$10,314	
Memorial York	87	○	5.4	4.7	○	3.5	○	○	\$10,092	
Memorial/Towanda	25	●	5.1	5.3	○	5.3	○	○	\$14,481	
Mercy/Scranton	165	○	5.3	4.4	○	3.1	○	○	\$18,740	
Mercy/Wilkes-Barre	136	○	5.7	6.2	○	7.8	○	○	\$20,450	
Mid-Valley	24	○	4.2	13.0	○	0.0	○	○	\$9,762	
Milton S Hershey	212	○	4.9	8.2	○	3.1	○	○	\$16,260	
Montrose General	11	●	4.6	12.5	○	0.0	○	○	\$4,923	
Moses Taylor	135	○	5.9	3.1	○	3.1	○	○	\$12,641	
Muncy Valley	11	○	5.3	11.1	○	11.1	○	○	\$10,237	
Pinnacle Health	306	○	5.2	4.8	○	3.1	○	○	\$14,938	
Pocono	167	○	5.8	4.4	○	8.2	○	○	\$15,146	
Robert Packer	116	●	4.4	6.9	○	1.0	○	○	\$9,495	
Shamokin Area Community	63	○	4.3	1.7	○	1.7	○	○	\$5,720	
Soldiers & Sailors	36	○	4.2	8.8	○	0.0	○	○	\$10,340	
Sunbury Community	76	○	5.1	5.6	○	2.8	○	●	\$7,952	
Troy Community	4	NR	NR	NR	NR	NR	NR	NR	NR	
Tyler Memorial	35	○	5.8	10.0	○	13.3	○	○	\$11,216	
Wayne Memorial	69	○	5.3	7.7	○	1.5	○	○	\$11,969	
Waynesboro	60	○	4.4	16.4	●	3.6	○	○	\$11,506	
Williamsport	149	○	4.8	8.9	○	4.4	○	○	\$11,328	
WVHCS	254	○	6.7	3.4	○	8.1	●	○	\$14,267	
York	334	○	5.1	5.7	○	4.7	○	○	\$9,610	
Central & Northeastern	5,137		5.3	5.5		4.4			\$12,995	
TOTAL: Statewide	20,696		5.4	5.0		5.0			\$23,247	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Abdominal Aortic Aneurysm Repair

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Carlisle Regional	3	NR	NR	NR	NR	NR
Centre Community	1	NR	NR	NR	NR	NR
Chambersburg	4	NR	NR	NR	NR	NR
Community/Scranton	7	⊖	10.0	⊖	⊖	\$47,620
Ephrata Community	5	⊖	12.0	⊖	⊖	NR
Evangelical Community	4	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	11	⊖	6.9	⊖	⊖	\$45,447
Geisinger/Danville	29	⊖	5.3	⊖	⊖	\$38,349
Good Samaritan/Lebanon	10	⊖	9.2	⊖	⊖	\$33,324
Hanover	3	NR	NR	NR	NR	NR
Holy Spirit	23	⊖	8.0	⊖	⊖	\$36,505
Lancaster General	16	⊖	7.3	⊖	⊖	\$34,794
Lancaster Regional	2	NR	NR	NR	NR	NR
Lewistown	3	NR	NR	NR	NR	NR
Marian Community	3	NR	NR	NR	NR	NR
Memorial York	4	NR	NR	NR	NR	NR

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Abdominal Aortic Aneurysm Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Mercy/Scranton	7	○	6.7	○	○	\$44,620
Mercy/Wilkes-Barre	8	○	8.9	○	○	\$65,220
Milton S Hershey	23	○	7.9	○	○	\$37,548
Moses Taylor	5	○	9.5	○	○	NR
Pinnacle Health	28	○	7.7	○	○	\$40,975
Pocono	5	○	6.5	○	○	NR
Robert Packer	8	○	4.3	NR	NR	\$22,152
Sunbury Community	1	NR	NR	NR	NR	NR
Wayne Memorial	1	NR	NR	NR	NR	NR
Williamsport	16	○	8.6	○	○	\$36,356
WVHCS	5	○	7.8	○	○	\$35,214
York	22	○	7.3	○	○	\$37,878
Central & Northeastern	257		7.5			\$39,164
TOTAL: Statewide	1,012		7.7			\$57,586

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Barnes Kasson County	3	NR	NR	NR
Berwick	23	⊖	10.6	\$54,353
Bloomsburg	40	⊖	7.6	\$20,044
Bucktail	0	NR	NR	NR
Carlisle Regional	74	⊖	8.0	\$41,786
Centre Community	100	⊖	7.2	\$19,937
Chambersburg	89	⊖	11.0	\$24,716
Community Lancaster	39	⊖	8.0	\$38,049
Community/Scranton	111	⊖	9.5	\$32,731
Ephrata Community	70	⊖	7.4	\$21,795
Evangelical Community	76	⊖	8.1	\$18,248
Fulton County	6	⊖	8.7	\$26,327
Geisinger Wyoming Valley	68	⊖	8.9	\$34,557
Geisinger/Danville	169	⊖	8.6	\$32,201
Gettysburg	75	⊖	8.9	\$23,887
Good Samaritan/Lebanon	116	⊖	9.6	\$32,817
Hanover	76	⊖	8.7	\$21,637
Hazleton General	41	⊖	10.2	\$40,484
Hazleton St Joseph	32	⊖	9.9	\$37,453
Holy Spirit	201	⊖	10.5	\$30,379
J C Blair Memorial	26	⊖	9.8	\$21,957
Jersey Shore	11	⊖	6.9	\$15,075
Lancaster General	292	⊖	9.4	\$25,825
Lancaster Regional	56	⊖	10.1	\$40,298
Lewistown	87	⊖	9.1	\$19,869
Lock Haven	21	⊖	7.9	\$25,992

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Marian Community	41	⊖	8.0	\$17,515
Memorial York	70	⊖	8.4	\$21,819
Memorial/Towanda	29	⊖	8.1	\$31,717
Mercy/Scranton	122	⊖	8.7	\$33,606
Mercy/Wilkes-Barre	68	●	9.5	\$39,197
Mid-Valley	13	⊖	10.8	\$26,886
Milton S Hershey	243	⊖	7.8	\$20,415
Montrose General	0	NR	NR	NR
Moses Taylor	97	⊖	9.8	\$25,469
Muncy Valley	18	⊖	6.6	\$23,239
Pinnacle Health	319	⊖	9.3	\$32,065
Pocono	122	⊖	8.2	\$28,194
Robert Packer	123	⊖	8.7	\$24,649
Shamokin Area Community	24	●	6.9	\$14,911
Soldiers & Sailors	29	⊖	6.6	\$21,079
Sunbury Community	40	⊖	7.8	\$17,420
Troy Community	4	NR	NR	NR
Tyler Memorial	17	⊖	8.7	\$29,605
Wayne Memorial	41	⊖	9.5	\$28,795
Waynesboro	42	⊖	8.0	\$20,450
Williamsport	125	⊖	9.3	\$26,355
WVHCS	206	○	9.9	\$26,159
York	279	⊖	8.6	\$21,241
Central & Northeastern	3,990		8.9	\$27,183
TOTAL: Statewide	15,497		9.0	\$46,058

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	10	○	5.0	○	○	\$12,473
Berwick	28	○	3.9	○	○	\$24,101
Bloomsburg	14	○	2.4	○	○	\$10,756
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	58	○	3.4	○	○	\$24,920
Centre Community	100	○	3.4	○	○	\$12,097
Chambersburg	209	○	3.2	○	○	\$12,244
Community Lancaster	47	○	3.0	○	○	\$17,935
Community/Scranton	112	○	3.8	○	○	\$20,755
Ephrata Community	68	○	3.3	○	○	\$15,290
Evangelical Community	42	○	3.3	○	○	\$8,939
Fulton County	3	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	60	○	3.1	○	○	\$19,936
Geisinger/Danville	75	○	2.9	○	○	\$18,780
Gettysburg	65	○	3.1	○	○	\$13,359
Good Samaritan/Lebanon	94	○	3.4	○	○	\$15,242
Hanover	33	○	2.8	○	○	\$13,786
Hazleton General	43	○	4.7	○	○	\$22,101
Hazleton St Joseph	27	○	4.3	○	○	\$18,114
Holy Spirit	158	○	3.9	○	○	\$17,306
J C Blair Memorial	26	○	3.0	○	○	\$9,942
Jersey Shore	11	●	2.2	○	○	\$13,051
Lancaster General	265	○	3.5	○	○	\$12,883
Lancaster Regional	51	○	3.6	○	○	\$23,133
Lewistown	76	○	2.9	○	○	\$12,439
Lock Haven	12	○	3.4	○	○	\$16,269

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Marian Community	29	○	3.8	●	○	\$12,823
Memorial York	43	○	2.7	○	○	\$10,911
Memorial/Towanda	10	○	2.2	○	○	\$16,882
Mercy/Scranton	108	○	3.5	○	○	\$22,467
Mercy/Wilkes-Barre	35	○	4.2	○	○	\$19,362
Mid-Valley	3	NR	NR	NR	NR	NR
Milton S Hershey	33	○	3.6	○	○	\$14,254
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	60	○	4.5	○	○	\$15,988
Muncy Valley	1	NR	NR	NR	NR	NR
Pinnacle Health	254	○	3.5	○	○	\$17,461
Pocono	115	○	3.3	○	○	\$16,610
Robert Packer	69	○	2.8	○	○	\$12,983
Shamokin Area Community	33	○	4.1	○	○	\$13,055
Soldiers & Sailors	44	○	3.1	●	○	\$16,624
Sunbury Community	31	○	3.4	○	○	\$11,752
Troy Community	1	NR	NR	NR	NR	NR
Tyler Memorial	9	○	3.1	●	○	\$13,558
Wayne Memorial	33	○	4.1	○	○	\$16,895
Waynesboro	34	○	3.6	○	○	\$14,053
Williamsport	43	○	3.5	○	●	\$15,667
WVHCS	81	○	4.0	○	○	\$15,880
York	255	○	3.4	●	○	\$9,848
Central & Northeastern	3,028		3.5			\$15,438
TOTAL: Statewide	14,322		3.4			\$23,138

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	1	NR	NR	NR	NR	NR
Berwick	6	⊖	6.7	⊖	⊖	NR
Bloomsburg	7	⊖	7.1	⊖	⊖	\$19,115
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	26	⊖	6.1	⊖	⊖	\$33,897
Centre Community	13	⊖	5.8	⊖	⊖	\$16,451
Chambersburg	25	⊖	5.7	⊖	⊖	\$17,967
Community Lancaster	8	⊖	5.7	⊖	⊖	\$32,205
Community/Scranton	11	⊖	7.8	⊖	⊖	\$28,085
Ephrata Community	8	⊖	4.5	⊖	⊖	\$16,147
Evangelical Community	43	⊖	4.3	⊖	⊖	\$9,615
Fulton County	1	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	18	⊖	7.5	⊖	⊖	\$22,081
Geisinger/Danville	27	⊖	5.4	⊖	⊖	\$25,165
Gettysburg	13	⊖	5.0	⊖	⊖	\$19,900
Good Samaritan/Lebanon	32	⊖	7.4	⊖	⊖	\$23,522
Hanover	17	⊖	6.9	⊖	⊖	\$17,165
Hazleton General	3	NR	NR	NR	NR	NR
Hazleton St Joseph	17	⊖	8.0	⊖	⊖	\$25,455
Holy Spirit	32	●	8.6	⊖	⊖	\$25,674
J C Blair Memorial	18	⊖	7.9	⊖	⊖	\$16,653
Jersey Shore	1	NR	NR	NR	NR	NR
Lancaster General	36	⊖	8.2	⊖	⊖	\$27,956
Lancaster Regional	6	⊖	5.1	⊖	⊖	\$26,388
Lewistown	10	⊖	6.9	⊖	⊖	\$14,026
Lock Haven	5	⊖	7.3	⊖	⊖	NR

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Marian Community	11	○	5.8	○	○	\$13,510
Memorial York	12	○	6.2	○	○	\$15,953
Memorial/Towanda	7	○	6.2	○	○	\$22,627
Mercy/Scranton	27	○	7.6	○	○	\$30,771
Mercy/Wilkes-Barre	48	○	5.8	○	○	\$20,859
Mid-Valley	6	○	7.7	○	○	\$17,195
Milton S Hershey	28	○	5.2	○	○	\$17,314
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	21	○	7.7	○	○	\$19,377
Muncy Valley	6	○	6.2	○	○	\$17,989
Pinnacle Health	50	○	6.8	○	●	\$26,478
Pocono	15	○	8.2	○	○	\$24,377
Robert Packer	26	○	5.7	○	○	\$16,077
Shamokin Area Community	0	NR	NR	NR	NR	NR
Soldiers & Sailors	5	○	3.9	○	○	\$16,412
Sunbury Community	2	NR	NR	NR	NR	NR
Troy Community	5	○	5.2	NR	NR	\$10,779
Tyler Memorial	1	NR	NR	NR	NR	NR
Wayne Memorial	7	○	8.5	○	○	\$21,893
Waynesboro	8	○	4.2	○	○	\$14,655
Williamsport	19	○	6.5	○	○	\$17,247
WVHCS	88	○	6.4	○	○	\$16,168
York	67	○	6.7	○	○	\$17,642
Central & Northeastern	848		6.5			\$20,879
TOTAL: Statewide	3,156		6.7			\$36,888

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Heart Attack - Angioplasty/Stent

The facilities listed below are those that provided advanced cardiac services (angioplasty/stent) during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Community/Scranton	108	⊖	4.5	2.8	⊖	10.3	●	\$45,544
Geisinger Wyoming Valley	99	⊖	3.4	2.0	⊖	3.1	⊖	\$38,809
Geisinger/Danville	290	⊖	2.8	18.4	●	1.4	○	\$37,898
Holy Spirit	159	⊖	4.4	2.6	⊖	5.8	⊖	\$28,151
Lancaster General	388	⊖	4.4	4.2	⊖	8.4	●	\$31,258
Lancaster Regional	119	⊖	4.6	2.6	⊖	13.8	●	\$51,424
Mercy/Scranton	167	⊖	4.0	4.2	⊖	3.6	⊖	\$47,756
Mercy/Wilkes-Barre	81	⊖	5.0	3.8	⊖	10.0	⊖	\$60,705
Milton S Hershey	244	⊖	3.4	10.9	●	2.1	○	\$25,789
Pinnacle Health	553	⊖	3.5	4.9	⊖	1.6	○	\$31,750
Robert Packer	194	⊖	3.2	9.9	●	2.6	⊖	\$17,881
Williamsport	173	⊖	3.5	7.0	⊖	1.2	○	\$29,786
WVHCS	101	⊖	5.2	1.0	⊖	8.0	⊖	\$33,722
York	324	⊖	4.2	2.5	○	3.1	⊖	\$26,383
Central & Northeastern	3,000		3.8	6.2		4.3		\$33,131
TOTAL: Statewide	11,673		4.0	5.0		5.0		\$49,867

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

This page is intentionally left blank.

Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	0	NR	NR	NR	NR	NR
Berwick	36	⊖	6.1	⊖	⊖	\$32,027
Bloomsburg	35	⊖	4.1	⊖	⊖	\$13,012
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	102	⊖	5.6	⊖	⊖	\$31,953
Centre Community	101	⊖	5.8	⊖	⊖	\$16,903
Chambersburg	138	⊖	5.9	⊖	⊖	\$16,555
Community Lancaster	54	⊖	7.5	⊖	⊖	\$32,405
Community/Scranton	64	⊖	6.5	⊖	⊖	\$26,437
Ephrata Community	100	⊖	6.3	⊖	⊖	\$16,486
Evangelical Community	82	⊖	4.9	⊖	⊖	\$10,662
Fulton County	0	NR	NR	NR	NR	NR
Geisinger Wyoming Valley	65	⊖	6.3	⊖	⊖	\$21,477
Geisinger/Danville	106	⊖	5.2	⊖	⊖	\$24,084
Gettysburg	56	⊖	5.5	⊖	⊖	\$16,870
Good Samaritan/Lebanon	127	⊖	6.8	⊖	⊖	\$18,431
Hanover	81	⊖	5.6	⊖	⊖	\$14,526
Hazleton General	56	⊖	5.5	⊖	⊖	\$19,433
Hazleton St Joseph	49	⊖	5.3	⊖	⊖	\$17,620
Holy Spirit	148	⊖	5.5	⊖	⊖	\$19,266
J C Blair Memorial	24	⊖	7.2	⊖	⊖	\$13,547
Jersey Shore	17	⊖	5.8	⊖	⊖	\$15,878
Lancaster General	281	⊖	6.3	⊖	⊖	\$21,698
Lancaster Regional	99	⊖	6.3	⊖	⊖	\$31,170
Lewistown	85	⊖	5.2	⊖	⊖	\$14,631
Lock Haven	0	NR	NR	NR	NR	NR

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Marian Community	61	○	5.9	○	○	\$14,699
Memorial York	67	○	5.2	○	○	\$14,623
Memorial/Towanda	52	○	4.6	○	○	\$15,788
Mercy/Scranton	111	○	5.3	○	○	\$23,732
Mercy/Wilkes-Barre	84	○	4.7	○	○	\$23,294
Mid-Valley	19	○	5.3	○	○	\$17,830
Milton S Hershey	122	○	6.1	○	○	\$20,592
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	117	○	6.3	○	●	\$17,648
Muncy Valley	0	NR	NR	NR	NR	NR
Pinnacle Health	210	○	5.0	○	○	\$22,598
Pocono	104	○	6.3	○	○	\$20,329
Robert Packer	98	●	5.8	○	○	\$15,470
Shamokin Area Community	36	●	5.8	○	○	\$12,924
Soldiers & Sailors	28	○	5.1	○	○	\$18,652
Sunbury Community	33	○	4.4	○	○	\$12,569
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	15	○	7.2	○	○	\$21,431
Wayne Memorial	61	○	6.0	○	○	\$18,859
Waynesboro	30	○	5.9	○	●	\$18,326
Williamsport	178	○	5.1	○	○	\$17,480
WVHCS	185	○	6.7	○	○	\$19,884
York	221	○	5.2	○	○	\$12,872
Central & Northeastern	3,754		5.8			\$19,389
TOTAL: Statewide	13,866		6.0			\$29,995

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Barnes Kasson County	15	○	2.5	\$7,416
Berwick	25	○	3.4	\$16,539
Bloomsburg	96	○	2.3	\$9,175
Bucktail	0	NR	NR	NR
Carlisle Regional	84	○	2.5	\$18,676
Centre Community	168	○	2.5	\$8,645
Chambersburg	131	○	2.6	\$8,345
Community Lancaster	10	○	3.0	\$18,966
Community/Scranton	167	○	3.4	\$10,402
Ephrata Community	127	●	2.9	\$10,209
Evangelical Community	97	○	2.1	\$4,841
Fulton County	1	NR	NR	NR
Geisinger Wyoming Valley	64	○	3.0	\$11,469
Geisinger/Danville	261	○	2.6	\$11,254
Gettysburg	96	○	3.2	\$9,797
Good Samaritan/Lebanon	156	○	3.1	\$9,562
Hanover	90	○	2.8	\$8,475
Hazleton General	42	●	3.1	\$9,210
Hazleton St Joseph	16	○	3.6	\$11,388
Holy Spirit	113	○	2.8	\$10,017
J C Blair Memorial	24	○	2.0	\$7,145
Jersey Shore	8	○	2.5	\$4,364
Lancaster General	405	○	2.7	\$8,686
Lancaster Regional	80	○	2.5	\$16,317
Lewistown	96	○	2.7	\$6,706
Lock Haven	32	○	2.8	\$7,254

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Marian Community	0	NR	NR	NR
Memorial York	106	⊖	3.0	\$7,837
Memorial/Towanda	8	⊖	2.6	\$13,044
Mercy/Scranton	42	⊖	3.2	\$12,348
Mercy/Wilkes-Barre	90	⊖	3.0	\$12,168
Mid-Valley	0	NR	NR	NR
Milton S Hershey	213	⊖	2.4	\$7,478
Montrose General	1	NR	NR	NR
Moses Taylor	124	⊖	4.1	\$9,336
Muncy Valley	1	NR	NR	NR
Pinnacle Health	615	⊖	2.9	\$11,661
Pocono	145	⊖	2.7	\$8,939
Robert Packer	95	⊖	3.0	\$8,475
Shamokin Area Community	2	NR	NR	NR
Soldiers & Sailors	71	⊖	2.7	\$10,151
Sunbury Community	22	⊖	2.6	\$7,032
Troy Community	6	⊖	3.4	\$7,635
Tyler Memorial	35	⊖	2.5	\$9,428
Wayne Memorial	93	⊖	3.4	\$10,484
Waynesboro	55	⊖	2.9	\$8,755
Williamsport	282	⊖	3.0	\$8,671
WVHCS	191	⊖	3.0	\$7,633
York	475	⊖	3.0	\$7,258
Central & Northeastern	5,088		2.9	\$9,472
TOTAL: Statewide	17,749		2.9	\$17,614

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Hysterectomy - Vaginal

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Barnes Kasson County	1	NR	NR	NR	NR	NR
Berwick	32	⊖	2.1	⊖	⊖	\$16,335
Bloomsburg	14	⊖	2.0	⊖	⊖	\$10,401
Bucktail	0	NR	NR	NR	NR	NR
Carlisle Regional	62	⊖	2.1	⊖	⊖	\$17,842
Centre Community	33	⊖	1.9	⊖	⊖	\$9,120
Chambersburg	146	⊖	1.4	⊖	⊖	\$6,456
Community Lancaster	6	⊖	2.1	⊖	⊖	\$19,630
Community/Scranton	27	⊖	2.7	⊖	⊖	\$11,487
Ephrata Community	14	⊖	2.1	⊖	⊖	\$9,427
Evangelical Community	183	⊖	1.2	⊖	⊖	\$4,028
Fulton County	23	⊖	1.0	⊖	⊖	\$5,752
Geisinger Wyoming Valley	26	⊖	1.5	⊖	⊖	\$13,857
Geisinger/Danville	41	⊖	1.8	⊖	⊖	\$14,193
Gettysburg	37	⊖	2.1	⊖	⊖	\$7,868
Good Samaritan/Lebanon	18	⊖	2.2	⊖	⊖	\$8,363
Hanover	71	⊖	1.7	⊖	⊖	\$8,138
Hazleton General	33	⊖	2.1	⊖	⊖	\$9,654
Hazleton St Joseph	6	⊖	2.2	⊖	⊖	\$11,500
Holy Spirit	39	⊖	2.1	⊖	⊖	\$9,691
J C Blair Memorial	61	⊖	1.2	⊖	⊖	\$7,855
Jersey Shore	20	⊖	1.3	⊖	⊖	\$3,303
Lancaster General	133	⊖	2.0	⊖	⊖	\$9,042
Lancaster Regional	27	⊖	2.2	⊖	⊖	\$15,070
Lewistown	7	⊖	1.4	●	⊖	\$5,860
Lock Haven	31	⊖	1.4	⊖	⊖	\$4,424

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hysterectomy - Vaginal

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Marian Community	0	NR	NR	NR	NR	NR
Memorial York	30	○	1.8	○	○	\$6,808
Memorial/Towanda	35	○	1.9	○	○	\$10,016
Mercy/Scranton	22	○	2.0	○	○	\$10,576
Mercy/Wilkes-Barre	38	○	2.0	○	○	\$11,982
Mid-Valley	0	NR	NR	NR	NR	NR
Milton S Hershey	115	○	1.7	○	○	\$7,473
Montrose General	0	NR	NR	NR	NR	NR
Moses Taylor	11	○	2.6	○	○	\$8,354
Muncy Valley	0	NR	NR	NR	NR	NR
Pinnacle Health	262	○	1.8	○	○	\$10,353
Pocono	38	○	2.0	○	○	\$8,550
Robert Packer	110	○	1.2	○	○	\$5,628
Shamokin Area Community	0	NR	NR	NR	NR	NR
Soldiers & Sailors	34	○	1.5	○	○	\$12,329
Sunbury Community	13	○	1.6	○	○	\$4,056
Troy Community	0	NR	NR	NR	NR	NR
Tyler Memorial	3	NR	NR	NR	NR	NR
Wayne Memorial	16	○	3.2	○	○	\$9,170
Waynesboro	28	○	1.6	○	○	\$8,656
Williamsport	76	○	2.1	○	○	\$7,488
WVHCS	112	○	1.6	○	○	\$7,597
York	137	○	2.0	○	○	\$6,370
Central & Northeastern	2,171		1.7			\$8,536
TOTAL: Statewide	7,491		1.8			\$13,511

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Prostatectomy - Radical

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Barnes Kasson County	0	NR	NR	NR
Berwick	1	NR	NR	NR
Bloomsburg	9	⊖	4.5	\$12,442
Bucktail	0	NR	NR	NR
Carlisle Regional	20	⊖	4.1	\$29,794
Centre Community	22	⊖	2.8	\$14,422
Chambersburg	41	⊖	2.6	\$11,348
Community Lancaster	1	NR	NR	NR
Community/Scranton	6	⊖	NR	NR
Ephrata Community	21	⊖	3.0	\$12,119
Evangelical Community	23	⊖	2.8	\$6,607
Fulton County	0	NR	NR	NR
Geisinger Wyoming Valley	4	NR	NR	NR
Geisinger/Danville	36	⊖	3.2	\$16,147
Gettysburg	2	NR	NR	NR
Good Samaritan/Lebanon	29	⊖	3.1	\$15,493
Hanover	7	⊖	4.6	\$16,470
Hazleton General	2	NR	NR	NR
Hazleton St Joseph	1	NR	NR	NR
Holy Spirit	25	⊖	4.2	\$13,255
J C Blair Memorial	1	NR	NR	NR
Jersey Shore	0	NR	NR	NR
Lancaster General	161	⊖	2.9	\$10,557
Lancaster Regional	25	⊖	3.2	\$23,534
Lewistown	17	⊖	2.9	\$6,648
Lock Haven	0	NR	NR	NR

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Prostatectomy - Radical

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Marian Community	8	⊖	2.9	\$9,703
Memorial York	0	NR	NR	NR
Memorial/Towanda	2	NR	NR	NR
Mercy/Scranton	47	⊖	3.5	\$21,042
Mercy/Wilkes-Barre	11	⊖	3.5	\$19,125
Mid-Valley	0	NR	NR	NR
Milton S Hershey	30	⊖	1.9	\$10,045
Montrose General	0	NR	NR	NR
Moses Taylor	10	⊖	3.4	\$10,787
Muncy Valley	0	NR	NR	NR
Pinnacle Health	65	⊖	3.7	\$15,900
Pocono	17	⊖	4.0	\$12,471
Robert Packer	7	⊖	3.3	\$15,221
Shamokin Area Community	0	NR	NR	NR
Soldiers & Sailors	0	NR	NR	NR
Sunbury Community	2	NR	NR	NR
Troy Community	0	NR	NR	NR
Tyler Memorial	0	NR	NR	NR
Wayne Memorial	0	NR	NR	NR
Waynesboro	2	NR	NR	NR
Williamsport	21	⊖	3.5	\$13,411
WVHCS	20	⊖	3.8	\$11,466
York	39	⊖	3.5	\$11,279
Central & Northeastern	735		3.2	\$13,582
TOTAL: Statewide	3,336		3.2	\$25,842

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

Prostatectomy - Transurethral

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Barnes Kasson County	0	NR	NR	NR
Berwick	4	NR	NR	NR
Bloomsburg	20	⊖	2.6	\$7,754
Bucktail	0	NR	NR	NR
Carlisle Regional	41	⊖	2.6	\$13,948
Centre Community	23	⊖	2.7	\$7,868
Chambersburg	36	⊖	1.9	\$6,597
Community Lancaster	22	⊖	3.6	\$12,953
Community/Scranton	2	NR	NR	NR
Ephrata Community	27	⊖	2.8	\$7,121
Evangelical Community	33	⊖	2.5	\$4,354
Fulton County	0	NR	NR	NR
Geisinger Wyoming Valley	16	⊖	2.1	\$9,876
Geisinger/Danville	71	⊖	1.6	\$9,052
Gettysburg	15	⊖	2.2	\$7,296
Good Samaritan/Lebanon	86	⊖	2.6	\$9,438
Hanover	20	⊖	3.3	\$9,340
Hazleton General	13	⊖	3.0	\$8,969
Hazleton St Joseph	11	⊖	2.9	\$8,548
Holy Spirit	65	⊖	3.2	\$8,656
J C Blair Memorial	3	NR	NR	NR
Jersey Shore	0	NR	NR	NR
Lancaster General	80	●	2.7	\$8,407
Lancaster Regional	19	⊖	2.6	\$13,487
Lewistown	1	NR	NR	NR
Lock Haven	12	⊖	2.6	\$7,278

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Prostatectomy - Transurethral

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Marian Community	3	NR	NR	NR
Memorial York	25	⊖	3.5	\$7,512
Memorial/Towanda	22	⊖	2.1	\$8,150
Mercy/Scranton	10	⊖	2.1	\$9,213
Mercy/Wilkes-Barre	26	⊖	2.7	\$9,799
Mid-Valley	6	⊖	1.7	\$6,271
Milton S Hershey	22	⊖	1.9	\$7,528
Montrose General	0	NR	NR	NR
Moses Taylor	6	⊖	5.0	\$9,163
Muncy Valley	0	NR	NR	NR
Pinnacle Health	93	⊖	3.0	\$8,817
Pocono	47	⊖	2.6	\$6,735
Robert Packer	15	⊖	1.2	\$5,557
Shamokin Area Community	25	⊖	3.9	\$6,944
Soldiers & Sailors	20	⊖	2.6	\$7,250
Sunbury Community	12	⊖	2.3	\$6,479
Troy Community	0	NR	NR	NR
Tyler Memorial	0	NR	NR	NR
Wayne Memorial	12	⊖	2.6	\$8,396
Waynesboro	8	⊖	1.7	\$6,143
Williamsport	77	⊖	2.2	\$8,332
WVHCS	44	⊖	3.0	\$6,835
York	118	⊖	2.5	\$5,512
Central & Northeastern	1,211		2.6	\$8,181
TOTAL: Statewide	5,067		2.7	\$12,550

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay, and readmission figures account for varying illness levels among patients. See page 3.



Pennsylvania Health Care Cost Containment Council

Marc P. Volavka, Executive Director
225 Market Street, Suite 400
Harrisburg, PA 17101
Phone: 717-232-6787
Fax: 717-232-3821

www.phc4.org

Hospitals may have commented on this report.
Copies of their comments are available on the PHC4 Web site or by request.