


HOSPITAL PERFORMANCE REPORT

31 Common Medical
Procedures and Treatments
FFY 2009



Southeastern
Pennsylvania



Pennsylvania Health Care Cost Containment Council
September 2010

Foreword

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and the Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payers, and policymakers can make more informed decisions about the delivery of health care. This *Hospital Performance Report* is one of a series of public reports designed to achieve this goal. Information about additional treatment and surgical categories is posted on the PHC4 website at www.phc4.org.



Counties included in this Report:

Berks
Bucks
Carbon
Chester
Delaware
Lehigh
Montgomery
Northampton
Philadelphia
Schuylkill

Hospitals may have commented on this report. Comments are available on the PHC4 website or by request.


Table of Contents

Key Findings	2
Understanding this Report	6
Descriptions	10
Diagnoses	
Abnormal Heartbeat	12
Blood Clot in Extremities	14
Blood Clot in Lung.....	16
Chronic Obstructive Pulmonary Disease (COPD)	18
Congestive Heart Failure (CHF)	20
Diabetes with Amputation	22
Diabetes – Medical Management	24
Heart Attack – Medical Management	26
Intestinal Obstruction	28
Kidney Failure – Acute.....	30
Kidney and Urinary Tract Infections	32
Pneumonia – Aspiration.....	34
Pneumonia – Infectious	36
Respiratory Failure with Mechanical Ventilation.....	38
Respiratory Failure without Mechanical Ventilation.....	40
Septicemia	42
Stomach and Intestinal Bleeding	44
Stroke – Hemorrhagic	46
Stroke – Non-Hemorrhagic	48
Procedures	
Abdominal Aortic Aneurysm Repair – Endovascular	50
Abdominal Aortic Aneurysm Repair – Open	52
Colorectal Procedures.....	54
Gallbladder Removal – Laparoscopic.....	56
Gallbladder Removal – Open	58
Heart Attack – Angioplasty/Stent	60
Hip Fracture – Surgical Repair	62
Hysterectomy – Abdominal.....	64
Hysterectomy – Vaginal	66
Prostatectomy – Radical.....	68
Prostatectomy – Transurethral	70
Removal of Blockage of Neck Vessels	72

Key Findings

Mortality Rates


- The overall mortality rate for the 20 conditions consistently reported from 2002 through 2009 showed a statistically significant decrease from 5.1% in 2002 to 4.1% in 2009.
- Patient mortality rates showed a statistically significant decrease in 15 of these 20 conditions between 2002 and 2009. The largest statistically significant decline was in Stroke - Hemorrhagic, where the mortality rate decreased from 33.7% in 2002 to 25.4% in 2009.
- Nine of the conditions had mortality rates that exceeded the overall rate of 3.9% (based on all 28 conditions for which mortality was reported in 2009).



- Among the conditions reported in 2009, Respiratory Failure with Mechanical Ventilation had the highest mortality rate at 27.6%. Hysterectomy - Abdominal had the lowest rate at 0.1%.

Readmissions for Any Reason

- There were 58,084 readmissions for any reason in 2009 (for the 21 conditions for which readmission ratings were reported). These readmissions amounted to approximately \$2.6 billion in charges and 343,000 hospital days.
- The overall readmission rate for the 15 conditions reported consistently from 2002 through 2009 showed a statistically significant increase from 18.3% in 2002 to 19.2% in 2009. However, it is important to note that this rate reached a plateau in recent years; the 2009 rate was not significantly different from the 2004 rate of 19.0%. The largest statistically significant increase over this time period was in Congestive Heart Failure, where the readmission rate increased from 25.5% in 2002 to 27.0% in 2009.
- Eight of the conditions had readmission rates for any reason that exceeded the overall rate of 18.9% (based on all 21 conditions for which readmissions were reported in 2009).




- Among the conditions reported, Respiratory Failure with Mechanical Ventilation had the highest readmission rate at 28.5%. Hysterectomy - Vaginal had the lowest rate at 3.6%.



Key Findings

Readmissions for Complication or Infection


- There were 21,688 readmissions for complication or infection in 2009 (for the 21 conditions for which these ratings were reported in 2009). These readmissions amounted to approximately \$1.1 billion in charges and 150,000 hospital days.
- Twelve of the conditions had readmission rates for complication or infection that exceeded the overall rate of 7.1% (based on all 21 conditions for which these ratings were reported in 2009).



- The condition with the highest readmission rate for complication or infection was Pneumonia - Aspiration (16.6%). The condition with the lowest rate was Hysterectomy - Vaginal (2.5%).

Volume

- The following ten conditions represent the top five increases and decreases in volume from 2002 through 2009.



- Septicemia had the largest percentage increase in volume (97%), from 13,810 discharges in 2002 to 27,213 discharges in 2009.
- Abdominal Aortic Aneurysm Repair - Open had the largest percentage decrease in volume (65%), from 1,269 discharges in 2002 to 445 discharges in 2009.

Length of Stay

- There was wide variation in length of stay among hospitals. The category with the most variation was Colorectal Procedures, where hospitals' average length of stay ranged from 5.0 days to 17.8 days after taking patient risk factors into account.
- The average length of stay showed a statistically significant decrease in 19 of the 24 conditions for which length of stay was consistently reported between 2002 and 2009. The largest statistically significant decline was in Prostatectomy - Radical, where the average length of stay decreased from 3.3 days in 2002 to 2.1 days in 2009. The average length of stay also showed a statistically significant increase for three conditions in this time period. The largest statistically significant increase was in Abdominal Aortic Aneurysm Repair - Open, where the average length of stay increased from 7.7 days in 2002 to 8.2 days in 2009.



Understanding this Report

What is the purpose of this report?

Before we make a major purchase, we usually gather as much information as we can about the available product or service. By comparing what we learn about the quality of the product as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. It should be the same with health care services. Unfortunately, the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's *Hospital Performance Report* can help to fill the information vacuum and assist consumers and purchasers in making more informed health care decisions. This report can also serve as an aid to providers in highlighting additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

About this report

- This report includes 31 conditions based on ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) codes, which specify the clinical reason(s) for a patient's hospitalization. Of the 31 code-based conditions, there are 19 diagnoses and 12 procedures. Descriptions of these conditions are on pages 10 and 11.
- This report covers inpatient hospital discharges

during Federal Fiscal Year (FFY) 2009, which includes data from October 1, 2008 through September 30, 2009.

- This report is divided into three regional versions and is hospital-specific.
- All Pennsylvania general acute care and most specialty general acute care hospitals, regardless of size, are included.
- The hospital names have been shortened in many cases for formatting purposes. Hospital names may be different today than during the time period covered in this report due to mergers and name changes. A list of changes can be found on the PHC4 website at www.phc4.org.

Where does the data come from?

The data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals submit data indicating, in simple terms, "how sick the patient was" or, in technical jargon, a "severity score." The data is then risk-adjusted.

Accounting for high-risk patients

Even though two patients may be admitted to the hospital with the same illness, there may be differences in the seriousness of their conditions. In order to report fair comparisons among hospitals, PHC4 uses a complex mathematical formula to "risk-adjust" the mortality, length of stay and readmission data, meaning that hospitals receive "extra credit" for treating patients that are more seriously ill or at a greater risk than others. Risk-adjusting the data is important because sicker patients may be more likely to die, stay in the hospital longer, or be readmitted.

The Atlas patient risk classification system is used to collect clinical information about hospital patients and to predict each patient's probability

of mortality and expected length of stay. Atlas is a sophisticated clinical information management system developed by MediQual™, a business of Quantros, Inc. This system uses clinical laboratory data, patient characteristics such as age and gender, and billing codes that describe medical conditions and some procedures to calculate risk for the patients in this report. PHC4 also independently adjusts for other relevant patient risk factors, such as poverty level, the presence of cancer, diabetes, etc.

A comprehensive description of the risk-adjustment techniques used for this report can be found in the Technical Notes on PHC4's website at www.phc4.org.

What is measured in the report and why is it important?

PHC4's mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not an exact science. There may be a number of ways to define quality; however, for the purposes of this report, six measures are suggested. With the exception of volume of cases, each of these measures has been adjusted for patient risk. (For more information, see the previous section titled, Accounting for high-risk patients.)

- **Volume of Cases** – For each hospital, the number of cases for each condition, after exclusions, is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that, in at least some areas, the volume of cases treated by a physician or hospital can be a factor in the success of the treatment. The number of cases represents separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Outcome data are not reported for hospitals that had fewer than five cases evaluated for a measure;

such low volume cannot be considered meaningful and, as such, the outcome data are not displayed. Not Reported (NR) appears in the table when this occurs.

Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- **Risk-Adjusted Mortality** – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. To determine the mortality rating, PHC4 compares the number of patients one could reasonably expect to die in a given hospital in a given condition with the actual number of deaths.
- **Risk-Adjusted Length of Stay** – The length of time a patient stays in the hospital can reflect how successful the hospital is in providing treatment and has an impact on the resources used in delivering treatment.
- **Risk-Adjusted Length of Stay Outliers** – Length of stay “outliers” are abnormally short or long hospitalizations – those individual hospitalizations where the difference between the actual and expected length of stay was in the top (long length of stay outliers) or bottom (short length of stay outliers) 5% of all statewide hospitalizations. They are the hospitalizations where the difference between the actual and expected length of stay was above or below the normal range for all hospitalizations in the state. For any one hospital, the outlier rate is the number of outliers divided by the total number of hospitalizations. Length of stay may be an important quality of care indicator; however, many factors affect length of stay, some of which are beyond the hospital's control. Abnormally short or long hospital stays may result from factors, such as payer expectations, complications, clinical treatment advancements, or avoidable admissions due to inadequate health and social support in the community. Reported ratings

should be interpreted cautiously and do not necessarily indicate high or low quality care.

- **Risk-Adjusted Readmissions** – A readmission is defined as a subsequent acute care hospitalization, for any reason in any Pennsylvania hospital, where the admit date is within 30 days of the discharge date of the original hospitalization. To determine the risk-adjusted readmission rating, PHC4 compares the number of patients one could reasonably expect to be readmitted in a given hospital in a given condition with the actual number of readmissions. The methodology was designed to limit planned readmissions; however, some may still be included. While some re-hospitalizations can be expected, high quality care may lessen the need for subsequent hospitalizations.
- **Risk-Adjusted Readmissions for Complication/Infection** – The risk-adjusted readmission rating (discussed above) takes into consideration all subsequent hospitalizations within 30 days of the discharge date of the original hospitalization. However, this measure includes only readmissions with a principal diagnosis of a complication/infection (see the Technical Notes on the PHC4 website, www.phc4.org, for a detailed description).

Other data issues

- **Do Not Resuscitate Cases** – The mortality analysis includes Do Not Resuscitate (DNR) cases. Since DNR is defined and utilized differently across Pennsylvania hospitals, such records are retained in the analysis to avoid potential biases in mortality ratings.
- Not all data is reported for all measures. For example, readmission rates are not reported for Heart Attack – Medical Management because subsequent admissions are often planned.

Hospital charges

This report also includes the average hospital charge for each of the 31 code-based conditions. While charges are what the hospital reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for inpatient services, and the amount they receive in Net Patient Revenue (NPR). Pennsylvania hospitals received, on average statewide, \$.26 in NPR for every dollar that they charged in Fiscal Year 2009 (for most hospitals 7/1/2008 through 6/30/2009).

Within the geographic area covered in this report, hospitals received, on average, \$.22 in NPR for every dollar charged. Broken down even further, hospitals within the city of Philadelphia received, on average, \$.24 in NPR for every dollar charged, suburban Philadelphia hospitals received an average of \$.17 on the dollar, and hospitals in the Lehigh Valley/Reading area received an average of \$.28 on the dollar.

These regional figures are aggregate only and cannot be applied to individual hospitals or individual average charges for conditions to calculate actual payment figures. This is due to substantial variation in hospital charges from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payers, and even individual patients.

Hospitals not included

Hospitals are required under Pennsylvania law (Act 89 of 1986 as reenacted and amended as Act 3 of 2009) to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing Uniform Billing (UB) data or patient severity scores in excess of or equal to 10% of all records for which severity scores are to be reported are excluded from this report. These hospitals are listed below. Although hospitalization data specific to these hospitals is not shown in this report, these records have been included in the overall analysis for the measures included in this report (unless noted otherwise), and thus are reflected in the statewide and regional totals.

Hospitals not included:

- Surgical Institute of Reading
- Schuylkill Medical Center – East Norwegian Street
- Westfield Hospital

Understanding the Symbols

Symbols representing ratings for risk-adjusted mortality, readmissions, and length of stay outliers are displayed in the report. These symbols reflect a comparison of a hospital's actual rate and what is expected.

- Significantly higher than expected.
- ◉ Not significantly different than expected.
- Significantly lower than expected.

How to use this report

- **Patients/Consumers** can use this report as an aid in making decisions about where to seek treatment for the conditions detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- **Group Benefits Purchasers/Insurers** can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.
- **Health Care Providers** can use this report as an aid in identifying opportunities for quality improvement and cost containment.
- **Policymakers/Public Officials** can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.
- All of the previously mentioned groups can use this information to raise important questions about why differences exist in the quality and efficiency of care.

This report can be used as a tool. It should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in specific treatment categories. The measurement of quality is highly complex, and the information used to capture such measures is limited. A hospital death is frequently an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right, and the patient can still die. However, the statistical methods used eliminate many of the clinical and medical differences among the patients in different hospitals, thereby allowing us to explore the real differences in the measures presented in this report. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.

Code-based Diagnosis Descriptions

Abnormal Heartbeat: Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects, or heart valve disorders.

Blood Clot in Extremities: Inflammation of a blood vessel with the formation of a thrombus (blood clot) in a deep or superficial vein involving the legs, arms, and other parts of the body. Includes deep vein thrombosis (DVT).

Blood Clot in Lung: The formation of a thrombus (blood clot) and/or infarction (damage or death) of the lung tissue. Often called pulmonary embolism or pulmonary infarct.

Chronic Obstructive Pulmonary Disease (COPD): Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma, or emphysema.

Congestive Heart Failure (CHF): Heart failure occurs when the heart loses its ability to pump enough blood through the body. Heart failure usually worsens over time as the heart gradually loses its pumping ability and works less efficiently, resulting in high blood pressure and fluid collection in the lungs.

Diabetes with Amputation: Includes patients who have diabetes and undergo an amputation of the arm, leg, or toe.

Diabetes – Medical Management: Includes patients hospitalized for control of blood sugar. Conditions include coma, high blood sugar crisis, and fluid imbalances. Kidney, eye, nerve, or blood vessel damage related to diabetes are included.

Heart Attack – Medical Management: A heart attack (myocardial infarction) occurs when there is blockage or obstruction in the blood vessels that supply oxygen to the heart muscle causing an infarction (damage or death) to an area of the heart. Included are heart attack patients who were treated without a balloon (angioplasty) procedure or open heart surgery.

Intestinal Obstruction: Partial or complete blockage of the intestine often caused by scar tissue, tumors, twisting and kinking, or decreased blood supply that prevents the contents in the intestine from passing beyond the blockage.

Kidney Failure – Acute: A sudden and rapid loss of kidney function resulting in a build-up of waste products that are normally removed from the body through urine. Because these waste products are toxic, acute kidney failure can be life-threatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

Kidney and Urinary Tract Infections: Acute and chronic infections of the kidney and urinary tract. Does not include urinary stone or urinary symptoms, such as frequency, bleeding, or pain.

Pneumonia – Aspiration: Inflammation of the lungs and bronchial tubes caused by inhaling foreign material, such as food, drink, vomit, or secretions from the mouth into the lungs. Does not include infectious pneumonia.

Pneumonia – Infectious: Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy, an inflammation of the membrane surrounding the lungs.

Respiratory Failure with Mechanical Ventilation: Failure of the lungs to support the exchange of essential gases (oxygen and carbon dioxide), making the use of mechanical ventilation necessary. A mechanical ventilator (“breathing machine”) delivers oxygen through a tube placed in the mouth or nose into the trachea (windpipe). The breathing machine can be set to help or completely control breathing.

Respiratory Failure without Mechanical Ventilation: Inability of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) without the need for mechanical ventilation.

Stomach and Intestinal Bleeding: Bleeding from ulcers or areas of inflammation in the stomach, small or large intestine, rectum, or esophagus (muscular tube that connects the mouth to the stomach).

Septicemia: Also known as blood poisoning, is a system-wide infection of the patient’s blood. Does not include post-operative or post-injury infections.

Stroke – Hemorrhagic: Stroke is a cardiovascular disease that affects the blood vessels supplying blood to the brain. In hemorrhagic strokes, a blood vessel in the brain breaks or ruptures and causes bleeding (hemorrhage) within or around the brain.

Stroke – Non-hemorrhagic: In ischemic (non-hemorrhagic) strokes, a blood clot blocks a blood vessel in the brain or an artery leading to the brain. This is the most common type of stroke. Transient ischemic attack (temporary stroke symptoms) is not included.

Code-based Procedure Descriptions

Abdominal Aortic Aneurysm Repair – Endovascular (EVAR):

An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This procedure repairs the aneurysm in a minimally invasive manner. A covered stent (mesh tube) or “endograft” is inserted through small incisions in the groin and advanced through the blood vessels to the weakened or bulging area of the abdominal aorta using X-rays to guide the placement. This endograft reinforces the weakened area of the aorta and prevents rupture of the aneurysm.

Abdominal Aortic Aneurysm Repair – Open: An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This “open” procedure is performed through an incision in the abdomen. A synthetic graft is sutured (sewn) into the aorta to replace the weakened section.

Colorectal Procedures: The majority of colorectal procedures are performed in relation to the presence of cancer or diverticulitis (inflammation of part of the lower digestive tract). Does not include patients with abdominal trauma.

Gallbladder Removal – Laparoscopic: Cholecystectomy is the operation for removal of the gallbladder. Included are patients who underwent this type of surgery carried out with a laparoscope (microscopic camera) through three or four small incisions.

Gallbladder Removal – Open: Traditional gallbladder removal surgery that is carried out through an incision in the right side of the upper abdomen.

Heart Attack – Angioplasty/Stent: Treatment (called percutaneous transluminal coronary angioplasty or PTCA) of a heart attack using special balloons to open up obstructed arteries and increase blood flow to the heart. Often, a stent (a mesh tube) is inserted in the blocked or narrowed artery to open it wider and prevent re-narrowing or recurring blockage. Does not include coronary artery bypass graft (CABG) surgery.

Hip Fracture – Surgical Repair: Fracture (“broken bone”) of the hip involves the top portion of the femur (thigh bone). Surgical repair includes inserting a pin, rod or screw into the bone to hold the fracture together for healing or may also include a partial or total hip joint replacement.

Hysterectomy – Abdominal: An operation, performed through an abdominal incision, to remove the uterus (womb) and sometimes the ovaries and fallopian tubes. This type of surgery is performed when vaginal or laparoscopic approaches are deemed inappropriate for a variety of conditions, including female cancers, uterine fibroids, endometriosis, pelvic trauma, and uterine or vaginal prolapse.

Hysterectomy – Vaginal: Includes hysterectomy through a vaginal approach and those laparoscopically assisted. Includes hysterectomy performed for a variety of conditions such as female cancers, pelvic trauma, uterine fibroids, and endometriosis.

Prostatectomy – Radical: Radical prostatectomy is the surgical removal of the entire prostate. This type of surgery is usually performed when localized cancer is present.

Prostatectomy – Transurethral: This type of surgery involves the surgical removal of part of the prostate gland and is usually done to relieve urinary symptoms caused by benign (non-cancerous) enlargement of the prostate.

Removal of Blockage of Neck Vessels: This procedure, also known as a carotid endarterectomy, is performed to prevent strokes. It involves removal of blockages, complete or partial, in the two arteries (carotid arteries) that supply the brain with blood and oxygen.

Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	1,219	○	3.6	3.8	○	5.9	○	○	\$47,073	
Albert Einstein	645	○	3.7	6.9	●	9.1	●	○	\$53,387	
Aria Health	1,049	○	4.9	2.1	○	13.7	●	○	\$44,195	
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	
Brandywine	231	○	3.5	3.9	○	5.7	○	○	\$49,183	
Chester County	485	○	3.2	5.2	○	4.2	○	○	\$22,304	
Chestnut Hill	216	○	2.7	11.7	●	1.4	○	○	\$63,670	
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	
Crozer-Chester	458	○	2.9	7.6	●	3.3	○	○	\$71,437	
Delaware County Memorial	164	○	3.4	3.1	○	4.9	○	○	\$77,597	
Doylestown	587	○	3.0	2.1	○	1.5	○	○	\$35,979	
Eastern Regional	8	○	3.7	0.0	○	12.5	○	NR	\$71,540	
Easton	316	○	3.4	4.8	○	5.1	○	○	\$51,836	
Gnaden Huetten Memorial	57	○	2.7	8.9	○	1.8	○	○	\$17,617	
Grand View	368	○	3.1	4.6	○	1.4	○	○	\$28,500	
Hahnemann University	435	○	4.1	5.8	○	13.4	●	○	\$85,553	
Holy Redeemer	363	○	3.8	3.6	○	6.1	○	○	\$65,259	
Hospital Fox Chase Cancer	19	○	2.9	10.5	○	10.5	○	○	\$32,852	
Hospital University PA	1,357	○	3.7	2.9	○	3.6	○	○	\$77,807	
Jeanes	339	○	3.5	6.5	○	6.5	○	○	\$89,676	
Jennersville Regional	101	○	3.6	6.1	○	5.1	○	○	\$41,392	
Lansdale	209	○	3.0	9.7	●	3.9	○	○	\$42,691	
Lehigh Valley	950	○	3.2	8.6	●	2.9	○	○	\$42,091	
Lehigh Valley/Muhlenberg	332	○	4.1	3.3	○	6.4	○	○	\$44,784	
Lower Bucks	170	●	4.0	1.8	○	5.4	○	○	\$67,420	
Main Line Bryn Mawr	580	○	3.0	5.6	○	3.3	○	○	\$42,089	
Main Line Lankenau	938	○	3.0	7.5	●	2.8	○	○	\$39,863	
Main Line Paoli	424	○	3.0	2.8	○	1.9	○	○	\$39,127	
Mercy Fitzgerald	298	○	3.1	8.4	●	4.1	○	○	\$50,673	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	156	○	2.6	7.1	○	1.3	○	●	○	\$59,609
Mercy Suburban	189	○	2.9	9.7	●	4.3	○	○	○	\$45,878
Methodist Division/TJUH	220	○	3.0	5.5	○	6.4	○	○	○	\$58,600
Montgomery	171	○	3.3	3.5	○	2.4	○	○	○	\$40,557
Nazareth	345	○	4.4	2.9	○	7.6	●	○	●	\$61,621
Palmerton	61	○	4.0	1.6	○	6.6	○	○	○	\$17,547
Penn Presbyterian	551	○	2.9	4.8	○	2.7	○	○	○	\$58,531
Pennsylvania	352	○	3.2	3.4	○	4.3	○	○	○	\$67,126
Phoenixville	252	○	3.1	5.2	○	2.0	○	○	○	\$44,248
Pottstown Memorial	351	○	3.0	4.7	○	2.9	○	●	○	\$47,497
Reading	580	○	3.6	5.6	○	7.2	●	○	○	\$25,007
Riddle Memorial	280	○	2.9	12.6	●	2.9	○	○	○	\$55,217
Roxborough Memorial	108	●	4.1	1.0	○	9.5	○	○	○	\$42,081
Sacred Heart/Allentown	81	○	3.6	5.0	○	3.8	○	○	○	\$37,284
Saint Catherine	25	○	2.5	20.0	●	0.0	○	○	○	\$20,944
Schuylkill-South Jackson	126	○	3.8	0.8	○	6.4	○	○	○	\$14,762
Springfield	68	○	3.9	2.9	○	4.4	○	○	○	\$92,064
St Joseph/Reading	351	○	2.7	13.4	●	2.6	○	○	○	\$18,272
St Joseph's/Philadelphia	52	○	4.6	2.0	○	14.0	●	○	●	\$43,458
St Luke's Miners	50	○	3.6	8.0	○	2.0	○	○	○	\$29,780
St Luke's Quakertown	86	○	3.2	4.7	○	1.2	○	○	○	\$42,748
St Luke's/Bethlehem	913	○	3.3	7.4	●	4.9	○	○	○	\$37,750
St Mary	984	○	3.7	3.7	○	6.2	○	○	○	\$36,930
Taylor	248	○	4.0	5.7	○	8.1	●	○	○	\$83,966
Temple University	367	○	3.3	7.1	○	5.8	○	○	○	\$102,454
Thomas Jefferson Univ	603	○	3.3	3.8	○	5.5	○	●	○	\$48,609
Southeastern Pennsylvania	20,161		3.4	5.3		5.2				\$50,376
TOTAL: Statewide	46,531		3.5	5.0		5.0				\$34,770

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Abington Memorial	166	○	3.8	9.6	●	3.0	○	\$35,461
Albert Einstein	121	●	3.5	10.2	●	3.4	○	\$24,894
Aria Health	167	○	5.1	4.2	○	8.4	○	\$26,660
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR
Brandywine	46	○	3.9	4.4	○	2.2	○	\$23,183
Chester County	72	○	4.4	4.2	○	4.2	○	\$15,086
Chestnut Hill	69	○	3.3	4.3	○	1.4	○	\$27,748
Coordinated Health Ortho	2	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	73	○	3.9	1.4	○	4.2	○	\$62,535
Delaware County Memorial	59	●	4.6	0.0	○	8.9	○	\$64,260
Doylestown	84	○	3.6	6.0	○	1.2	○	\$18,993
Eastern Regional	8	○	5.2	25.0	○	25.0	○	\$39,579
Easton	80	○	4.0	1.3	○	6.3	○	\$20,636
Gnaden Huetten Memorial	19	○	3.6	0.0	○	5.3	○	\$8,312
Grand View	43	○	2.6	23.3	●	0.0	○	\$16,868
Hahnemann University	71	○	4.7	5.6	○	14.1	●	\$54,661
Holy Redeemer	55	○	4.6	9.1	○	5.5	○	\$44,579
Hospital Fox Chase Cancer	22	○	3.1	14.3	○	4.8	○	\$10,994
Hospital University PA	119	○	3.8	9.2	○	5.9	○	\$29,325
Jeanes	57	○	4.7	3.5	○	3.5	○	\$44,723
Jennersville Regional	27	○	3.9	3.7	○	0.0	○	\$21,335
Lansdale	32	○	3.7	0.0	○	3.1	○	\$26,624
Lehigh Valley	134	○	3.2	6.0	○	1.5	○	\$16,218
Lehigh Valley/Muhlenberg	36	○	3.5	2.8	○	2.8	○	\$17,034
Lower Bucks	24	○	4.5	0.0	○	4.3	○	\$36,784
Main Line Bryn Mawr	74	○	3.7	2.7	○	1.4	○	\$29,526
Main Line Lankenau	82	○	4.1	8.5	○	3.7	○	\$29,767
Main Line Paoli	34	○	3.4	2.9	○	2.9	○	\$26,299
Mercy Fitzgerald	60	○	4.6	5.1	○	13.6	●	\$41,978

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Mercy Philadelphia	61	○	3.9	4.9	○	1.6	○	\$31,742
Mercy Suburban	31	○	4.1	9.7	○	3.2	○	\$30,768
Methodist Division/TJUH	60	○	4.8	3.3	○	13.3	●	\$32,213
Montgomery	27	○	3.3	7.4	○	0.0	○	\$24,790
Nazareth	53	○	5.4	0.0	○	1.9	○	\$33,892
Palmerton	15	○	4.1	0.0	○	0.0	○	\$7,951
Penn Presbyterian	54	○	3.8	5.6	○	7.4	○	\$24,768
Pennsylvania	76	○	4.8	2.6	○	14.5	●	\$35,657
Phoenixville	45	○	2.8	8.9	○	0.0	○	\$24,330
Pottstown Memorial	51	○	3.5	2.0	○	4.0	○	\$24,112
Reading	167	○	4.7	4.8	○	7.2	○	\$15,571
Riddle Memorial	59	○	4.5	0.0	○	5.1	○	\$42,127
Roxborough Memorial	33	○	5.6	0.0	○	12.1	○	\$21,955
Sacred Heart/Allentown	31	○	4.3	0.0	○	0.0	○	\$19,576
Saint Catherine	9	○	5.4	0.0	○	11.1	○	\$13,546
Schuylkill-South Jackson	51	○	4.7	2.0	○	5.9	○	\$8,260
Springfield	12	○	5.4	0.0	○	0.0	○	\$82,427
St Joseph/Reading	62	○	3.7	9.7	○	0.0	○	\$10,199
St Joseph's/Philadelphia	17	○	5.0	11.8	○	5.9	○	\$22,119
St Luke's Miners	22	○	4.8	0.0	○	0.0	○	\$14,658
St Luke's Quakertown	14	○	2.4	0.0	○	0.0	○	\$19,442
St Luke's/Bethlehem	141	○	3.4	7.8	○	4.3	○	\$21,528
St Mary	109	○	5.0	3.7	○	8.3	○	\$22,397
Taylor	34	○	4.4	0.0	○	5.9	○	\$62,732
Temple University	55	○	3.2	12.7	●	3.6	○	\$49,793
Thomas Jefferson Univ	117	○	3.3	12.9	●	3.4	○	\$26,623
Southeastern Pennsylvania	3,309		4.1	5.7		5.1		\$28,264
TOTAL: Statewide	7,791		4.2	5.0		5.0		\$19,429

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Abington Memorial	149	○	5.4	5.4	○	6.1	○	\$60,462
Albert Einstein	88	○	4.9	3.4	○	5.7	○	\$39,369
Aria Health	112	○	6.0	0.9	○	8.2	○	\$38,132
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR
Brandywine	24	○	5.8	4.2	○	8.3	○	\$44,613
Chester County	61	○	5.2	8.2	○	4.9	○	\$23,700
Chestnut Hill	49	○	4.8	0.0	○	2.1	○	\$50,804
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	53	○	5.4	7.8	○	11.8	●	\$107,121
Delaware County Memorial	43	○	6.9	2.3	○	16.3	●	\$116,639
Doylestown	72	○	4.9	2.8	○	0.0	○	\$30,886
Eastern Regional	5	○	5.9	0.0	○	0.0	○	\$44,665
Easton	34	○	5.9	3.0	○	6.1	○	\$34,520
Gnaden Huetten Memorial	19	○	4.4	0.0	○	0.0	○	\$14,075
Grand View	63	○	4.6	1.6	○	0.0	○	\$29,995
Hahnemann University	46	○	5.3	8.7	○	17.4	●	\$75,534
Holy Redeemer	49	○	6.0	2.1	○	0.0	○	\$72,011
Hospital Fox Chase Cancer	23	○	3.9	4.3	○	0.0	○	\$15,146
Hospital University PA	117	○	5.0	7.8	○	9.5	●	\$46,367
Jeanes	27	○	6.6	4.0	○	4.0	○	\$77,650
Jennersville Regional	12	○	5.1	0.0	○	0.0	○	\$39,284
Lansdale	25	○	5.6	0.0	○	12.0	○	\$52,867
Lehigh Valley	216	○	4.3	7.4	○	2.8	○	\$28,697
Lehigh Valley/Muhlenberg	71	○	4.1	7.4	○	0.0	○	\$27,754
Lower Bucks	15	○	5.6	0.0	○	6.7	○	\$66,865
Main Line Bryn Mawr	87	○	5.0	6.9	○	6.9	○	\$51,965
Main Line Lankenau	67	○	5.6	7.5	○	10.4	○	\$51,885
Main Line Paoli	75	○	4.4	4.1	○	5.4	○	\$47,097
Mercy Fitzgerald	49	○	5.9	0.0	○	8.3	○	\$65,170

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Mercy Philadelphia	45	○	5.2	2.2	○	6.7	○	\$50,218
Mercy Suburban	23	○	6.3	0.0	○	13.6	○	\$53,310
Methodist Division/TJUH	33	○	5.4	3.0	○	9.1	○	\$44,480
Montgomery	15	○	6.2	0.0	○	0.0	○	\$58,565
Nazareth	38	○	5.7	5.3	○	5.3	○	\$50,128
Palmerton	5	○	4.0	0.0	○	0.0	○	\$16,128
Penn Presbyterian	47	○	4.5	6.4	○	6.4	○	\$40,816
Pennsylvania	57	○	5.6	5.3	○	12.3	●	\$48,744
Phoenixville	45	○	4.4	6.8	○	4.5	○	\$49,375
Pottstown Memorial	38	○	4.2	5.3	○	2.6	○	\$31,666
Reading	186	○	5.8	4.4	○	6.6	○	\$21,824
Riddle Memorial	40	○	5.7	2.6	○	10.5	○	\$70,532
Roxborough Memorial	8	○	6.9	0.0	○	25.0	○	\$35,889
Sacred Heart/Allentown	3	NR	NR	NR	NR	NR	NR	NR
Saint Catherine	4	NR	NR	NR	NR	NR	NR	NR
Schuylkill-South Jackson	44	○	5.2	2.3	○	4.5	○	\$12,921
Springfield	8	○	5.0	12.5	○	0.0	○	\$121,823
St Joseph/Reading	50	○	5.2	4.1	○	4.1	○	\$19,818
St Joseph's/Philadelphia	2	NR	NR	NR	NR	NR	NR	NR
St Luke's Miners	21	○	5.9	5.0	○	15.0	○	\$25,673
St Luke's Quakertown	15	○	4.0	0.0	○	0.0	○	\$40,948
St Luke's/Bethlehem	159	○	5.2	3.9	○	3.2	○	\$40,356
St Mary	96	○	5.5	3.2	○	2.1	○	\$33,804
Taylor	29	○	5.6	7.1	○	3.6	○	\$116,578
Temple University	77	○	4.3	17.1	●	9.2	○	\$66,306
Thomas Jefferson Univ	111	○	4.7	10.8	●	7.2	○	\$44,554
Southeastern Pennsylvania	2,898		5.2	5.1		6.1		\$44,517
TOTAL: Statewide	7,193		5.1	5.0		5.0		\$30,315

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	520	○	4.1	5.4	○	6.6	○	○	\$46,979	
Albert Einstein	317	○	3.3	13.1	●	3.5	○	○	\$23,130	
Aria Health	866	○	5.1	2.0	○	7.3	●	○	\$38,217	
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	
Brandywine	221	○	4.6	3.7	○	6.8	○	○	\$37,116	
Chester County	225	○	5.1	4.9	○	10.3	●	○	\$24,478	
Chestnut Hill	166	○	3.7	10.4	●	4.9	○	○	\$42,742	
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	
Crozer-Chester	426	○	4.1	6.4	○	5.2	○	○	\$75,251	
Delaware County Memorial	242	○	5.1	5.0	○	11.7	●	○	\$69,645	
Doylestown	203	○	4.7	3.5	○	7.0	○	○	\$29,259	
Eastern Regional	4	NR	NR	NR	NR	NR	NR	NR	NR	
Easton	251	○	4.6	2.8	○	6.5	○	○	\$32,739	
Gnaden Huetten Memorial	105	○	3.3	10.6	●	1.9	○	○	\$8,642	
Grand View	131	○	4.4	3.1	○	0.8	○	○	\$30,121	
Hahnemann University	174	○	4.7	6.4	○	8.1	○	●	\$62,349	
Holy Redeemer	187	○	5.0	3.8	○	9.7	●	○	\$56,769	
Hospital Fox Chase Cancer	11	○	4.1	9.1	○	0.0	○	●	\$16,352	
Hospital University PA	171	○	3.2	10.5	●	1.8	○	○	\$30,407	
Jeanes	157	○	4.6	5.8	○	5.8	○	○	\$51,999	
Jennersville Regional	109	○	3.9	3.7	○	2.8	○	○	\$29,785	
Lansdale	139	○	3.8	7.2	○	1.4	○	○	\$34,641	
Lehigh Valley	454	○	4.0	7.6	●	4.0	○	○	\$25,025	
Lehigh Valley/Muhlenberg	203	○	3.9	14.3	●	5.4	○	●	\$24,162	
Lower Bucks	256	○	4.5	4.7	○	3.5	○	○	\$53,634	
Main Line Bryn Mawr	297	○	4.9	5.1	○	8.2	●	○	\$51,093	
Main Line Lankenau	264	○	4.8	7.3	○	8.8	●	○	\$44,651	
Main Line Paoli	131	○	4.2	5.3	○	3.1	○	○	\$39,864	
Mercy Fitzgerald	319	○	3.5	8.8	●	3.5	○	●	\$40,270	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	403	○	3.4	6.0	○	2.0	○	●	○	\$33,181
Mercy Suburban	118	●	3.8	7.1	○	1.8	○	○	○	\$38,607
Methodist Division/TJUH	432	○	4.9	5.3	○	9.0	●	●	○	\$33,157
Montgomery	184	○	5.0	1.6	○	6.6	○	○	○	\$39,642
Nazareth	242	○	4.3	1.2	○	4.1	○	●	○	\$37,782
Palmerton	97	●	3.8	5.4	○	3.2	○	○	○	\$10,806
Penn Presbyterian	119	○	3.3	9.2	○	1.7	○	○	○	\$25,415
Pennsylvania	112	○	5.4	5.4	○	13.4	●	○	○	\$46,468
Phoenixville	175	○	3.9	5.2	○	4.6	○	○	○	\$37,851
Pottstown Memorial	343	○	4.0	4.7	○	3.8	○	●	○	\$36,772
Reading	350	○	5.0	4.6	○	10.4	●	○	○	\$22,458
Riddle Memorial	266	○	4.9	3.8	○	8.3	●	○	○	\$51,217
Roxborough Memorial	176	○	5.2	0.6	○	9.2	●	○	●	\$23,525
Sacred Heart/Allentown	85	○	4.0	3.6	○	4.8	○	○	○	\$24,618
Saint Catherine	61	○	3.1	8.3	○	0.0	○	○	○	\$11,296
Schuylkill-South Jackson	139	○	5.0	1.5	○	8.8	○	○	○	\$10,821
Springfield	56	●	4.6	9.4	○	7.5	○	○	○	\$82,619
St Joseph/Reading	158	○	4.0	10.8	●	5.1	○	○	●	\$13,999
St Joseph's/Philadelphia	123	○	5.3	0.8	○	5.7	○	○	●	\$23,076
St Luke's Miners	62	○	4.6	6.7	○	5.0	○	○	○	\$20,117
St Luke's Quakertown	85	○	4.2	3.5	○	5.9	○	○	○	\$38,305
St Luke's/Bethlehem	500	○	3.9	9.7	●	4.4	○	○	○	\$30,937
St Mary	400	○	4.4	6.1	○	6.8	○	○	○	\$28,778
Taylor	291	○	4.7	5.9	○	8.4	●	○	○	\$88,854
Temple University	606	○	3.9	6.7	○	4.8	○	●	○	\$58,831
Thomas Jefferson Univ	173	○	4.1	7.6	○	5.8	○	●	○	\$32,614
Southeastern Pennsylvania	12,691		4.4	5.7		6.0				\$38,790
TOTAL: Statewide	33,477		4.4	5.0		5.0				\$23,779

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	909	○	4.9	3.8	○	6.0	○	○	○	\$50,627
Albert Einstein	780	○	4.5	7.1	●	4.2	○	○	○	\$36,702
Aria Health	864	○	6.1	2.6	○	9.5	●	●	○	\$39,538
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Brandywine	221	○	5.3	1.9	○	7.0	○	○	○	\$42,679
Chester County	344	○	4.7	5.0	○	4.5	○	○	○	\$21,546
Chestnut Hill	318	○	4.0	5.2	○	0.3	○	○	○	\$52,078
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	534	○	4.3	5.4	○	4.8	○	●	○	\$77,367
Delaware County Memorial	322	○	5.2	6.2	○	6.8	○	○	○	\$84,086
Doylestown	389	○	4.7	4.3	○	2.7	○	○	○	\$31,552
Eastern Regional	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Easton	396	○	4.9	4.4	○	4.7	○	○	●	\$33,696
Gnaden Huetten Memorial	133	○	3.8	11.5	●	2.3	○	○	○	\$11,595
Grand View	289	○	4.4	7.7	○	3.2	○	○	○	\$33,961
Hahnemann University	573	○	5.4	5.5	○	10.6	●	●	○	\$81,353
Holy Redeemer	380	○	5.3	5.1	○	6.2	○	○	○	\$67,085
Hospital Fox Chase Cancer	6	○	4.3	16.7	○	16.7	○	NR	NR	\$25,287
Hospital University PA	650	○	5.5	7.1	●	9.8	●	●	○	\$49,004
Jeanes	306	○	5.4	3.3	○	5.3	○	○	○	\$69,468
Jennersville Regional	112	○	5.9	0.9	○	5.6	○	○	○	\$39,731
Lansdale	202	○	3.7	11.2	●	0.5	○	○	○	\$36,030
Lehigh Valley	1,017	○	4.4	10.6	●	3.8	○	○	○	\$30,352
Lehigh Valley/Muhlenberg	386	○	5.0	7.6	●	6.3	○	○	○	\$33,094
Lower Bucks	250	○	5.3	4.1	○	5.4	○	○	○	\$64,554
Main Line Bryn Mawr	428	○	4.8	6.2	○	5.0	○	○	○	\$50,876
Main Line Lankenau	643	○	4.6	7.3	●	3.0	○	○	○	\$43,413
Main Line Paoli	216	○	4.4	6.7	○	1.9	○	○	○	\$43,479
Mercy Fitzgerald	426	○	4.1	5.9	○	2.9	○	●	○	\$48,654

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	420	○	3.6	3.3	○	1.7	○	●	○	\$38,932
Mercy Suburban	177	○	4.2	4.1	○	2.3	○	○	○	\$47,595
Methodist Division/TJUH	399	○	5.3	4.9	○	8.2	●	●	○	\$42,813
Montgomery	212	○	4.2	2.0	○	1.0	○	○	○	\$36,166
Nazareth	416	○	5.7	2.2	○	7.7	●	●	○	\$51,904
Palmerton	125	○	4.7	5.7	○	4.1	○	○	○	\$12,560
Penn Presbyterian	607	○	4.6	6.4	○	3.7	○	○	●	\$35,464
Pennsylvania	344	○	5.6	5.3	○	11.4	●	●	○	\$53,642
Phoenixville	195	○	4.5	5.9	○	3.2	○	○	○	\$40,683
Pottstown Memorial	293	○	4.6	1.0	○	3.5	○	●	○	\$35,599
Reading	651	○	5.6	4.4	○	8.1	●	○	○	\$24,329
Riddle Memorial	266	○	5.2	5.1	○	4.7	○	○	○	\$59,394
Roxborough Memorial	211	●	5.6	2.0	○	6.0	○	●	○	\$29,191
Sacred Heart/Allentown	194	○	4.9	3.2	○	5.8	○	○	○	\$29,123
Saint Catherine	101	○	3.8	9.0	○	2.0	○	○	○	\$16,736
Schuylkill-South Jackson	245	○	5.7	2.5	○	11.4	●	○	○	\$14,250
Springfield	60	○	4.4	3.6	○	5.4	○	○	○	\$97,014
St Joseph/Reading	258	○	4.0	16.3	●	1.6	○	○	○	\$15,530
St Joseph's/Philadelphia	121	○	4.8	0.8	○	2.5	○	●	○	\$26,856
St Luke's Miners	76	○	5.0	4.1	○	2.7	○	○	○	\$26,099
St Luke's Quakertown	99	○	4.0	6.5	○	3.2	○	○	○	\$31,842
St Luke's/Bethlehem	801	○	4.6	9.9	●	5.3	○	○	○	\$37,587
St Mary	559	●	5.3	4.7	○	8.6	●	○	○	\$34,025
Taylor	209	○	5.0	3.0	○	5.5	○	○	○	\$92,810
Temple University	1,130	○	4.7	3.9	○	6.9	●	●	○	\$76,033
Thomas Jefferson Univ	578	○	5.2	3.7	○	8.2	●	●	○	\$50,400
Southeastern Pennsylvania	20,320		4.9	5.4		5.7				\$45,186
TOTAL: Statewide	48,924		4.9	5.0		5.0				\$29,369

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	41	○	8.7	○	○	\$103,628
Albert Einstein	112	○	8.2	●	○	\$78,803
Aria Health	63	○	10.1	○	○	\$75,967
Barix Clinics/PA	0	NR	NR	NR	NR	NR
Brandywine	15	○	7.8	○	○	\$75,085
Chester County	16	○	8.7	○	○	\$32,541
Chestnut Hill	10	○	6.5	○	○	\$90,066
Coordinated Health Ortho	0	NR	NR	NR	NR	NR
Crozer-Chester	26	○	9.3	○	○	\$170,610
Delaware County Memorial	24	○	9.6	○	○	\$163,683
Doylestown	13	○	8.4	○	○	\$44,042
Eastern Regional	0	NR	NR	NR	NR	NR
Easton	6	○	11.5	○	○	\$135,520
Gnaden Huetten Memorial	0	NR	NR	NR	NR	NR
Grand View	5	○	8.3	○	○	NR
Hahnemann University	35	○	12.0	○	●	\$210,686
Holy Redeemer	11	○	7.3	○	○	\$83,612
Hospital Fox Chase Cancer	0	NR	NR	NR	NR	NR
Hospital University PA	26	○	11.1	○	○	\$163,981
Jeanes	23	○	8.7	○	○	\$138,839
Jennersville Regional	1	NR	NR	NR	NR	NR
Lansdale	14	○	8.2	○	○	\$94,572
Lehigh Valley	30	○	10.6	○	○	\$88,073
Lehigh Valley/Muhlenberg	21	○	11.0	○	○	\$69,178
Lower Bucks	10	○	11.9	○	○	\$115,163
Main Line Bryn Mawr	19	●	10.1	○	○	\$97,430
Main Line Lankenau	27	○	9.7	○	○	\$95,125
Main Line Paoli	5	○	6.5	○	○	NR
Mercy Fitzgerald	19	○	8.1	○	○	\$129,202

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Mercy Philadelphia	13	○	13.5	○	○	\$145,549
Mercy Suburban	25	○	6.9	○	○	\$78,179
Methodist Division/TJUH	28	○	12.6	○	○	\$95,369
Montgomery	1	NR	NR	NR	NR	NR
Nazareth	10	○	9.4	○	○	\$76,600
Palmerton	0	NR	NR	NR	NR	NR
Penn Presbyterian	28	○	9.2	○	○	\$109,838
Pennsylvania	30	○	7.8	○	○	\$87,092
Phoenixville	8	○	5.7	○	○	\$43,938
Pottstown Memorial	7	○	5.5	○	○	\$44,644
Reading	47	○	9.1	○	○	\$45,675
Riddle Memorial	8	○	11.2	○	○	\$121,493
Roxborough Memorial	10	○	12.4	○	○	\$86,307
Sacred Heart/Allentown	13	○	6.8	○	○	\$54,381
Saint Catherine	1	NR	NR	NR	NR	NR
Schuylkill-South Jackson	3	NR	NR	NR	NR	NR
Springfield	3	NR	NR	NR	NR	NR
St Joseph/Reading	18	○	9.8	○	○	\$48,046
St Joseph's/Philadelphia	4	NR	NR	NR	NR	NR
St Luke's Miners	5	○	5.2	○	○	\$25,295
St Luke's Quakertown	15	○	6.2	○	○	\$52,393
St Luke's/Bethlehem	39	○	9.7	○	●	\$89,994
St Mary	16	○	8.6	○	○	\$63,044
Taylor	12	○	7.8	○	○	\$143,534
Temple University	45	○	8.8	○	○	\$224,425
Thomas Jefferson Univ	25	○	8.4	○	○	\$97,725
Southeastern Pennsylvania	1,020		9.3			\$100,014
TOTAL: Statewide	2,119		9.2			\$70,079

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	385	○	3.3	5.5	○	3.9	○	○	\$38,510	
Albert Einstein	664	○	3.2	9.5	●	4.5	○	○	\$24,915	
Aria Health	542	○	4.5	1.5	○	9.1	●	○	\$24,935	
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	
Brandywine	104	○	3.2	4.8	○	1.9	○	○	\$24,251	
Chester County	125	○	3.9	1.6	○	3.2	○	○	\$18,362	
Chestnut Hill	126	○	3.4	4.0	○	1.6	○	○	\$31,750	
Coordinated Health Ortho	2	NR	NR	NR	NR	NR	NR	NR	NR	
Crozer-Chester	282	○	3.6	3.2	○	5.4	○	○	\$59,224	
Delaware County Memorial	108	○	4.4	2.8	○	11.1	●	○	\$62,882	
Doylestown	91	○	3.3	3.3	○	3.3	○	○	\$21,748	
Eastern Regional	2	NR	NR	NR	NR	NR	NR	NR	NR	
Easton	102	○	3.9	2.9	○	4.9	○	○	\$29,504	
Gnaden Huetten Memorial	20	○	3.0	0.0	○	5.0	○	○	\$7,739	
Grand View	58	○	3.3	3.4	○	0.0	○	○	\$20,748	
Hahnemann University	166	○	4.1	5.5	○	6.7	○	○	\$64,226	
Holy Redeemer	87	○	3.4	4.7	○	7.0	○	○	\$48,862	
Hospital Fox Chase Cancer	4	NR	NR	NR	NR	NR	NR	NR	NR	
Hospital University PA	356	○	3.3	4.0	○	4.0	○	●	\$30,639	
Jeanes	147	○	4.1	3.4	○	7.5	○	○	\$45,565	
Jennersville Regional	44	○	3.3	0.0	○	2.3	○	○	\$24,926	
Lansdale	70	○	3.3	7.4	○	2.9	○	○	\$32,189	
Lehigh Valley	297	○	3.4	8.1	●	5.1	○	○	\$23,355	
Lehigh Valley/Muhlenberg	122	●	3.6	5.9	○	5.1	○	○	\$24,289	
Lower Bucks	98	○	4.1	5.2	○	5.2	○	○	\$54,890	
Main Line Bryn Mawr	157	○	3.8	5.9	○	6.5	○	○	\$39,061	
Main Line Lankenau	258	○	3.6	3.9	○	4.3	○	○	\$32,957	
Main Line Paoli	62	○	3.7	8.1	○	0.0	○	○	\$37,612	
Mercy Fitzgerald	202	○	3.3	4.0	○	4.0	○	○	\$37,791	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	270	○	3.5	4.4	○	4.8	○	●	○	\$33,873
Mercy Suburban	110	○	3.3	2.7	○	0.9	○	○	○	\$28,676
Methodist Division/TJUH	210	○	4.0	1.9	○	8.1	○	○	○	\$28,963
Montgomery	86	○	4.0	0.0	○	4.7	○	○	○	\$28,694
Nazareth	115	○	4.3	4.3	○	6.1	○	○	○	\$34,018
Palmerton	24	○	3.6	0.0	○	0.0	○	○	○	\$8,361
Penn Presbyterian	190	○	3.3	6.8	○	3.2	○	○	○	\$26,141
Pennsylvania	139	○	5.0	2.9	○	16.5	●	○	○	\$39,356
Phoenixville	91	○	2.8	11.0	●	1.1	○	○	○	\$29,156
Pottstown Memorial	141	○	3.1	2.8	○	2.8	○	○	○	\$22,355
Reading	232	○	4.1	5.6	○	6.9	○	○	○	\$19,732
Riddle Memorial	93	○	3.5	10.8	●	6.5	○	○	○	\$39,628
Roxborough Memorial	64	○	4.0	0.0	○	3.1	○	●	●	\$19,391
Sacred Heart/Allentown	76	○	2.9	7.9	○	0.0	○	○	○	\$19,831
Saint Catherine	25	○	2.6	0.0	○	0.0	○	○	○	\$9,606
Schuylkill-South Jackson	88	○	4.7	1.2	○	14.0	●	○	○	\$9,518
Springfield	21	○	3.7	4.8	○	0.0	○	○	○	\$52,312
St Joseph/Reading	88	○	3.5	10.2	●	4.5	○	○	○	\$13,993
St Joseph's/Philadelphia	96	○	4.6	1.0	○	8.3	○	●	○	\$21,563
St Luke's Miners	42	○	4.1	2.4	○	2.4	○	○	○	\$14,899
St Luke's Quakertown	47	○	3.1	8.5	○	2.1	○	○	○	\$25,689
St Luke's/Bethlehem	359	○	3.6	3.7	○	5.6	○	○	○	\$26,203
St Mary	194	○	4.0	5.8	○	6.8	○	○	○	\$24,597
Taylor	137	○	3.6	5.1	○	5.9	○	○	○	\$57,164
Temple University	431	○	3.3	5.6	○	4.9	○	●	○	\$53,813
Thomas Jefferson Univ	202	○	3.1	8.0	○	1.5	○	○	○	\$29,518
Southeastern Pennsylvania	8,480		3.6	4.9		5.3				\$32,282
TOTAL: Statewide	17,140		3.7	5.0		5.0				\$23,170

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating [†]	%	Rating [†]	
Abington Memorial*	197	1.5	○	4.8	6.8	○	4.2	○	\$62,372
Albert Einstein*	118	0.9	○	6.2	6.5	○	9.3	○	\$57,603
Aria Health*	256	8.2	○	6.4	3.6	○	7.6	○	\$46,393
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR
Brandywine*	45	11.6	○	5.8	0.0	○	2.6	○	\$61,232
Chester County*	110	1.9	○	4.8	6.8	○	1.9	○	\$24,875
Chestnut Hill	44	57.3	○	5.5	0.0	○	3.0	○	\$64,934
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester*	147	3.6	○	5.2	3.1	○	5.3	○	\$119,843
Delaware County Memorial	43	62.5	○	6.6	0.0	○	12.1	○	\$105,084
Doylestown*	103	2.0	○	4.1	9.4	○	2.1	○	\$42,838
Eastern Regional	0	NR	NR	NR	NR	NR	NR	NR	NR
Easton*	75	5.6	○	5.5	0.0	○	2.9	○	\$47,113
Gnaden Huetten Memorial	9	60.0	○	4.0	25.0	○	0.0	○	\$15,099
Grand View*	50	44.9	○	4.2	10.2	○	0.0	○	\$35,445
Hahnemann University*	81	1.4	○	5.8	6.9	○	11.1	○	\$118,232
Holy Redeemer*	93	21.3	○	5.6	7.1	○	9.4	○	\$74,439
Hospital Fox Chase Cancer	1	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA*	65	3.3	○	5.7	1.7	○	10.2	○	\$80,812
Jeanes*	87	3.6	○	5.5	6.2	○	1.2	○	\$80,966
Jennersville Regional	17	54.1	○	5.8	0.0	○	5.9	○	\$42,379
Lansdale	73	43.1	○	4.5	17.7	●	4.8	○	\$44,388
Lehigh Valley*	397	0.8	○	4.5	11.3	●	3.7	○	\$39,293
Lehigh Valley/Muhlenberg*	111	1.0	○	5.3	5.8	○	2.9	○	\$45,265
Lower Bucks*	50	12.7	○	6.5	2.2	○	8.7	○	\$87,281
Main Line Bryn Mawr*	56	2.0	○	5.3	6.1	○	4.1	○	\$59,739
Main Line Lankenau*	84	5.7	○	5.1	4.8	○	6.0	○	\$53,973
Main Line Paoli*	65	9.0	○	5.2	4.9	○	1.6	○	\$60,191
Mercy Fitzgerald*	85	6.5	○	5.0	1.2	○	3.6	○	\$74,766

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating [†]	%	Rating [†]	
Mercy Philadelphia	65	39.4	○	5.4	1.7	○	11.9	●	\$60,725
Mercy Suburban	25	55.1	○	3.9	0.0	○	0.0	○	\$44,106
Methodist Division/TJUH	45	48.6	○	7.2	0.0	○	11.4	○	\$58,384
Montgomery*	60	19.1	○	4.5	1.8	○	5.5	○	\$50,340
Nazareth	83	54.7	○	5.8	1.4	○	8.2	○	\$59,293
Palmerton	20	33.3	○	4.5	10.0	○	0.0	○	\$12,820
Penn Presbyterian*	209	1.5	○	4.4	6.0	○	1.5	○	\$59,257
Pennsylvania*	53	0.0	○	5.4	4.2	○	6.3	○	\$64,017
Phoenixville*	78	1.4	○	4.0	2.8	○	1.4	○	\$55,143
Pottstown Memorial	47	64.6	●	5.6	2.9	○	8.8	○	\$57,359
Reading*	143	2.3	○	5.6	4.0	○	4.0	○	\$30,405
Riddle Memorial*	62	24.3	○	4.1	3.8	○	1.9	○	\$63,885
Roxborough Memorial	33	44.4	○	7.4	0.0	○	16.7	●	\$34,623
Sacred Heart/Allentown* ▲	44	26.8	○	4.3	12.2	○	2.4	○	\$35,064
Saint Catherine	15	50.0	○	5.4	0.0	○	0.0	○	\$26,690
Schuylkill-South Jackson	40	45.3	○	7.8	0.0	○	17.2	●	\$17,559
Springfield	22	9.5	○	5.3	10.5	○	0.0	○	\$110,781
St Joseph/Reading*	60	3.4	○	3.5	14.8	●	0.0	○	\$19,647
St Joseph's/Philadelphia	39	53.8	○	7.5	0.0	○	22.9	●	\$39,867
St Luke's Miners	15	64.5	○	5.6	9.1	○	0.0	○	\$25,589
St Luke's Quakertown	10	63.6	○	6.1	0.0	○	12.5	○	\$42,463
St Luke's/Bethlehem*	167	0.6	○	5.1	5.8	○	3.9	○	\$49,480
St Mary*	153	6.5	○	5.6	3.5	○	4.9	○	\$40,103
Taylor	69	22.2	○	5.9	4.8	○	9.5	○	\$118,635
Temple University*	160	0.7	○	5.1	2.0	○	4.8	○	\$103,829
Thomas Jefferson Univ*	86	0.0	○	5.9	1.3	○	16.0	●	\$68,180
Southeastern Pennsylvania	4,336	18.0		5.3	5.4		5.5		\$57,449
TOTAL: Statewide	12,134	20.3		5.2	5.0		5.0		\$35,933

▲ Facility stopped performing angioplasty/stent procedures effective 4/15/2009.

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Abington Memorial	266	○	4.2	5.3	○	5.7	○	\$38,350
Albert Einstein	132	○	3.8	8.4	○	5.3	○	\$30,038
Aria Health	173	○	4.6	5.9	○	7.1	○	\$27,446
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR
Brandywine	41	○	4.3	5.0	○	5.0	○	\$26,880
Chester County	107	○	4.9	6.7	○	9.5	○	\$17,420
Chestnut Hill	64	○	3.6	6.5	○	3.2	○	\$34,801
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	77	○	4.8	3.9	○	9.2	○	\$61,821
Delaware County Memorial	39	○	5.1	2.6	○	15.8	●	\$50,708
Doylestown	99	○	3.6	3.1	○	2.0	○	\$19,278
Eastern Regional	3	NR	NR	NR	NR	NR	NR	NR
Easton	100	○	3.9	3.0	○	7.1	○	\$28,083
Gnaden Huetten Memorial	12	○	2.8	0.0	○	0.0	○	\$7,460
Grand View	66	○	4.5	6.1	○	9.1	○	\$26,272
Hahnemann University	44	○	6.2	9.3	○	20.9	●	\$75,122
Holy Redeemer	84	○	4.6	3.6	○	6.0	○	\$46,380
Hospital Fox Chase Cancer	49	○	5.0	8.5	○	12.8	●	\$20,212
Hospital University PA	168	○	4.8	6.0	○	10.1	●	\$36,690
Jeanes	89	○	4.3	11.2	●	6.7	○	\$48,969
Jennersville Regional	19	○	3.8	0.0	○	5.6	○	\$23,574
Lansdale	46	○	3.4	6.5	○	2.2	○	\$31,192
Lehigh Valley	242	○	3.9	8.0	●	3.0	○	\$21,299
Lehigh Valley/Muhlenberg	105	○	3.3	8.6	○	1.0	○	\$20,182
Lower Bucks	40	○	4.6	2.7	○	8.1	○	\$52,428
Main Line Bryn Mawr	173	○	4.3	5.4	○	7.1	○	\$37,895
Main Line Lankenau	162	○	4.8	2.5	○	7.5	○	\$41,004
Main Line Paoli	106	○	3.1	6.8	○	2.9	○	\$31,533
Mercy Fitzgerald	56	○	4.6	5.5	○	3.6	○	\$44,242

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Mercy Philadelphia	56	○	3.9	3.6	○	5.5	○	\$37,104
Mercy Suburban	66	○	4.4	4.8	○	6.3	○	\$33,424
Methodist Division/TJUH	75	○	4.7	2.7	○	5.4	○	\$34,551
Montgomery	27	○	3.4	3.8	○	3.8	○	\$25,111
Nazareth	49	○	4.6	4.2	○	6.3	○	\$28,283
Palmerton	14	○	3.2	0.0	○	0.0	○	\$9,099
Penn Presbyterian	58	○	4.3	6.9	○	10.3	○	\$29,866
Pennsylvania	69	○	4.0	3.0	○	6.0	○	\$35,830
Phoenixville	37	○	4.0	2.9	○	2.9	○	\$30,228
Pottstown Memorial	82	○	4.0	6.1	○	7.3	○	\$30,917
Reading	140	○	4.3	6.5	○	5.1	○	\$17,386
Riddle Memorial	83	○	4.2	8.8	○	2.5	○	\$45,596
Roxborough Memorial	33	○	5.5	3.1	○	12.5	○	\$22,511
Sacred Heart/Allentown	21	○	5.2	0.0	○	14.3	○	\$26,625
Saint Catherine	13	○	2.9	0.0	○	0.0	○	\$9,503
Schuylkill-South Jackson	53	○	4.8	1.9	○	9.6	○	\$10,662
Springfield	20	○	3.1	5.0	○	0.0	○	\$49,295
St Joseph/Reading	48	○	3.8	6.3	○	2.1	○	\$15,044
St Joseph's/Philadelphia	19	○	4.7	0.0	○	10.5	○	\$19,968
St Luke's Miners	7	○	5.0	0.0	○	0.0	○	\$16,179
St Luke's Quakertown	23	○	3.6	8.7	○	0.0	○	\$27,755
St Luke's/Bethlehem	142	○	3.6	2.8	○	1.4	○	\$25,681
St Mary	147	○	4.2	3.4	○	3.4	○	\$24,430
Taylor	39	○	4.6	7.7	○	10.3	○	\$59,557
Temple University	83	○	4.4	3.7	○	4.9	○	\$69,618
Thomas Jefferson Univ	122	○	4.9	0.8	○	10.8	●	\$38,072
Southeastern Pennsylvania	4,151		4.3	5.1		6.1		\$32,256
TOTAL: Statewide	9,879		4.2	5.0		5.0		\$21,970

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Kidney Failure - Acute

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	443	○	5.7	4.4	○	6.2	○	●	○	\$62,208
Albert Einstein	591	○	4.7	9.2	●	3.4	○	●	●	\$36,593
Aria Health	360	○	5.9	2.4	○	7.1	○	○	○	\$38,068
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Brandywine	53	○	6.0	3.8	○	7.5	○	○	○	\$47,099
Chester County	105	○	5.8	1.9	○	4.9	○	○	○	\$25,610
Chestnut Hill	95	○	4.5	9.9	●	1.1	○	○	○	\$49,894
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	189	○	5.7	3.4	○	7.8	○	○	○	\$95,861
Delaware County Memorial	63	○	7.6	8.3	○	13.3	●	○	○	\$104,475
Doylestown	79	○	5.9	2.7	○	5.4	○	○	○	\$34,111
Eastern Regional	7	○	NR	0.0	○	20.0	○	NR	NR	\$62,548
Easton	195	○	5.6	7.0	○	6.4	○	○	○	\$38,076
Gnaden Huetten Memorial	41	○	5.5	0.0	○	2.9	○	○	○	\$14,392
Grand View	67	○	5.0	7.6	○	6.1	○	○	○	\$37,969
Hahnemann University	154	○	6.5	5.4	○	10.8	●	○	○	\$87,695
Holy Redeemer	82	○	5.7	7.6	○	6.3	○	○	○	\$63,587
Hospital Fox Chase Cancer	47	○	6.6	2.3	○	7.0	○	○	○	\$28,690
Hospital University PA	309	○	5.4	5.3	○	4.9	○	○	○	\$50,199
Jeanes	153	○	5.6	2.1	○	5.5	○	○	○	\$68,193
Jennersville Regional	17	○	7.3	0.0	○	5.9	○	○	○	\$47,720
Lansdale	78	○	5.5	2.7	○	6.8	○	○	○	\$46,366
Lehigh Valley	382	○	5.2	7.8	●	4.6	○	○	○	\$31,837
Lehigh Valley/Muhlenberg	251	○	5.4	5.7	○	6.1	○	○	○	\$34,018
Lower Bucks	53	○	6.7	4.2	○	8.3	○	○	○	\$72,918
Main Line Bryn Mawr	147	○	5.6	3.6	○	5.0	○	○	○	\$55,777
Main Line Lankenau	218	○	4.9	6.6	○	2.8	○	○	○	\$45,184
Main Line Paoli	98	○	5.2	5.2	○	3.1	○	○	○	\$47,704
Mercy Fitzgerald	141	○	4.9	2.9	○	6.5	○	○	○	\$61,326

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney Failure - Acute

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	157	○	4.4	8.5	○	3.3	○	●	○	\$47,870
Mercy Suburban	105	○	5.4	8.0	○	6.0	○	●	○	\$52,003
Methodist Division/TJUH	212	○	5.8	2.5	○	11.5	●	○	○	\$45,289
Montgomery	50	○	4.8	4.4	○	0.0	○	○	○	\$39,696
Nazareth	183	○	5.1	5.7	○	1.7	○	○	○	\$39,789
Palmerton	38	○	5.0	5.6	○	2.8	○	○	○	\$10,961
Penn Presbyterian	166	○	5.1	4.4	○	6.3	○	○	○	\$38,289
Pennsylvania	117	○	6.3	2.6	○	11.3	●	○	○	\$52,301
Phoenixville	72	○	4.8	1.4	○	0.0	○	○	○	\$37,558
Pottstown Memorial	162	○	5.3	2.5	○	3.1	○	○	○	\$43,132
Reading	260	○	6.8	5.2	○	12.9	●	○	○	\$27,402
Riddle Memorial	95	○	6.7	3.4	○	7.9	○	○	○	\$68,684
Roxborough Memorial	66	○	7.4	0.0	○	9.5	○	●	○	\$28,443
Sacred Heart/Allentown	53	○	5.0	4.0	○	0.0	○	○	○	\$28,505
Saint Catherine	22	○	4.1	0.0	○	4.5	○	○	○	\$12,721
Schuylkill-South Jackson	59	○	6.5	2.0	○	7.8	○	○	○	\$14,941
Springfield	28	●	5.6	4.2	○	8.3	○	○	○	\$78,699
St Joseph/Reading	123	○	5.1	8.8	○	3.5	○	○	○	\$18,790
St Joseph's/Philadelphia	90	○	7.7	0.0	○	11.1	●	○	●	\$33,493
St Luke's Miners	7	○	5.8	0.0	○	0.0	○	○	○	\$22,224
St Luke's Quakertown	24	○	4.6	0.0	○	4.3	○	○	○	\$34,748
St Luke's/Bethlehem	484	○	5.2	7.1	○	4.5	○	○	○	\$39,213
St Mary	177	○	5.7	3.6	○	4.8	○	○	○	\$36,027
Taylor	99	○	6.5	2.1	○	9.6	○	○	○	\$95,875
Temple University	252	○	5.3	6.5	○	5.7	○	○	○	\$81,630
Thomas Jefferson Univ	194	○	5.2	5.4	○	4.3	○	●	○	\$48,058
Southeastern Pennsylvania	7,818		5.5	5.2		5.9				\$46,374
TOTAL: Statewide	19,416		5.5	5.0		5.0				\$30,894

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	603	○	3.9	5.5	○	5.2	○	○	\$40,301	
Albert Einstein	436	○	3.4	14.9	●	3.7	○	○	\$24,645	
Aria Health	603	○	4.7	2.0	○	7.7	●	○	\$24,959	
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	
Brandywine	125	○	4.3	3.2	○	5.6	○	○	\$27,565	
Chester County	275	○	4.6	3.0	○	8.1	●	○	\$17,248	
Chestnut Hill	247	○	3.4	6.6	○	0.4	○	○	\$33,750	
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	
Crozer-Chester	320	○	4.1	9.1	●	9.1	●	○	\$61,832	
Delaware County Memorial	168	●	4.9	1.8	○	11.7	●	○	\$64,046	
Doylestown	296	○	3.9	4.1	○	1.4	○	○	\$22,269	
Eastern Regional	1	NR	NR	NR	NR	NR	NR	NR	NR	
Easton	144	○	4.6	6.3	○	8.3	○	○	\$27,866	
Gnaden Huetten Memorial	18	○	3.4	22.2	●	11.1	○	○	\$8,271	
Grand View	106	○	3.4	7.7	○	1.9	○	○	\$22,479	
Hahnemann University	145	○	4.6	6.3	○	10.4	●	○	\$59,112	
Holy Redeemer	195	○	4.1	5.2	○	3.1	○	○	\$43,671	
Hospital Fox Chase Cancer	46	○	4.5	2.2	○	6.5	○	○	\$20,207	
Hospital University PA	313	○	3.7	6.8	○	3.2	○	●	\$31,364	
Jeanes	120	○	4.3	4.2	○	5.0	○	○	\$48,459	
Jennersville Regional	140	○	4.5	5.0	○	9.4	●	●	\$23,830	
Lansdale	147	○	3.2	8.9	○	1.4	○	○	\$27,545	
Lehigh Valley	406	○	3.8	5.7	○	3.0	○	○	\$22,169	
Lehigh Valley/Muhlenberg	150	○	3.6	8.7	○	3.4	○	○	\$22,517	
Lower Bucks	92	○	4.3	4.4	○	3.3	○	○	\$45,982	
Main Line Bryn Mawr	436	○	4.1	5.3	○	5.7	○	○	\$39,133	
Main Line Lankenau	309	○	3.7	6.8	○	2.9	○	●	\$32,015	
Main Line Paoli	205	○	4.0	5.4	○	3.9	○	○	\$37,443	
Mercy Fitzgerald	192	○	4.3	2.6	○	3.7	○	○	\$42,623	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	176	○	4.0	2.8	○	6.8	○	○	\$33,402	
Mercy Suburban	116	○	3.7	9.5	●	5.2	○	○	\$33,225	
Methodist Division/TJUH	220	○	4.2	4.6	○	11.9	●	○	\$30,975	
Montgomery	92	○	3.3	4.4	○	1.1	○	○	\$23,302	
Nazareth	172	○	4.2	2.3	○	5.3	○	○	\$32,874	
Palmerton	81	○	4.2	5.1	○	5.1	○	○	\$10,656	
Penn Presbyterian	167	○	3.8	7.8	○	3.0	○	○	\$26,598	
Pennsylvania	189	○	4.9	3.2	○	13.3	●	○	\$35,941	
Phoenixville	131	○	3.5	3.9	○	1.6	○	○	\$27,658	
Pottstown Memorial	266	○	4.2	2.7	○	3.4	○	○	\$29,287	
Reading	362	○	4.5	3.0	○	8.9	●	○	\$18,954	
Riddle Memorial	271	○	4.1	5.6	○	6.0	○	○	\$44,095	
Roxborough Memorial	77	○	4.5	9.2	○	7.9	○	●	\$19,719	
Sacred Heart/Allentown	81	○	4.2	2.5	○	8.8	○	●	\$23,323	
Saint Catherine	43	○	3.6	4.8	○	2.4	○	●	\$11,727	
Schuylkill-South Jackson	127	○	4.9	1.6	○	7.2	○	○	\$9,639	
Springfield	45	○	3.3	2.3	○	0.0	○	○	\$58,660	
St Joseph/Reading	110	○	4.1	6.4	○	8.3	○	○	\$13,636	
St Joseph's/Philadelphia	109	○	5.8	1.8	○	14.7	●	●	\$26,319	
St Luke's Miners	72	○	4.9	2.8	○	13.9	●	○	\$16,806	
St Luke's Quakertown	49	○	3.9	2.0	○	2.0	○	○	\$27,678	
St Luke's/Bethlehem	452	○	3.9	7.6	●	4.4	○	○	\$27,693	
St Mary	391	○	4.2	4.9	○	4.9	○	○	\$25,142	
Taylor	136	○	4.6	4.4	○	8.9	○	○	\$67,929	
Temple University	248	○	3.9	2.4	○	4.8	○	●	\$56,945	
Thomas Jefferson Univ	343	○	4.2	5.0	○	8.2	●	●	\$34,418	
Southeastern Pennsylvania	10,994		4.1	5.3		5.8			\$31,757	
TOTAL: Statewide	24,418		4.1	5.0		5.0			\$21,550	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	239	○	6.8	3.9	○	7.9	○	●	\$77,550	
Albert Einstein	251	○	4.9	11.6	●	1.3	○	●	\$29,100	
Aria Health	125	○	7.4	3.4	○	8.4	○	○	\$47,222	
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	
Brandywine	40	○	7.3	2.6	○	7.7	○	○	\$56,274	
Chester County	68	○	7.8	1.6	○	11.3	●	○	\$34,845	
Chestnut Hill	70	○	5.4	9.8	○	0.0	○	○	\$58,737	
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	
Crozer-Chester	60	○	7.3	8.8	○	15.8	●	○	\$114,191	
Delaware County Memorial	40	○	9.1	5.4	○	8.1	○	○	\$136,390	
Doylestown	108	○	6.7	4.3	○	4.3	○	○	\$40,318	
Eastern Regional	2	NR	NR	NR	NR	NR	NR	NR	NR	
Easton	66	○	7.2	6.9	○	6.9	○	○	\$43,582	
Gnaden Huetten Memorial	25	●	7.1	6.3	○	0.0	○	○	\$16,839	
Grand View	56	○	6.5	5.9	○	0.0	○	○	\$41,394	
Hahnemann University	24	○	9.0	0.0	○	26.1	●	○	\$109,343	
Holy Redeemer	114	○	7.5	1.9	○	6.8	○	○	\$80,404	
Hospital Fox Chase Cancer	10	○	8.4	0.0	○	11.1	○	○	\$35,908	
Hospital University PA	106	○	6.4	8.8	○	5.9	○	○	\$57,536	
Jeanes	158	○	6.9	0.7	○	2.9	○	○	\$63,304	
Jennersville Regional	44	○	9.1	0.0	○	17.5	●	●	\$53,877	
Lansdale	42	○	5.3	10.8	○	5.4	○	○	\$50,669	
Lehigh Valley	173	○	6.6	6.7	○	6.1	○	○	\$38,684	
Lehigh Valley/Muhlenberg	73	○	5.6	11.3	●	5.6	○	○	\$34,692	
Lower Bucks	25	○	7.9	0.0	○	12.0	○	○	\$86,346	
Main Line Bryn Mawr	130	○	6.8	5.2	○	6.9	○	○	\$74,076	
Main Line Lankenau	113	○	6.6	12.4	●	4.8	○	○	\$61,486	
Main Line Paoli	58	○	5.8	3.8	○	3.8	○	○	\$59,738	
Mercy Fitzgerald	48	○	5.9	2.3	○	2.3	○	○	\$64,888	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	43	○	5.7	9.5	○	11.9	○	○	\$54,882	
Mercy Suburban	76	○	5.9	11.8	●	1.5	○	●	\$52,693	
Methodist Division/TJUH	51	○	7.9	2.1	○	12.5	●	○	\$46,574	
Montgomery	27	○	5.6	0.0	○	4.0	○	○	\$50,991	
Nazareth	89	○	7.0	4.8	○	3.6	○	○	\$53,177	
Palmerton	14	○	7.0	0.0	○	15.4	○	○	\$17,230	
Penn Presbyterian	64	○	6.0	9.7	○	4.8	○	○	\$41,871	
Pennsylvania	34	○	7.4	6.3	○	3.1	○	○	\$63,785	
Phoenixville	84	○	5.9	2.6	○	2.6	○	○	\$55,991	
Pottstown Memorial	31	○	7.1	0.0	○	7.1	○	○	\$58,079	
Reading	122	○	7.2	7.5	○	6.6	○	○	\$29,832	
Riddle Memorial	153	○	6.8	5.0	○	5.0	○	○	\$65,909	
Roxborough Memorial	53	●	8.9	2.3	○	13.6	●	○	\$36,786	
Sacred Heart/Allentown	22	○	6.7	10.0	○	10.0	○	○	\$44,696	
Saint Catherine	12	○	4.3	8.3	○	0.0	○	○	\$22,236	
Schuylkill-South Jackson	41	○	6.9	8.3	○	11.1	○	●	\$16,258	
Springfield	17	○	8.3	0.0	○	0.0	○	○	\$136,642	
St Joseph/Reading	32	○	7.9	10.3	○	6.9	○	○	\$24,262	
St Joseph's/Philadelphia	42	○	9.2	0.0	○	2.5	○	○	\$36,631	
St Luke's Miners	16	○	9.2	0.0	○	6.7	○	○	\$35,993	
St Luke's Quakertown	32	○	5.5	6.7	○	0.0	○	○	\$46,003	
St Luke's/Bethlehem	173	○	6.5	12.0	●	3.6	○	○	\$49,849	
St Mary	118	○	6.0	5.3	○	3.5	○	○	\$35,860	
Taylor	56	●	9.7	0.0	○	25.6	●	○	\$135,709	
Temple University	42	○	6.3	12.8	●	5.1	○	○	\$88,230	
Thomas Jefferson Univ	32	○	6.4	10.3	○	3.4	○	○	\$57,210	
Southeastern Pennsylvania	3,783		6.7	6.2		6.0			\$54,298	
TOTAL: Statewide	9,517		6.6	5.0		5.0			\$35,545	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	730	○	4.5	3.9	○	4.2	○	○	\$51,837	
Albert Einstein	357	○	4.3	6.3	○	5.2	○	○	\$28,718	
Aria Health	864	○	5.6	3.1	○	7.9	●	○	\$38,461	
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	
Brandywine	205	○	5.2	2.5	○	4.5	○	○	\$38,938	
Chester County	321	○	5.3	4.2	○	6.4	○	○	\$22,923	
Chestnut Hill	208	●	4.3	6.2	○	1.0	○	○	\$46,920	
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	
Crozer-Chester	390	○	4.6	3.1	○	4.2	○	○	\$79,764	
Delaware County Memorial	254	○	6.1	3.7	○	11.0	●	○	\$87,218	
Doylestown	402	○	5.0	6.4	○	5.9	○	○	\$31,930	
Eastern Regional	17	○	5.9	6.3	○	12.5	○	NR	\$55,981	
Easton	197	○	5.0	3.1	○	6.8	○	●	\$35,408	
Gnaden Huetten Memorial	74	○	3.9	9.7	○	2.8	○	○	\$10,783	
Grand View	292	○	5.2	3.8	○	4.5	○	○	\$33,781	
Hahnemann University	226	○	5.4	8.1	●	8.6	●	○	\$76,428	
Holy Redeemer	320	○	5.4	3.8	○	7.3	○	○	\$63,469	
Hospital Fox Chase Cancer	60	○	5.1	12.3	●	5.3	○	●	\$24,482	
Hospital University PA	364	○	4.2	5.3	○	6.4	○	○	\$40,576	
Jeanes	234	○	5.5	3.9	○	6.5	○	○	\$59,177	
Jennersville Regional	248	○	4.9	2.5	○	5.5	○	○	\$32,522	
Lansdale	199	○	4.2	5.2	○	4.6	○	○	\$39,414	
Lehigh Valley	689	○	4.6	4.9	○	4.0	○	○	\$29,445	
Lehigh Valley/Muhlenberg	292	○	4.5	7.0	○	2.8	○	○	\$28,604	
Lower Bucks	102	○	4.7	3.0	○	3.0	○	○	\$54,001	
Main Line Bryn Mawr	358	○	5.1	4.0	○	4.8	○	○	\$50,684	
Main Line Lankenau	343	○	5.1	6.0	○	6.3	○	○	\$45,584	
Main Line Paoli	226	○	4.3	6.3	○	2.2	○	○	\$45,282	
Mercy Fitzgerald	199	○	4.5	5.6	○	4.6	○	○	\$49,021	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	247	○	4.6	2.9	○	2.5	○	●	○	\$42,634
Mercy Suburban	199	○	4.0	6.7	○	1.6	○	○	○	\$40,981
Methodist Division/TJUH	225	○	4.9	4.5	○	5.9	○	○	○	\$37,556
Montgomery	126	○	4.5	4.0	○	0.8	○	●	○	\$40,006
Nazareth	249	○	4.7	6.1	○	5.3	○	○	○	\$39,878
Palmerton	75	○	4.6	5.6	○	1.4	○	○	○	\$13,097
Penn Presbyterian	216	○	4.1	4.7	○	2.3	○	○	○	\$28,036
Pennsylvania	198	○	5.4	1.5	○	5.1	○	○	○	\$49,335
Phoenixville	219	○	4.4	5.2	○	0.5	○	○	○	\$45,755
Pottstown Memorial	440	○	4.7	3.3	○	4.5	○	●	●	\$42,340
Reading	720	○	5.4	5.1	○	9.3	●	○	○	\$24,179
Riddle Memorial	250	○	4.9	4.1	○	2.9	○	○	○	\$52,246
Roxborough Memorial	95	○	6.3	0.0	○	11.7	●	○	○	\$27,769
Sacred Heart/Allentown	142	○	4.5	3.6	○	2.1	○	○	○	\$28,848
Saint Catherine	72	○	4.3	4.2	○	2.8	○	○	●	\$15,322
Schuylkill-South Jackson	263	○	5.4	3.2	○	10.7	●	●	○	\$11,809
Springfield	65	○	4.8	10.9	○	6.3	○	○	○	\$85,763
St Joseph/Reading	197	○	4.3	10.4	●	4.1	○	○	○	\$16,063
St Joseph's/Philadelphia	83	○	6.6	0.0	○	9.9	○	●	●	\$29,377
St Luke's Miners	75	○	5.5	2.7	○	6.8	○	○	○	\$24,149
St Luke's Quakertown	130	○	4.1	7.0	○	0.8	○	○	○	\$33,833
St Luke's/Bethlehem	559	○	4.6	8.4	●	4.4	○	○	○	\$34,007
St Mary	533	○	5.0	3.6	○	6.3	○	○	○	\$32,832
Taylor	193	○	5.3	4.2	○	5.2	○	○	○	\$88,447
Temple University	494	○	4.0	5.5	○	3.3	○	○	○	\$67,296
Thomas Jefferson Univ	313	○	4.5	4.9	○	7.5	○	●	●	\$40,315
Southeastern Pennsylvania	14,966		4.9	4.7		5.4				\$41,230
TOTAL: Statewide	38,727		4.9	5.0		5.0				\$26,483

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	108	○	11.4	4.8	○	7.1	○	○	\$152,377	
Albert Einstein	142	○	9.1	4.9	○	3.9	○	●	\$74,048	
Aria Health	186	○	9.4	6.3	○	3.9	○	○	\$82,802	
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	
Brandywine	19	○	8.3	0.0	○	0.0	○	○	\$97,920	
Chester County	24	○	7.7	0.0	○	0.0	○	○	\$74,903	
Chestnut Hill	37	○	6.8	13.0	○	0.0	○	●	\$133,627	
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	
Crozer-Chester	97	○	10.1	4.9	○	8.6	○	○	\$262,630	
Delaware County Memorial	2	NR	NR	NR	NR	NR	NR	NR	NR	
Doylestown	29	○	8.8	15.0	○	5.0	○	○	\$79,151	
Eastern Regional	4	NR	NR	NR	NR	NR	NR	NR	NR	
Easton	31	○	9.9	0.0	○	9.1	○	○	\$78,650	
Gnaden Huetten Memorial	11	○	3.9	14.3	○	0.0	○	○	\$24,547	
Grand View	19	○	7.6	0.0	○	0.0	○	○	\$110,030	
Hahnemann University	42	○	13.6	0.0	○	19.4	●	○	\$257,702	
Holy Redeemer	29	○	11.3	0.0	○	9.5	○	○	\$165,699	
Hospital Fox Chase Cancer	3	NR	NR	NR	NR	NR	NR	NR	NR	
Hospital University PA	60	●	12.1	0.0	○	11.8	○	○	\$175,629	
Jeanes	33	○	12.7	5.0	○	10.0	○	○	\$167,491	
Jennersville Regional	11	○	10.6	9.1	○	0.0	○	○	\$110,361	
Lansdale	28	○	9.2	4.3	○	8.7	○	○	\$122,286	
Lehigh Valley	102	○	9.5	2.7	○	5.4	○	○	\$91,951	
Lehigh Valley/Muhlenberg	41	○	9.1	12.1	○	6.1	○	○	\$95,908	
Lower Bucks	26	○	10.5	11.1	○	11.1	○	○	\$156,713	
Main Line Bryn Mawr	54	○	11.5	2.8	○	13.9	●	○	\$172,722	
Main Line Lankenau	47	○	10.7	3.6	○	7.1	○	○	\$121,672	
Main Line Paoli	18	○	8.2	20.0	○	0.0	○	○	\$101,429	
Mercy Fitzgerald	35	○	8.5	9.5	○	4.8	○	○	\$142,777	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	63	○	7.4	8.3	○	2.1	○	○	○	\$128,667
Mercy Suburban	49	○	7.1	22.9	●	2.9	○	●	○	\$78,340
Methodist Division/TJUH	51	○	8.8	2.4	○	4.8	○	○	○	\$82,648
Montgomery	23	○	10.0	0.0	○	7.1	○	○	○	\$100,991
Nazareth	59	○	9.6	4.5	○	2.3	○	○	○	\$95,540
Palmerton	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Penn Presbyterian	64	○	10.1	4.2	○	6.3	○	○	○	\$113,248
Pennsylvania	15	○	10.5	0.0	○	14.3	○	○	○	\$150,265
Phoenixville	21	○	7.8	6.3	○	0.0	○	○	○	\$100,263
Pottstown Memorial	40	○	7.8	6.5	○	0.0	○	○	○	\$121,738
Reading	90	○	8.8	4.3	○	7.2	○	○	○	\$58,724
Riddle Memorial	34	○	11.2	0.0	○	4.2	○	○	○	\$171,354
Roxborough Memorial	40	○	8.8	0.0	○	0.0	○	○	○	\$61,579
Sacred Heart/Allentown	15	○	6.1	8.3	○	0.0	○	○	○	\$49,864
Saint Catherine	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Schuylkill-South Jackson	21	○	10.3	7.7	○	7.7	○	○	○	\$27,842
Springfield	7	○	13.3	0.0	○	20.0	○	NR	NR	\$316,082
St Joseph/Reading	31	○	6.7	0.0	○	0.0	○	○	○	\$49,016
St Joseph's/Philadelphia	28	○	8.8	0.0	○	0.0	○	○	○	\$55,188
St Luke's Miners	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Luke's Quakertown	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Luke's/Bethlehem	120	○	8.0	11.0	●	3.3	○	○	○	\$86,891
St Mary	44	○	8.9	3.0	○	3.0	○	○	○	\$73,404
Taylor	16	○	13.6	0.0	○	18.2	○	○	○	\$250,307
Temple University	211	○	9.3	4.8	○	7.9	○	●	○	\$219,395
Thomas Jefferson Univ	26	○	11.4	0.0	○	12.5	○	○	○	\$121,559
Southeastern Pennsylvania	2,379		9.5	5.3		5.9				\$123,867
TOTAL: Statewide	5,834		9.3	5.0		5.0				\$85,560

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	119	○	6.2	11.0	●	9.2	○	○	○	\$86,923
Albert Einstein	71	○	5.4	4.9	○	1.6	○	●	●	\$38,680
Aria Health	44	○	7.6	2.6	○	15.4	●	●	○	\$68,383
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Brandywine	39	○	5.4	3.0	○	0.0	○	○	○	\$46,181
Chester County	74	○	6.5	1.4	○	5.7	○	○	○	\$32,812
Chestnut Hill	50	○	4.8	8.3	○	2.1	○	○	○	\$60,546
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	37	○	5.7	5.6	○	8.3	○	○	○	\$119,314
Delaware County Memorial	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Doylestown	68	○	6.5	1.6	○	11.5	●	○	○	\$37,276
Eastern Regional	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Easton	77	○	6.0	5.8	○	7.2	○	○	○	\$43,134
Gnaden Huetten Memorial	8	●	4.0	0.0	○	0.0	○	○	○	\$11,018
Grand View	17	○	6.1	7.1	○	0.0	○	○	○	\$44,787
Hahnemann University	28	○	7.1	8.0	○	12.0	○	○	○	\$140,923
Holy Redeemer	36	○	7.1	9.4	○	12.5	○	○	○	\$84,763
Hospital Fox Chase Cancer	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA	39	○	6.3	2.9	○	5.7	○	○	○	\$80,679
Jeanes	69	○	5.7	3.0	○	4.5	○	○	○	\$69,458
Jennersville Regional	18	○	5.9	0.0	○	0.0	○	●	●	\$48,794
Lansdale	18	○	5.3	5.6	○	0.0	○	○	○	\$62,163
Lehigh Valley	223	○	5.4	8.3	○	3.9	○	○	○	\$37,409
Lehigh Valley/Muhlenberg	158	○	5.9	5.5	○	5.5	○	○	○	\$37,547
Lower Bucks	12	○	6.2	0.0	○	8.3	○	○	○	\$64,878
Main Line Bryn Mawr	73	○	5.9	10.0	○	8.3	○	○	○	\$62,337
Main Line Lankenau	21	○	7.3	0.0	○	4.8	○	○	○	\$79,212
Main Line Paoli	6	○	3.5	16.7	○	0.0	○	○	○	\$41,183
Mercy Fitzgerald	22	○	4.9	15.0	○	5.0	○	○	○	\$63,281

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	9	○	3.9	22.2	○	0.0	○	○	○	\$47,743
Mercy Suburban	10	○	4.4	11.1	○	0.0	○	○	○	\$48,698
Methodist Division/TJUH	10	○	8.0	0.0	○	20.0	○	○	○	\$54,368
Montgomery	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Nazareth	13	○	7.0	0.0	○	0.0	○	○	○	\$53,185
Palmerton	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Penn Presbyterian	17	○	6.9	0.0	○	23.1	●	○	○	\$67,816
Pennsylvania	9	○	5.7	11.1	○	11.1	○	○	○	\$72,573
Phoenixville	52	○	4.6	8.0	○	0.0	○	●	●	\$49,419
Pottstown Memorial	8	○	5.3	0.0	○	0.0	○	●	●	\$67,146
Reading	175	○	6.1	6.1	○	8.1	○	○	○	\$27,707
Riddle Memorial	33	○	6.6	12.9	○	12.9	○	○	○	\$88,198
Roxborough Memorial	19	○	5.6	12.5	○	0.0	○	○	○	\$35,616
Sacred Heart/Allentown	15	○	5.1	0.0	○	0.0	○	○	○	\$31,318
Saint Catherine	10	○	4.4	0.0	○	0.0	○	○	○	\$16,658
Schuylkill-South Jackson	69	○	6.5	4.6	○	10.8	●	○	○	\$14,258
Springfield	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Joseph/Reading	203	○	5.4	10.6	●	4.8	○	○	○	\$20,288
St Joseph's/Philadelphia	15	○	6.1	7.1	○	7.1	○	●	○	\$30,192
St Luke's Miners	7	○	10.2	0.0	○	28.6	●	○	○	\$48,656
St Luke's Quakertown	18	○	5.4	0.0	○	0.0	○	○	○	\$52,704
St Luke's/Bethlehem	66	○	5.0	7.9	○	1.6	○	○	○	\$40,147
St Mary	20	●	4.8	7.7	○	7.7	○	○	○	\$30,176
Taylor	6	○	6.3	0.0	○	0.0	○	NR	NR	\$130,835
Temple University	166	○	6.3	4.5	○	7.6	○	○	○	\$136,307
Thomas Jefferson Univ	8	○	3.6	25.0	○	12.5	○	○	○	\$62,226
Southeastern Pennsylvania	2,387		5.9	6.4		6.3				\$52,748
TOTAL: Statewide	7,283		5.6	4.9		4.7				\$31,864

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Abington Memorial	296	○	8.7	7.4	○	13.0	●	\$111,798
Albert Einstein	353	○	6.8	10.3	●	7.1	○	\$63,988
Aria Health	178	○	8.6	4.6	○	13.1	●	\$71,316
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR
Brandywine	105	○	6.8	2.3	○	3.4	○	\$67,756
Chester County	291	○	7.2	2.0	○	5.2	○	\$40,659
Chestnut Hill	171	●	6.0	19.7	●	2.6	○	\$83,066
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	202	●	8.1	5.1	○	13.8	●	\$171,172
Delaware County Memorial	102	○	10.3	4.2	○	13.9	●	\$183,204
Doylestown	186	○	7.9	5.8	○	7.7	○	\$52,516
Eastern Regional	8	○	6.4	14.3	○	14.3	○	\$83,220
Easton	433	○	7.1	2.9	○	4.3	○	\$54,334
Gnaden Huetten Memorial	71	○	5.8	5.1	○	1.7	○	\$15,972
Grand View	118	○	6.0	12.0	●	0.9	○	\$59,899
Hahnemann University	143	○	10.1	4.2	○	20.8	●	\$199,068
Holy Redeemer	121	○	8.9	2.9	○	11.5	●	\$136,079
Hospital Fox Chase Cancer	16	○	8.9	0.0	○	15.4	○	\$67,121
Hospital University PA	325	○	8.0	6.8	○	11.9	●	\$112,367
Jeanes	104	○	8.3	2.6	○	7.7	○	\$123,310
Jennersville Regional	22	○	8.0	6.3	○	6.3	○	\$65,170
Lansdale	94	○	5.9	10.0	○	1.4	○	\$68,136
Lehigh Valley	627	○	7.8	4.7	○	6.2	○	\$52,851
Lehigh Valley/Muhlenberg	422	○	6.3	5.6	○	3.0	○	\$44,510
Lower Bucks	46	●	10.2	3.3	○	16.7	●	\$122,203
Main Line Bryn Mawr	149	○	9.1	2.6	○	13.2	●	\$106,298
Main Line Lankenau	163	○	7.7	5.1	○	5.9	○	\$90,818
Main Line Paoli	61	○	6.7	9.8	○	5.9	○	\$97,260
Mercy Fitzgerald	176	○	7.7	8.8	○	8.0	○	\$91,103

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Mercy Philadelphia	152	○	6.9	8.9	○	5.6	○	\$111,661
Mercy Suburban	193	○	6.4	17.5	●	3.8	○	\$62,159
Methodist Division/TJUH	136	○	9.4	10.8	●	20.4	●	\$71,536
Montgomery	68	○	7.4	0.0	○	1.6	○	\$72,420
Nazareth	112	○	7.4	5.4	○	8.7	○	\$69,818
Palmerton	11	○	6.5	10.0	○	10.0	○	\$21,616
Penn Presbyterian	131	○	6.8	8.7	○	6.8	○	\$80,562
Pennsylvania	68	○	7.2	14.3	●	14.3	●	\$105,774
Phoenixville	113	○	5.6	3.1	○	4.2	○	\$80,888
Pottstown Memorial	81	●	7.9	0.0	○	8.0	○	\$82,566
Reading	525	○	7.6	4.5	○	7.4	●	\$37,591
Riddle Memorial	95	○	8.1	8.3	○	11.1	○	\$113,600
Roxborough Memorial	209	●	8.7	1.9	○	11.0	●	\$50,305
Sacred Heart/Allentown	33	○	8.2	7.7	○	7.7	○	\$52,164
Saint Catherine	54	○	6.0	7.0	○	2.3	○	\$22,696
Schuylkill-South Jackson	47	○	9.2	2.8	○	8.3	○	\$20,078
Springfield	25	○	7.2	6.3	○	6.3	○	\$148,071
St Joseph/Reading	193	○	6.4	9.8	●	5.5	○	\$29,647
St Joseph's/Philadelphia	90	●	11.1	0.0	○	26.7	●	\$60,778
St Luke's Miners	20	○	7.8	5.6	○	0.0	○	\$36,904
St Luke's Quakertown	59	○	6.1	0.0	○	3.8	○	\$57,394
St Luke's/Bethlehem	408	○	7.7	5.6	○	8.6	●	\$59,165
St Mary	203	○	7.6	4.3	○	3.7	○	\$57,496
Taylor	91	●	9.9	3.2	○	16.1	●	\$192,949
Temple University	205	○	7.9	5.6	○	10.6	●	\$170,902
Thomas Jefferson Univ	125	○	8.1	3.5	○	7.1	○	\$100,327
Southeastern Pennsylvania	8,549		7.6	5.9		7.8		\$77,512
TOTAL: Statewide	27,213		7.0	5.0		5.0		\$46,037

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	390	○	4.3	3.6	○	4.6	○	○	○	\$52,959
Albert Einstein	305	○	3.7	12.5	●	3.7	○	○	○	\$37,140
Aria Health	437	○	5.0	2.3	○	8.0	●	○	○	\$36,429
Barix Clinics/PA	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Brandywine	78	○	4.4	6.8	○	5.5	○	○	○	\$50,375
Chester County	152	○	4.4	4.7	○	6.7	○	○	○	\$24,038
Chestnut Hill	153	○	3.3	10.6	●	0.7	○	○	●	\$43,531
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	184	○	4.8	2.2	○	7.8	○	○	○	\$81,864
Delaware County Memorial	154	○	4.6	3.3	○	4.7	○	○	○	\$69,984
Doylestown	157	○	4.6	3.9	○	5.2	○	○	○	\$33,577
Eastern Regional	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Easton	163	○	4.4	6.2	○	5.6	○	○	○	\$47,061
Gnaden Huetten Memorial	42	○	3.3	9.5	○	2.4	○	○	○	\$10,695
Grand View	123	○	4.9	5.8	○	8.3	○	○	○	\$32,356
Hahnemann University	121	○	5.0	3.4	○	6.0	○	○	○	\$87,006
Holy Redeemer	148	○	4.1	4.8	○	4.1	○	○	○	\$53,251
Hospital Fox Chase Cancer	10	○	4.3	0.0	○	10.0	○	○	○	\$22,670
Hospital University PA	197	○	4.7	2.5	○	8.1	○	●	○	\$49,524
Jeanes	126	○	4.5	4.9	○	4.1	○	○	○	\$60,732
Jennersville Regional	41	○	3.6	5.0	○	5.0	○	○	○	\$35,476
Lansdale	74	○	3.8	9.7	○	1.4	○	○	○	\$40,557
Lehigh Valley	386	○	4.4	6.0	○	4.7	○	○	○	\$31,176
Lehigh Valley/Muhlenberg	164	○	4.3	5.1	○	5.1	○	○	○	\$34,712
Lower Bucks	64	○	4.9	1.6	○	7.8	○	○	○	\$64,883
Main Line Bryn Mawr	203	○	4.3	3.5	○	6.0	○	○	○	\$43,252
Main Line Lankenau	191	○	4.0	5.8	○	3.2	○	○	○	\$40,128
Main Line Paoli	169	○	4.2	5.4	○	5.4	○	○	○	\$43,286
Mercy Fitzgerald	101	○	4.1	5.0	○	4.0	○	○	○	\$54,771

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	96	○	4.5	4.2	○	6.3	○	○	\$52,832	
Mercy Suburban	78	○	4.3	6.5	○	7.8	○	○	\$44,117	
Methodist Division/TJUH	98	○	4.8	3.1	○	5.1	○	○	\$37,196	
Montgomery	48	○	4.1	2.1	○	0.0	○	○	\$35,963	
Nazareth	121	○	5.2	0.8	○	7.6	○	○	\$42,844	
Palmerton	51	○	4.0	6.1	○	2.0	○	○	\$12,219	
Penn Presbyterian	174	○	3.8	6.4	○	1.8	○	○	\$34,275	
Pennsylvania	124	○	5.0	2.4	○	5.7	○	○	\$48,233	
Phoenixville	123	○	3.9	5.0	○	2.5	○	●	\$39,165	
Pottstown Memorial	112	○	4.3	1.8	○	8.2	○	○	\$43,460	
Reading	402	○	4.8	4.3	○	7.6	●	○	\$25,320	
Riddle Memorial	153	○	4.6	6.0	○	5.3	○	○	\$56,817	
Roxborough Memorial	83	○	4.9	2.5	○	8.6	○	○	\$27,293	
Sacred Heart/Allentown	84	○	4.5	2.4	○	6.1	○	○	\$29,961	
Saint Catherine	21	○	5.3	4.8	○	9.5	○	○	\$19,863	
Schuylkill-South Jackson	125	○	4.5	2.5	○	5.8	○	○	\$12,596	
Springfield	23	○	4.2	9.1	○	0.0	○	○	\$75,280	
St Joseph/Reading	166	○	4.0	6.3	○	2.5	○	○	\$20,400	
St Joseph's/Philadelphia	49	○	5.8	2.2	○	10.9	○	○	\$36,152	
St Luke's Miners	31	○	4.5	3.2	○	0.0	○	○	\$22,369	
St Luke's Quakertown	39	○	4.4	10.5	○	2.6	○	○	\$36,651	
St Luke's/Bethlehem	294	○	4.2	8.7	●	4.2	○	○	\$34,887	
St Mary	227	○	4.6	3.1	○	7.0	○	○	\$31,300	
Taylor	83	○	4.4	3.8	○	8.9	○	○	\$69,479	
Temple University	245	○	4.0	3.3	○	5.4	○	●	\$69,550	
Thomas Jefferson Univ	170	○	4.6	6.6	○	10.8	●	●	\$49,107	
Southeastern Pennsylvania	7,672		4.4	4.9		5.6			\$42,112	
TOTAL: Statewide	19,884		4.3	5.0		5.0			\$28,107	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	98	○	6.0	3.7	○	3.7	○	○	○	\$75,343
Albert Einstein	83	○	6.9	1.8	○	12.3	●	○	○	\$50,142
Aria Health	57	○	6.3	12.5	●	4.2	○	○	○	\$49,027
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Brandywine	12	○	3.9	0.0	○	0.0	○	○	○	\$31,001
Chester County	8	○	8.0	0.0	○	20.0	○	NR	NR	\$23,135
Chestnut Hill	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	78	○	5.8	3.7	○	5.6	○	○	○	\$106,771
Delaware County Memorial	11	○	10.5	0.0	○	14.3	○	○	○	\$103,935
Doylestown	9	○	NR	NR	NR	NR	NR	NR	NR	\$25,045
Eastern Regional	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Easton	12	○	4.9	14.3	○	0.0	○	○	○	\$23,597
Gnaden Huetten Memorial	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Grand View	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hahnemann University	25	○	8.9	19.0	●	23.8	●	○	○	\$121,854
Holy Redeemer	21	○	6.8	5.9	○	5.9	○	○	○	\$74,563
Hospital Fox Chase Cancer	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA	99	○	7.4	6.2	○	14.8	●	○	○	\$84,172
Jeanes	15	○	6.3	0.0	○	0.0	○	○	○	\$70,973
Jennersville Regional	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lansdale	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Lehigh Valley	189	○	6.1	5.9	○	3.9	○	○	○	\$51,420
Lehigh Valley/Muhlenberg	8	○	4.6	0.0	○	0.0	○	NR	NR	\$21,469
Lower Bucks	13	○	4.0	0.0	○	0.0	○	○	○	\$44,559
Main Line Bryn Mawr	66	○	7.3	4.3	○	14.9	●	○	○	\$67,931
Main Line Lankenau	26	○	5.6	4.3	○	0.0	○	○	○	\$53,706
Main Line Paoli	26	○	4.0	5.3	○	0.0	○	○	○	\$48,883
Mercy Fitzgerald	19	○	7.4	0.0	○	21.4	●	○	○	\$66,469

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	22	○	5.0	26.3	●	21.1	●	○	●	\$81,126
Mercy Suburban	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Methodist Division/TJUH	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Montgomery	7	○	NR	NR	NR	NR	NR	NR	NR	\$40,317
Nazareth	17	○	6.2	7.1	○	0.0	○	○	○	\$51,159
Palmerton	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Penn Presbyterian	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pennsylvania	24	○	5.4	4.5	○	0.0	○	○	○	\$65,628
Phoenixville	9	○	3.7	0.0	○	0.0	○	○	○	\$38,072
Pottstown Memorial	15	○	6.2	8.3	○	8.3	○	○	○	\$60,262
Reading	75	○	6.3	3.8	○	0.0	○	○	○	\$30,186
Riddle Memorial	15	○	5.8	33.3	●	11.1	○	○	○	\$56,989
Roxborough Memorial	6	○	NR	NR	NR	NR	NR	NR	NR	\$15,239
Sacred Heart/Allentown	8	○	5.8	0.0	○	16.7	○	○	○	\$31,601
Saint Catherine	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Schuylkill-South Jackson	7	○	14.1	0.0	○	40.0	●	○	○	\$18,922
Springfield	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Joseph/Reading	15	○	5.1	8.3	○	0.0	○	○	○	\$21,501
St Joseph's/Philadelphia	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Luke's Miners	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Luke's Quakertown	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Luke's/Bethlehem	106	○	5.8	1.3	○	6.3	○	○	○	\$62,000
St Mary	41	○	6.1	6.5	○	9.7	○	○	○	\$36,080
Taylor	9	○	5.9	0.0	○	0.0	○	○	○	\$80,954
Temple University	115	○	6.9	3.3	○	10.0	●	○	○	\$128,987
Thomas Jefferson Univ	396	○	6.2	3.8	○	4.8	○	●	○	\$67,734
Southeastern Pennsylvania	1,802		6.3	5.0		6.7				\$66,140
TOTAL: Statewide	4,038		5.8	4.8		4.9				\$48,742

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Abington Memorial	368	○	4.9	5.3	○	4.5	○	○	○	\$60,360
Albert Einstein	355	○	5.2	3.8	○	7.9	●	●	○	\$42,803
Aria Health	352	○	5.5	2.7	○	6.8	○	●	○	\$39,298
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Brandywine	82	○	5.0	2.5	○	5.0	○	○	○	\$51,969
Chester County	188	○	4.8	2.2	○	6.1	○	○	○	\$26,906
Chestnut Hill	155	○	4.5	4.6	○	3.3	○	○	○	\$50,786
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	217	○	5.0	3.9	○	7.3	○	○	○	\$100,671
Delaware County Memorial	133	○	5.8	1.6	○	8.6	○	○	○	\$90,865
Doylestown	184	○	4.9	2.8	○	5.6	○	○	○	\$39,643
Eastern Regional	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Easton	95	○	4.5	6.7	○	3.3	○	○	○	\$36,865
Gnaden Huetten Memorial	31	○	4.1	10.0	○	6.7	○	○	○	\$15,356
Grand View	128	○	3.8	6.5	○	1.6	○	○	○	\$39,634
Hahnemann University	105	○	6.3	3.0	○	16.8	●	○	○	\$115,000
Holy Redeemer	137	○	4.8	6.1	○	6.1	○	○	○	\$64,104
Hospital Fox Chase Cancer	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA	353	○	5.1	9.3	●	7.5	○	○	○	\$69,161
Jeanes	104	○	4.6	3.1	○	2.1	○	○	○	\$65,748
Jennersville Regional	19	○	4.1	0.0	○	0.0	○	●	●	\$43,026
Lansdale	96	○	4.3	3.2	○	3.2	○	○	○	\$50,848
Lehigh Valley	508	○	4.5	7.6	●	4.7	○	○	○	\$39,474
Lehigh Valley/Muhlenberg	163	○	4.3	8.3	○	2.6	○	○	○	\$36,821
Lower Bucks	73	○	6.2	1.4	○	5.6	○	○	○	\$87,019
Main Line Bryn Mawr	195	○	4.3	4.7	○	4.7	○	○	○	\$59,630
Main Line Lankenau	202	○	4.7	5.1	○	4.6	○	○	○	\$52,179
Main Line Paoli	179	○	4.0	10.9	●	2.9	○	○	○	\$48,727
Mercy Fitzgerald	108	○	4.7	8.5	○	8.5	○	○	○	\$64,903

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Mercy Philadelphia	127	○	4.7	6.4	○	4.0	○	○	●	\$52,923
Mercy Suburban	46	○	4.9	2.3	○	4.5	○	○	○	\$47,054
Methodist Division/TJUH	66	○	6.1	0.0	○	15.9	●	○	○	\$47,655
Montgomery	81	○	4.5	1.3	○	1.3	○	○	○	\$37,064
Nazareth	259	○	4.9	2.7	○	3.5	○	●	○	\$50,121
Palmerton	27	○	5.2	0.0	○	8.0	○	○	○	\$13,339
Penn Presbyterian	103	○	5.0	5.8	○	13.6	●	○	○	\$51,122
Pennsylvania	84	○	4.6	3.6	○	3.6	○	○	○	\$55,751
Phoenixville	76	○	4.1	2.8	○	1.4	○	○	○	\$42,073
Pottstown Memorial	97	○	4.9	1.1	○	1.1	○	○	○	\$41,784
Reading	454	○	4.9	5.5	○	5.7	○	○	○	\$25,404
Riddle Memorial	173	○	5.1	2.5	○	6.3	○	○	○	\$65,266
Roxborough Memorial	67	○	5.2	4.8	○	6.3	○	○	○	\$27,987
Sacred Heart/Allentown	56	○	4.9	1.8	○	9.1	○	○	○	\$42,125
Saint Catherine	11	○	4.5	0.0	○	0.0	○	○	○	\$18,163
Schuylkill-South Jackson	75	○	6.0	2.8	○	9.7	○	○	○	\$16,659
Springfield	15	○	5.2	0.0	○	7.1	○	○	○	\$92,825
St Joseph/Reading	128	○	3.8	9.9	●	0.0	○	○	○	\$23,404
St Joseph's/Philadelphia	28	○	7.2	0.0	○	22.2	●	○	○	\$38,277
St Luke's Miners	11	○	5.6	0.0	○	10.0	○	○	○	\$26,655
St Luke's Quakertown	37	○	4.0	2.9	○	2.9	○	○	○	\$41,756
St Luke's/Bethlehem	318	○	5.3	3.9	○	9.5	●	○	○	\$48,692
St Mary	277	○	4.2	4.5	○	2.3	○	○	○	\$35,990
Taylor	111	○	5.4	1.9	○	10.4	●	○	○	\$102,630
Temple University	321	○	4.4	3.9	○	8.7	●	○	●	\$95,654
Thomas Jefferson Univ	429	●	5.5	2.5	○	11.0	●	○	○	\$62,631
Southeastern Pennsylvania	8,117		4.9	4.6		6.2				\$51,998
TOTAL: Statewide	19,640		4.7	5.0		5.0				\$35,687

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Endovascular) during the report period.

Abdominal Aortic Aneurysm Repair - Endovascular

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	31	○	3.4	○	○	\$105,382
Albert Einstein	11	○	2.6	○	○	\$119,291
Aria Health	39	●	2.7	○	○	\$76,185
Chester County	22	○	1.6	○	○	\$42,825
Chestnut Hill	5	○	1.4	○	○	\$112,751
Crozer-Chester	17	○	2.1	○	○	\$203,290
Delaware County Memorial	9	○	3.4	○	○	\$212,500
Doylestown	15	○	3.3	○	○	\$86,964
Easton	3	NR	NR	NR	NR	NR
Grand View	20	○	4.5	○	○	\$81,036
Hahnemann University	10	○	4.9	○	○	\$132,951
Holy Redeemer	8	○	4.8	○	●	\$157,308
Hospital University PA	82	○	4.4	○	○	\$132,377
Jeanes	13	○	3.0	○	○	\$100,566
Lehigh Valley	64	○	2.2	○	○	\$159,346
Lower Bucks	5	○	2.2	○	○	\$155,213
Main Line Bryn Mawr	31	○	1.6	○	○	\$70,007
Main Line Lankenau	12	○	2.7	○	○	\$72,199
Mercy Fitzgerald	12	●	4.0	○	○	\$161,534
Mercy Suburban	1	NR	NR	NR	NR	NR
Nazareth	1	NR	NR	NR	NR	NR
Penn Presbyterian	21	○	2.4	○	○	\$124,228
Pennsylvania	25	○	2.1	●	○	\$85,562
Phoenixville	1	NR	NR	NR	NR	NR
Pottstown Memorial	9	○	1.9	○	○	\$231,247
Reading	13	○	3.0	○	○	\$67,137
Riddle Memorial	5	○	3.1	○	○	\$122,621

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Abdominal Aortic Aneurysm Repair - Endovascular

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Sacred Heart/Allentown	8	○	3.8	○	○	\$119,688
Schuylkill-South Jackson	3	NR	NR	NR	NR	NR
St Joseph/Reading	11	○	2.8	○	○	\$71,291
St Luke's/Bethlehem	22	○	1.6	○	○	\$150,879
St Mary	18	○	3.9	○	○	\$126,673
Temple University	12	○	3.7	○	○	\$250,777
Thomas Jefferson Univ	38	○	2.4	○	○	\$113,634
Southeastern Pennsylvania	597		3.0			\$119,915
TOTAL: Statewide	1,687		2.7			\$98,624

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Open) during the report period.

Abdominal Aortic Aneurysm Repair - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	5	○	10.3	NR	NR	\$122,925
Albert Einstein	5	○	6.4	NR	NR	\$137,064
Aria Health	5	○	NR	NR	NR	NR
Chester County	5	○	5.6	○	○	\$56,336
Crozer-Chester	7	○	12.3	●	○	\$268,323
Delaware County Memorial	1	NR	NR	NR	NR	NR
Doylestown	4	NR	NR	NR	NR	NR
Easton	6	○	5.8	○	○	\$152,302
Hahnemann University	4	NR	NR	NR	NR	NR
Holy Redeemer	2	NR	NR	NR	NR	NR
Hospital University PA	21	○	9.6	○	○	\$154,434
Jeanes	2	NR	NR	NR	NR	NR
Lehigh Valley	19	○	8.4	○	○	\$126,444
Lehigh Valley/Muhlenberg	1	NR	NR	NR	NR	NR
Lower Bucks	1	NR	NR	NR	NR	NR
Main Line Bryn Mawr	2	NR	NR	NR	NR	NR
Main Line Paoli	5	○	10.8	○	○	\$143,433
Mercy Fitzgerald	2	NR	NR	NR	NR	NR
Montgomery	4	NR	NR	NR	NR	NR
Penn Presbyterian	7	○	9.2	●	●	NR
Pennsylvania	3	NR	NR	NR	NR	NR
Phoenixville	4	NR	NR	NR	NR	NR
Pottstown Memorial	1	NR	NR	NR	NR	NR
Reading	16	○	8.1	○	○	\$69,004
Sacred Heart/Allentown	2	NR	NR	NR	NR	NR
St Joseph/Reading	2	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Abdominal Aortic Aneurysm Repair - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
St Luke's/Bethlehem	23	○	6.9	○	○	\$117,645
St Mary	21	○	8.2	○	○	\$123,098
Temple University	5	○	8.4	○	○	NR
Thomas Jefferson Univ	2	NR	NR	NR	NR	NR
Southeastern Pennsylvania	187		8.5			\$135,836
TOTAL: Statewide	445		8.2			\$99,085

- Significantly higher than expected.
- Significantly lower than expected.
- Not significantly different than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Abington Memorial	329	○	7.2	\$106,500
Albert Einstein	171	◐	9.0	\$104,495
Aria Health	231	◐	9.3	\$75,157
Barix Clinics/PA	0	NR	NR	NR
Brandywine	40	◐	9.6	\$141,935
Chester County	145	◐	9.2	\$51,410
Chestnut Hill	54	◐	8.3	\$124,791
Coordinated Health Ortho	0	NR	NR	NR
Crozer-Chester	73	◐	8.8	\$188,464
Delaware County Memorial	126	◐	9.3	\$169,631
Doylestown	124	◐	9.2	\$69,827
Eastern Regional	15	●	8.6	\$71,682
Easton	54	◐	8.6	\$126,070
Gnaden Huetten Memorial	34	◐	7.2	\$32,910
Grand View	120	◐	8.4	\$64,715
Hahnemann University	83	◐	8.2	\$193,762
Holy Redeemer	94	◐	9.0	\$134,487
Hospital Fox Chase Cancer	107	◐	8.5	\$52,645
Hospital University PA	245	◐	10.6	\$139,235
Jeanes	98	◐	7.8	\$119,225
Jennersville Regional	33	◐	8.1	\$99,658
Lansdale	38	◐	8.3	\$84,344
Lehigh Valley	438	○	7.5	\$77,866
Lehigh Valley/Muhlenberg	119	◐	7.3	\$67,132
Lower Bucks	37	◐	10.3	\$134,235
Main Line Bryn Mawr	125	◐	8.3	\$102,200
Main Line Lankenau	251	◐	7.5	\$103,736
Main Line Paoli	115	◐	6.4	\$67,865
Mercy Fitzgerald	58	◐	9.8	\$142,567

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- ◐ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Mercy Philadelphia	31	○	8.3	\$108,587
Mercy Suburban	53	○	8.0	\$102,986
Methodist Division/TJUH	52	○	11.6	\$100,278
Montgomery	35	○	5.7	\$87,545
Nazareth	82	○	11.6	\$82,853
Palmerton	17	○	7.3	\$28,402
Penn Presbyterian	132	○	8.9	\$107,854
Pennsylvania	236	○	7.6	\$95,768
Phoenixville	85	○	8.4	\$90,039
Pottstown Memorial	61	○	8.7	\$107,692
Reading	248	○	8.0	\$49,904
Riddle Memorial	113	○	9.7	\$136,765
Roxborough Memorial	25	○	9.1	\$58,925
Sacred Heart/Allentown	27	○	8.2	\$72,542
Saint Catherine	8	○	6.3	\$43,537
Schuylkill-South Jackson	51	○	11.4	\$32,648
Springfield	7	○	13.6	\$193,151
St Joseph/Reading	55	○	10.6	\$55,460
St Joseph's/Philadelphia	12	●	17.8	\$89,593
St Luke's Miners	13	○	11.3	\$62,771
St Luke's Quakertown	20	○	9.0	\$89,015
St Luke's/Bethlehem	258	○	7.0	\$84,580
St Mary	170	○	9.0	\$81,783
Taylor	59	○	9.5	\$214,266
Temple University	137	○	7.5	\$196,572
Thomas Jefferson Univ	302	○	9.5	\$117,636
Southeastern Pennsylvania	5,724		8.5	\$98,782
TOTAL: Statewide	14,220		8.3	\$69,762

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	447	○	3.2	○	○	\$42,524
Albert Einstein	243	○	3.1	●	○	\$53,232
Aria Health	318	○	4.1	○	○	\$45,038
Barix Clinics/PA	0	NR	NR	NR	NR	NR
Brandywine	70	○	4.8	○	○	\$69,067
Chester County	309	○	3.2	○	○	\$18,787
Chestnut Hill	89	○	3.4	○	○	\$57,999
Coordinated Health Ortho	0	NR	NR	NR	NR	NR
Crozer-Chester	60	○	3.9	○	○	\$99,781
Delaware County Memorial	132	○	4.0	○	○	\$80,936
Doylestown	199	○	3.6	○	○	\$31,046
Eastern Regional	0	NR	NR	NR	NR	NR
Easton	129	○	3.3	○	○	\$83,955
Gnaden Huetten Memorial	23	○	3.6	○	○	\$18,690
Grand View	141	○	3.9	○	○	\$30,288
Hahnemann University	69	○	4.1	○	○	\$98,519
Holy Redeemer	102	○	3.4	○	○	\$56,413
Hospital Fox Chase Cancer	15	○	3.8	○	○	\$22,716
Hospital University PA	207	○	3.6	○	○	\$57,435
Jeanes	91	○	3.1	○	○	\$66,622
Jennersville Regional	44	○	3.8	○	○	\$47,342
Lansdale	146	○	2.7	○	○	\$37,553
Lehigh Valley	313	○	3.4	○	○	\$41,784
Lehigh Valley/Muhlenberg	136	○	3.5	○	○	\$34,464
Lower Bucks	56	○	4.0	○	○	\$75,936
Main Line Bryn Mawr	172	○	3.6	○	○	\$46,053
Main Line Lankenau	189	○	2.9	○	○	\$37,928
Main Line Paoli	257	○	2.5	○	○	\$21,999
Mercy Fitzgerald	98	○	3.6	●	○	\$66,447

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Mercy Philadelphia	48	○	3.6	○	○	\$64,390
Mercy Suburban	42	○	3.1	○	○	\$56,121
Methodist Division/TJUH	67	○	3.8	○	○	\$38,272
Montgomery	54	○	3.3	○	○	\$49,697
Nazareth	152	○	4.2	○	○	\$40,804
Palmerton	19	○	3.0	○	○	\$18,580
Penn Presbyterian	65	○	3.5	○	○	\$53,115
Pennsylvania	89	○	3.5	●	●	\$45,335
Phoenixville	154	○	2.8	○	○	\$37,397
Pottstown Memorial	102	○	3.5	○	○	\$49,497
Reading	228	○	3.2	○	○	\$24,680
Riddle Memorial	207	○	3.0	○	○	\$57,094
Roxborough Memorial	16	○	4.7	○	○	\$37,225
Sacred Heart/Allentown	29	○	3.5	○	○	\$29,607
Saint Catherine	13	○	2.4	○	○	\$24,156
Schuylkill-South Jackson	80	○	3.7	○	○	\$18,968
Springfield	7	○	2.8	○	○	\$87,771
St Joseph/Reading	76	○	4.2	○	○	\$31,345
St Joseph's/Philadelphia	13	○	2.8	○	○	\$43,114
St Luke's Miners	28	○	4.1	○	○	\$43,310
St Luke's Quakertown	36	○	3.8	○	○	\$44,984
St Luke's/Bethlehem	216	○	3.4	○	○	\$49,791
St Mary	164	○	4.0	○	○	\$41,000
Taylor	114	○	3.4	○	○	\$89,981
Temple University	81	○	3.8	○	○	\$112,583
Thomas Jefferson Univ	181	○	3.7	○	○	\$57,239
Southeastern Pennsylvania	6,438		3.5			\$46,687
TOTAL: Statewide	13,826		3.6			\$35,186

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

Galbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	57	○	6.8	○	●	\$85,657
Albert Einstein	43	○	6.5	○	○	\$86,121
Aria Health	31	○	7.2	○	○	\$70,536
Barix Clinics/PA	0	NR	NR	NR	NR	NR
Brandywine	15	○	7.8	○	○	\$112,332
Chester County	13	○	6.8	○	○	\$36,852
Chestnut Hill	20	○	6.7	○	○	\$103,504
Coordinated Health Ortho	0	NR	NR	NR	NR	NR
Crozer-Chester	21	○	6.9	○	○	\$163,132
Delaware County Memorial	31	○	7.3	○	○	\$143,223
Doylestown	26	○	6.0	○	○	\$56,628
Eastern Regional	0	NR	NR	NR	NR	NR
Easton	27	○	5.4	○	○	\$111,694
Gnaden Huetten Memorial	2	NR	NR	NR	NR	NR
Grand View	16	○	6.3	○	○	\$38,738
Hahnemann University	10	○	8.4	○	○	\$178,876
Holy Redeemer	27	○	6.6	○	○	\$89,212
Hospital Fox Chase Cancer	1	NR	NR	NR	NR	NR
Hospital University PA	57	○	7.5	○	○	\$87,718
Jeanes	39	●	5.7	○	○	\$87,843
Jennersville Regional	3	NR	NR	NR	NR	NR
Lansdale	2	NR	NR	NR	NR	NR
Lehigh Valley	15	○	7.8	○	●	\$54,134
Lehigh Valley/Muhlenberg	17	○	7.0	○	○	\$57,196
Lower Bucks	4	NR	NR	NR	NR	NR
Main Line Bryn Mawr	11	○	7.8	○	○	\$95,571
Main Line Lankenau	5	○	8.4	○	○	\$105,642
Main Line Paoli	4	NR	NR	NR	NR	NR
Mercy Fitzgerald	15	○	7.4	○	○	\$124,945

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Mercy Philadelphia	9	○	7.5	○	○	\$92,235
Mercy Suburban	15	○	6.8	○	○	\$78,731
Methodist Division/TJUH	31	○	8.1	○	○	\$71,630
Montgomery	9	○	6.1	●	○	\$61,419
Nazareth	13	○	7.9	○	○	\$57,949
Palmerton	4	NR	NR	NR	NR	NR
Penn Presbyterian	10	○	6.0	○	○	\$74,801
Pennsylvania	12	○	6.2	○	○	\$67,902
Phoenixville	5	○	2.9	○	○	NR
Pottstown Memorial	26	○	5.5	○	○	\$80,342
Reading	33	○	7.0	○	○	\$36,758
Riddle Memorial	35	○	6.0	○	○	\$139,324
Roxborough Memorial	7	○	9.0	○	●	\$53,730
Sacred Heart/Allentown	18	○	5.3	○	○	\$40,577
Saint Catherine	1	NR	NR	NR	NR	NR
Schuylkill-South Jackson	12	○	6.2	○	○	\$26,188
Springfield	10	●	4.8	●	○	\$119,871
St Joseph/Reading	9	○	7.7	○	○	\$34,281
St Joseph's/Philadelphia	8	○	5.7	○	○	\$44,889
St Luke's Miners	1	NR	NR	NR	NR	NR
St Luke's Quakertown	3	NR	NR	NR	NR	NR
St Luke's/Bethlehem	20	○	6.3	○	○	\$77,154
St Mary	25	○	6.0	○	○	\$59,878
Taylor	17	○	8.2	●	●	\$171,484
Temple University	25	○	6.8	○	○	\$180,071
Thomas Jefferson Univ	45	○	5.1	○	●	\$86,237
Southeastern Pennsylvania	932		6.6			\$87,257
TOTAL: Statewide	2,325		6.6			\$58,133

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

The facilities listed below are those that provided advanced cardiac services (angioplasty/stent for heart attack) during the report period.

Heart Attack - Angioplasty/Stent

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Abington Memorial	190	○	3.9	5.3	○	6.9	○	\$110,922
Albert Einstein	122	○	3.5	3.3	○	4.2	○	\$80,643
Aria Health	192	○	5.0	1.1	○	16.3	●	\$53,247
Brandywine	57	○	3.1	9.1	○	3.6	○	\$167,677
Chester County	84	○	4.0	3.6	○	6.0	○	\$44,431
Crozer-Chester	155	○	3.5	1.3	○	4.5	○	\$153,634
Doylestown	204	○	3.5	2.5	○	3.4	○	\$77,351
Easton	126	○	3.7	0.8	○	2.4	○	\$124,424
Grand View	18	○	3.3	5.6	○	5.6	○	\$55,424
Hahnemann University	79	○	3.5	11.7	●	3.9	○	\$122,359
Holy Redeemer	74	○	3.7	5.4	○	5.4	○	\$164,663
Hospital University PA	97	○	3.6	6.2	○	5.2	○	\$133,757
Jeanes	79	○	4.0	1.3	○	9.2	○	\$117,930
Lehigh Valley	456	○	3.5	10.0	●	5.4	○	\$98,939
Lehigh Valley/Muhlenberg	115	○	4.0	5.3	○	4.4	○	\$101,687
Lower Bucks	54	○	4.3	0.0	○	5.7	○	\$124,619
Main Line Bryn Mawr	140	○	4.5	3.6	○	10.7	●	\$107,818
Main Line Lankenau	122	○	3.9	5.0	○	5.0	○	\$96,837
Main Line Paoli	72	○	3.8	4.3	○	0.0	○	\$90,409
Mercy Fitzgerald	58	○	3.6	1.8	○	1.8	○	\$147,857
Montgomery	86	○	3.6	6.0	○	6.0	○	\$94,482
Penn Presbyterian	454	○	3.4	8.5	●	3.3	○	\$106,638
Pennsylvania	97	○	3.8	8.2	○	12.4	●	\$112,954
Phoenixville	126	○	3.3	4.8	○	2.4	○	\$159,274
Reading	262	○	3.9	3.1	○	7.0	○	\$70,857
Riddle Memorial	43	○	3.3	11.9	○	4.8	○	\$145,872
St Joseph/Reading	103	○	3.7	10.8	●	3.9	○	\$52,663

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Heart Attack - Angioplasty/Stent

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
St Luke's/Bethlehem	223	○	3.6	8.1	●	4.5	○	\$93,155
St Mary	200	○	4.2	3.6	○	7.1	○	\$78,444
Temple University	154	○	4.3	3.9	○	13.2	●	\$166,641
Thomas Jefferson Univ	114	○	4.4	4.6	○	12.8	●	\$94,540
Southeastern Pennsylvania	4,362		3.8	5.5		6.1		\$103,469
TOTAL: Statewide	11,311		3.7	5.0		5.0		\$75,648

Sacred Heart/Allentown stopped performing angioplasty/stent procedures effective 4/15/2009 and is not displayed.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	312	○	6.2	○	○	\$79,382
Albert Einstein	73	○	7.6	○	○	\$89,127
Aria Health	216	○	7.0	●	○	\$55,411
Barix Clinics/PA	0	NR	NR	NR	NR	NR
Brandywine	64	○	5.4	○	○	\$86,514
Chester County	152	○	5.2	○	○	\$30,521
Chestnut Hill	73	○	5.2	○	○	\$86,327
Coordinated Health Ortho	5	○	4.1	○	○	\$27,346
Crozer-Chester	90	○	5.7	○	○	\$130,970
Delaware County Memorial	71	○	6.3	○	○	\$118,098
Doylestown	131	○	5.8	○	○	\$55,019
Eastern Regional	0	NR	NR	NR	NR	NR
Easton	81	○	5.4	○	○	\$100,371
Gnaden Huetten Memorial	29	○	5.1	○	○	\$33,311
Grand View	108	○	5.4	○	○	\$47,301
Hahnemann University	51	○	7.5	○	○	\$183,996
Holy Redeemer	105	○	6.2	○	○	\$94,189
Hospital Fox Chase Cancer	0	NR	NR	NR	NR	NR
Hospital University PA	68	○	8.2	○	○	\$127,574
Jeanes	101	○	6.5	○	●	\$100,548
Jennersville Regional	31	○	6.4	○	○	\$83,291
Lansdale	85	○	5.8	○	○	\$76,069
Lehigh Valley	286	○	6.6	○	○	\$69,603
Lehigh Valley/Muhlenberg	109	○	5.5	○	○	\$54,301
Lower Bucks	37	○	5.8	○	○	\$106,736
Main Line Bryn Mawr	147	○	6.1	●	●	\$66,728
Main Line Lankenau	98	○	6.4	○	○	\$67,911
Main Line Paoli	109	○	5.4	○	○	\$56,725
Mercy Fitzgerald	39	○	6.6	○	○	\$107,599

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Mercy Philadelphia	18	○	7.1	●	○	\$84,728
Mercy Suburban	65	○	5.5	○	○	\$74,932
Methodist Division/TJUH	56	○	9.4	○	○	\$83,005
Montgomery	47	○	5.4	○	○	\$64,379
Nazareth	108	○	6.4	○	○	\$66,415
Palmerton	28	○	6.3	○	●	\$31,145
Penn Presbyterian	40	○	5.3	○	○	\$80,319
Pennsylvania	60	○	7.1	○	○	\$96,209
Phoenixville	52	○	5.5	○	○	\$73,535
Pottstown Memorial	108	○	6.1	○	○	\$99,763
Reading	257	○	5.7	○	○	\$40,394
Riddle Memorial	130	○	5.9	○	○	\$91,430
Roxborough Memorial	56	○	6.9	○	○	\$50,991
Sacred Heart/Allentown	40	○	6.3	○	○	\$55,989
Saint Catherine	12	○	5.4	○	○	\$40,890
Schuylkill-South Jackson	57	○	6.1	○	○	\$29,694
Springfield	25	○	6.2	○	○	\$130,991
St Joseph/Reading	98	○	5.3	○	○	\$35,342
St Joseph's/Philadelphia	9	○	8.9	○	○	\$63,376
St Luke's Miners	36	○	7.1	○	○	\$48,263
St Luke's Quakertown	33	○	5.0	○	○	\$66,070
St Luke's/Bethlehem	233	○	6.2	○	○	\$72,690
St Mary	206	○	6.3	○	○	\$65,658
Taylor	57	○	7.3	○	○	\$136,217
Temple University	69	○	7.1	○	○	\$186,601
Thomas Jefferson Univ	105	○	6.6	○	○	\$91,656
Southeastern Pennsylvania	4,755		6.2			\$74,269
TOTAL: Statewide	12,930		5.8			\$48,228

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Abington Memorial	348	○	2.8	6.6	○	6.9	○	\$52,400
Albert Einstein	133	○	3.4	1.5	○	15.2	●	\$58,269
Aria Health	101	○	1.8	2.0	○	3.0	○	\$28,522
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR	NR
Brandywine	7	○	2.4	0.0	○	0.0	○	\$55,196
Chester County	158	○	2.8	5.7	○	8.2	○	\$22,773
Chestnut Hill	56	○	1.7	7.1	○	0.0	○	\$62,202
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR	NR
Crozer-Chester	235	○	2.9	3.4	○	8.1	●	\$88,829
Delaware County Memorial	54	○	3.0	0.0	○	3.7	○	\$72,328
Doylestown	89	○	2.5	2.2	○	2.2	○	\$26,540
Eastern Regional	4	NR	NR	NR	NR	NR	NR	NR
Easton	163	○	2.6	0.6	○	3.1	○	\$74,924
Gnaden Huetten Memorial	23	○	2.7	0.0	○	0.0	○	\$13,465
Grand View	150	○	2.4	2.7	○	1.3	○	\$22,973
Hahnemann University	145	○	3.0	4.1	○	13.1	●	\$120,444
Holy Redeemer	125	○	3.0	0.0	○	6.4	○	\$47,140
Hospital Fox Chase Cancer	185	○	2.8	8.6	●	9.7	●	\$22,608
Hospital University PA	441	○	3.3	1.4	○	12.0	●	\$59,858
Jeanes	131	○	2.9	1.5	○	6.1	○	\$55,385
Jennersville Regional	22	○	3.7	0.0	○	13.6	○	\$49,661
Lansdale	18	○	2.1	11.1	○	0.0	○	\$42,486
Lehigh Valley	258	○	2.7	8.1	●	7.4	○	\$30,911
Lehigh Valley/Muhlenberg	47	○	2.2	2.1	○	0.0	○	\$26,422
Lower Bucks	76	○	2.7	1.3	○	1.3	○	\$39,006
Main Line Bryn Mawr	86	○	2.0	4.7	○	0.0	○	\$26,836
Main Line Lankenau	225	○	2.5	6.7	○	3.6	○	\$29,367
Main Line Paoli	131	○	2.4	6.9	○	3.1	○	\$27,946
Mercy Fitzgerald	34	○	3.1	2.9	○	11.8	○	\$60,560

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Mercy Philadelphia	28	○	2.5	0.0	○	7.1	○	\$37,971
Mercy Suburban	52	○	2.8	1.9	○	3.8	○	\$44,619
Methodist Division/TJUH	22	○	2.5	0.0	○	4.5	○	\$23,405
Montgomery	36	○	2.5	0.0	○	0.0	○	\$41,222
Nazareth	0	NR	NR	NR	NR	NR	NR	NR
Palmerton	0	NR	NR	NR	NR	NR	NR	NR
Penn Presbyterian	12	○	2.1	8.3	○	8.3	○	\$61,744
Pennsylvania	324	○	2.6	4.6	○	5.0	○	\$39,676
Phoenixville	52	○	2.3	3.8	○	1.9	○	\$48,233
Pottstown Memorial	50	○	2.3	2.0	○	2.0	○	\$48,251
Reading	347	○	2.3	5.2	○	4.0	○	\$22,357
Riddle Memorial	104	○	2.6	1.0	○	1.9	○	\$65,006
Roxborough Memorial	6	○	2.3	16.7	○	0.0	○	\$19,395
Sacred Heart/Allentown	162	○	1.9	26.1	●	5.0	○	\$27,329
Saint Catherine	4	NR	NR	NR	NR	NR	NR	NR
Schuylkill-South Jackson	188	○	2.2	4.3	○	2.1	○	\$11,737
Springfield	42	○	1.4	38.1	●	0.0	○	\$75,654
St Joseph/Reading	82	○	2.7	2.4	○	0.0	○	\$21,609
St Joseph's/Philadelphia	7	○	3.1	0.0	○	14.3	○	\$31,650
St Luke's Miners	16	○	2.5	0.0	○	0.0	○	\$21,176
St Luke's Quakertown	4	NR	NR	NR	NR	NR	NR	NR
St Luke's/Bethlehem	233	○	2.2	17.2	●	8.2	●	\$41,431
St Mary	134	○	2.9	1.5	○	2.3	○	\$30,654
Taylor	0	NR	NR	NR	NR	NR	NR	NR
Temple University	220	○	2.8	3.6	○	7.7	○	\$103,147
Thomas Jefferson Univ	207	○	2.8	2.9	○	8.2	○	\$61,854
Southeastern Pennsylvania	5,866		2.6	5.2		5.9		\$46,457
TOTAL: Statewide	15,277		2.6	5.0		5.0		\$29,532

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Abington Memorial	99	1.3	○	○	\$41,062
Albert Einstein	43	1.8	○	○	\$52,411
Aria Health	6	1.4	○	○	\$21,830
Barix Clinics/PA	0	NR	NR	NR	NR
Brandywine	0	NR	NR	NR	NR
Chester County	123	1.4	○	○	\$17,743
Chestnut Hill	5	1.0	○	○	\$48,192
Coordinated Health Ortho	0	NR	NR	NR	NR
Crozer-Chester	51	1.6	●	○	\$77,023
Delaware County Memorial	18	1.3	○	○	\$61,186
Doylestown	40	1.7	○	○	\$25,351
Eastern Regional	0	NR	NR	NR	NR
Easton	29	1.3	○	○	\$52,494
Gnaden Huetten Memorial	35	1.2	○	○	\$10,957
Grand View	47	1.5	○	○	\$21,652
Hahnemann University	69	1.5	○	○	\$109,525
Holy Redeemer	36	1.7	○	○	\$37,624
Hospital Fox Chase Cancer	1	NR	NR	NR	NR
Hospital University PA	99	1.7	○	●	\$56,555
Jeanes	32	2.0	○	○	\$58,365
Jennersville Regional	24	1.1	○	○	\$36,199
Lansdale	0	NR	NR	NR	NR
Lehigh Valley	101	1.4	○	○	\$22,924
Lehigh Valley/Muhlenberg	36	1.4	○	○	\$18,093
Lower Bucks	33	1.8	○	○	\$40,017
Main Line Bryn Mawr	41	1.5	○	○	\$24,807
Main Line Lankenau	37	1.4	○	○	\$24,313
Main Line Paoli	69	1.5	○	○	\$23,840
Mercy Fitzgerald	4	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Mercy Philadelphia	2	NR	NR	NR	NR
Mercy Suburban	19	1.5	○	○	\$38,286
Methodist Division/TJUH	2	NR	NR	NR	NR
Montgomery	14	1.2	○	○	\$45,135
Nazareth	0	NR	NR	NR	NR
Palmerton	2	NR	NR	NR	NR
Penn Presbyterian	64	1.2	○	○	\$41,250
Pennsylvania	42	1.6	○	○	\$33,036
Phoenixville	17	1.5	○	○	\$53,543
Pottstown Memorial	9	1.1	○	○	\$34,338
Reading	208	1.5	○	○	\$18,756
Riddle Memorial	41	2.1	○	○	\$59,412
Roxborough Memorial	0	NR	NR	NR	NR
Sacred Heart/Allentown	12	1.0	○	○	\$19,002
Saint Catherine	1	NR	NR	NR	NR
Schuylkill-South Jackson	51	1.9	○	●	\$12,011
Springfield	2	NR	NR	NR	NR
St Joseph/Reading	11	2.4	○	○	\$18,247
St Joseph's/Philadelphia	2	NR	NR	NR	NR
St Luke's Miners	1	NR	NR	NR	NR
St Luke's Quakertown	5	0.9	○	○	\$34,026
St Luke's/Bethlehem	168	1.3	○	○	\$33,731
St Mary	46	1.7	○	○	\$31,837
Taylor	0	NR	NR	NR	NR
Temple University	47	1.8	○	○	\$90,530
Thomas Jefferson Univ	116	1.4	●	●	\$41,653
Southeastern Pennsylvania	1,975	1.5			\$36,997
TOTAL: Statewide	5,818	1.5			\$22,262

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating [†]	%	Rating [†]	
Abington Memorial	91	2.5	2.2	○	4.3	○	\$77,301
Albert Einstein	24	3.0	0.0	○	20.0	●	\$62,757
Aria Health	30	3.5	0.0	○	22.6	●	\$37,991
Barix Clinics/PA	0	NR	NR	NR	NR	NR	NR
Brandywine	1	NR	NR	NR	NR	NR	NR
Chester County	1	NR	NR	NR	NR	NR	NR
Chestnut Hill	6	3.3	0.0	○	16.7	○	\$68,321
Coordinated Health Ortho	0	NR	NR	NR	NR	NR	NR
Crozer-Chester	2	NR	NR	NR	NR	NR	NR
Delaware County Memorial	0	NR	NR	NR	NR	NR	NR
Doylestown	50	2.5	3.8	○	7.5	○	\$42,549
Eastern Regional	0	NR	NR	NR	NR	NR	NR
Easton	13	3.7	0.0	○	15.4	○	\$109,132
Gnaden Huetten Memorial	0	NR	NR	NR	NR	NR	NR
Grand View	7	4.3	0.0	○	0.0	○	\$30,061
Hahnemann University	125	2.1	3.9	○	11.0	●	\$123,721
Holy Redeemer	1	NR	NR	NR	NR	NR	NR
Hospital Fox Chase Cancer	280	1.4	11.0	●	1.1	○	\$23,057
Hospital University PA	77	2.4	1.3	○	5.1	○	\$57,553
Jeanes	4	NR	0.0	○	40.0	●	\$73,412
Jennersville Regional	8	2.9	0.0	○	0.0	○	\$66,925
Lansdale	2	NR	NR	NR	NR	NR	NR
Lehigh Valley	125	2.4	0.8	○	2.4	○	\$35,493
Lehigh Valley/Muhlenberg	8	2.6	0.0	○	12.5	○	\$25,074
Lower Bucks	0	NR	NR	NR	NR	NR	NR
Main Line Bryn Mawr	208	1.2	26.4	●	0.0	○	\$33,206
Main Line Lankenau	27	1.7	7.4	○	7.4	○	\$34,914
Main Line Paoli	74	1.7	2.7	○	1.3	○	\$36,556
Mercy Fitzgerald	1	NR	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating [†]	%	Rating [†]	
Mercy Philadelphia	0	NR	NR	NR	NR	NR	NR
Mercy Suburban	1	NR	NR	NR	NR	NR	NR
Methodist Division/TJUH	0	NR	NR	NR	NR	NR	NR
Montgomery	1	NR	NR	NR	NR	NR	NR
Nazareth	1	NR	NR	NR	NR	NR	NR
Palmerton	0	NR	NR	NR	NR	NR	NR
Penn Presbyterian	488	1.2	3.9	⊖	0.0	⊖	\$56,375
Pennsylvania	142	1.9	11.9	●	4.9	⊖	\$42,006
Phoenixville	90	1.7	3.3	⊖	0.0	⊖	\$65,748
Pottstown Memorial	0	NR	NR	NR	NR	NR	NR
Reading	95	1.8	13.4	●	3.1	⊖	\$30,225
Riddle Memorial	2	NR	NR	NR	NR	NR	NR
Roxborough Memorial	5	1.9	0.0	⊖	0.0	⊖	\$26,993
Sacred Heart/Allentown	0	NR	NR	NR	NR	NR	NR
Saint Catherine	0	NR	NR	NR	NR	NR	NR
Schuylkill-South Jackson	8	4.8	0.0	⊖	37.5	●	\$16,395
Springfield	82	1.7	4.8	⊖	7.1	⊖	\$95,763
St Joseph/Reading	4	NR	0.0	⊖	20.0	⊖	\$28,879
St Joseph's/Philadelphia	0	NR	NR	NR	NR	NR	NR
St Luke's Miners	1	NR	NR	NR	NR	NR	NR
St Luke's Quakertown	0	NR	NR	NR	NR	NR	NR
St Luke's/Bethlehem	151	2.7	0.7	⊖	5.9	⊖	\$63,813
St Mary	0	NR	NR	NR	NR	NR	NR
Taylor	0	NR	NR	NR	NR	NR	NR
Temple University	27	2.9	0.0	⊖	14.8	●	\$104,770
Thomas Jefferson Univ	192	1.5	10.8	●	3.6	⊖	\$61,871
Southeastern Pennsylvania	2,461	1.8	7.2		3.9		\$52,554
TOTAL: Statewide	4,317	2.1	5.0		4.9		\$43,719

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

[†] While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
Abington Memorial	37	2.3	\$33,664
Albert Einstein	33	2.6	\$32,662
Aria Health	33	1.5	\$15,998
Barix Clinics/PA	0	NR	NR
Brandywine	12	3.0	\$31,404
Chester County	28	3.0	\$16,581
Chestnut Hill	12	1.5	\$25,078
Coordinated Health Ortho	0	NR	NR
Crozer-Chester	20	2.2	\$45,342
Delaware County Memorial	15	3.9	\$42,726
Doylestown	36	3.0	\$24,736
Eastern Regional	0	NR	NR
Easton	58	2.6	\$47,354
Gnaden Huetten Memorial	2	NR	NR
Grand View	26	1.6	\$16,296
Hahnemann University	11	1.8	\$52,638
Holy Redeemer	26	2.5	\$38,049
Hospital Fox Chase Cancer	17	2.1	\$11,090
Hospital University PA	42	1.9	\$43,810
Jeanes	13	2.6	\$31,928
Jennersville Regional	14	2.6	\$29,715
Lansdale	7	2.1	\$30,330
Lehigh Valley	58	2.9	\$21,968
Lehigh Valley/Muhlenberg	20	2.6	\$16,282
Lower Bucks	5	3.4	\$51,551
Main Line Bryn Mawr	81	2.1	\$28,161
Main Line Lankenau	31	1.7	\$21,622
Main Line Paoli	59	2.1	\$25,840
Mercy Fitzgerald	8	2.8	\$51,113

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
Mercy Philadelphia	18	4.1	\$47,744
Mercy Suburban	2	NR	NR
Methodist Division/TJUH	59	2.5	\$19,743
Montgomery	19	4.0	\$37,612
Nazareth	8	1.7	\$13,210
Palmerton	4	NR	NR
Penn Presbyterian	20	2.2	\$33,923
Pennsylvania	205	1.8	\$24,709
Phoenixville	24	2.3	\$26,966
Pottstown Memorial	53	2.6	\$33,409
Reading	88	2.5	\$17,354
Riddle Memorial	15	1.9	\$43,384
Roxborough Memorial	14	1.3	\$12,162
Sacred Heart/Allentown	3	NR	NR
Saint Catherine	0	NR	NR
Schuylkill-South Jackson	8	4.3	\$18,267
Springfield	0	NR	NR
St Joseph/Reading	11	3.4	\$16,755
St Joseph's/Philadelphia	0	NR	NR
St Luke's Miners	2	NR	NR
St Luke's Quakertown	4	NR	NR
St Luke's/Bethlehem	75	2.5	\$26,594
St Mary	35	3.9	\$33,231
Taylor	9	3.6	\$48,136
Temple University	30	2.9	\$73,503
Thomas Jefferson Univ	80	2.0	\$38,387
Southeastern Pennsylvania	1,504	2.4	\$29,264
TOTAL: Statewide	3,145	2.5	\$21,222

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	77	○	2.6	○	○	\$55,531
Albert Einstein	11	○	5.5	○	○	\$87,673
Aria Health	55	○	3.0	○	○	\$53,067
Barix Clinics/PA	0	NR	NR	NR	NR	NR
Brandywine	0	NR	NR	NR	NR	NR
Chester County	64	○	2.3	○	○	\$19,197
Chestnut Hill	10	○	1.4	○	○	\$55,958
Coordinated Health Ortho	0	NR	NR	NR	NR	NR
Crozer-Chester	45	○	1.8	○	○	\$82,940
Delaware County Memorial	22	○	2.0	○	○	\$88,648
Doylestown	24	○	3.0	○	○	\$35,489
Eastern Regional	0	NR	NR	NR	NR	NR
Easton	34	○	1.9	○	○	\$85,062
Gnaden Huetten Memorial	10	○	2.0	○	○	\$21,863
Grand View	40	○	2.5	○	○	\$28,923
Hahnemann University	19	○	2.2	○	○	\$139,217
Holy Redeemer	20	○	2.2	○	○	\$48,249
Hospital Fox Chase Cancer	0	NR	NR	NR	NR	NR
Hospital University PA	76	○	3.3	○	○	\$69,573
Jeanes	18	●	2.2	○	○	\$93,642
Jennersville Regional	2	NR	NR	NR	NR	NR
Lansdale	0	NR	NR	NR	NR	NR
Lehigh Valley	156	○	2.4	○	○	\$46,648
Lehigh Valley/Muhlenberg	18	○	3.1	○	○	\$49,740
Lower Bucks	21	○	4.0	○	○	\$82,702
Main Line Bryn Mawr	46	○	2.1	○	○	\$36,575
Main Line Lankenau	44	○	2.2	○	○	\$30,502
Main Line Paoli	56	○	1.9	○	○	\$28,090
Mercy Fitzgerald	25	○	2.7	○	○	\$67,371

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Mercy Philadelphia	1	NR	NR	NR	NR	NR
Mercy Suburban	6	○	1.4	○	○	\$34,744
Methodist Division/TJUH	0	NR	NR	NR	NR	NR
Montgomery	32	○	1.6	○	○	\$42,418
Nazareth	5	○	3.7	○	○	\$40,852
Palmerton	10	○	1.4	○	○	\$7,981
Penn Presbyterian	30	○	1.9	○	○	\$67,070
Pennsylvania	45	○	1.9	○	○	\$44,636
Phoenixville	29	○	2.4	○	○	\$46,542
Pottstown Memorial	7	○	1.3	○	○	\$63,569
Reading	84	○	2.9	○	○	\$24,693
Riddle Memorial	9	○	3.7	○	○	\$77,815
Roxborough Memorial	2	NR	NR	NR	NR	NR
Sacred Heart/Allentown	33	○	1.6	○	○	\$27,641
Saint Catherine	0	NR	NR	NR	NR	NR
Schuylkill-South Jackson	29	○	2.7	○	○	\$18,628
Springfield	0	NR	NR	NR	NR	NR
St Joseph/Reading	17	○	2.3	○	○	\$36,694
St Joseph's/Philadelphia	0	NR	NR	NR	NR	NR
St Luke's Miners	1	NR	NR	NR	NR	NR
St Luke's Quakertown	7	○	2.1	○	○	\$50,425
St Luke's/Bethlehem	114	○	2.1	○	○	\$46,891
St Mary	79	○	2.9	○	○	\$46,673
Taylor	1	NR	NR	NR	NR	NR
Temple University	24	○	2.5	○	○	\$113,663
Thomas Jefferson Univ	58	○	2.4	○	○	\$57,070
Southeastern Pennsylvania	1,546		2.4			\$48,919
TOTAL: Statewide	4,755		2.3			\$31,615

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.



Pennsylvania Health Care Cost Containment Council

Joe Martin, Executive Director

225 Market Street, Suite 400, Harrisburg, PA 17101

Phone: 717-232-6787 • Fax: 717-232-3821

www.phc4.org

Hospitals may have commented on this report. Comments are available on the PHC4 website or by request.

This report and other PHC4 publications are available online at www.phc4.org. Additional financial, hospitalization and ambulatory procedure health care data is available for purchase. For more information, contact PHC4's Data Requests Unit at specialrequests@phc4.org or 717-232-6787.