

# HOSPITAL PERFORMANCE REPORT

31 Common Medical  
Procedures and Treatments  
FFY 2009



Western  
Pennsylvania



**Pennsylvania Health Care Cost Containment Council**  
September 2010

## Foreword

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and the Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payers, and policymakers can make more informed decisions about the delivery of health care. This *Hospital Performance Report* is one of a series of public reports designed to achieve this goal. Information about additional treatment and surgical categories is posted on the PHC4 website at [www.phc4.org](http://www.phc4.org).



### Counties included in this Report:

Allegheny	Forest
Armstrong	Greene
Beaver	Indiana
Bedford	Jefferson
Blair	Lawrence
Butler	McKean
Cambria	Mercer
Cameron	Potter
Clarion	Somerset
Clearfield	Venango
Crawford	Warren
Elk	Washington
Erie	Westmoreland
Fayette	

Hospitals may have commented on this report. Comments are available on the PHC4 website or by request.


# Table of Contents

<b>Key Findings</b> .....	2
<b>Understanding this Report</b> .....	6
<b>Descriptions</b> .....	10
<b>Diagnoses</b>	
Abnormal Heartbeat .....	12
Blood Clot in Extremities .....	14
Blood Clot in Lung.....	16
Chronic Obstructive Pulmonary Disease (COPD).....	18
Congestive Heart Failure (CHF).....	20
Diabetes with Amputation .....	22
Diabetes – Medical Management .....	24
Heart Attack – Medical Management .....	26
Intestinal Obstruction .....	28
Kidney Failure – Acute.....	30
Kidney and Urinary Tract Infections .....	32
Pneumonia – Aspiration.....	34
Pneumonia – Infectious .....	36
Respiratory Failure with Mechanical Ventilation.....	38
Respiratory Failure without Mechanical Ventilation.....	40
Septicemia .....	42
Stomach and Intestinal Bleeding .....	44
Stroke – Hemorrhagic .....	46
Stroke – Non-Hemorrhagic .....	48
<b>Procedures</b>	
Abdominal Aortic Aneurysm Repair – Endovascular .....	50
Abdominal Aortic Aneurysm Repair – Open .....	52
Colorectal Procedures.....	54
Gallbladder Removal – Laparoscopic.....	56
Gallbladder Removal – Open .....	58
Heart Attack – Angioplasty/Stent.....	60
Hip Fracture – Surgical Repair .....	62
Hysterectomy – Abdominal.....	64
Hysterectomy – Vaginal .....	66
Prostatectomy – Radical.....	68
Prostatectomy – Transurethral .....	70
Removal of Blockage of Neck Vessels .....	72

## Key Findings

### Mortality Rates


- The overall mortality rate for the 20 conditions consistently reported from 2002 through 2009 showed a statistically significant decrease from 5.1% in 2002 to 4.1% in 2009.
- Patient mortality rates showed a statistically significant decrease in 15 of these 20 conditions between 2002 and 2009. The largest statistically significant decline was in Stroke - Hemorrhagic, where the mortality rate decreased from 33.7% in 2002 to 25.4% in 2009.
- Nine of the conditions had mortality rates that exceeded the overall rate of 3.9% (based on all 28 conditions for which mortality was reported in 2009).



- Among the conditions reported in 2009, Respiratory Failure with Mechanical Ventilation had the highest mortality rate at 27.6%. Hysterectomy - Abdominal had the lowest rate at 0.1%.

## Readmissions for Any Reason

- There were 58,084 readmissions for any reason in 2009 (for the 21 conditions for which readmission ratings were reported). These readmissions amounted to approximately \$2.6 billion in charges and 343,000 hospital days.
- The overall readmission rate for the 15 conditions reported consistently from 2002 through 2009 showed a statistically significant increase from 18.3% in 2002 to 19.2% in 2009. However, it is important to note that this rate reached a plateau in recent years; the 2009 rate was not significantly different from the 2004 rate of 19.0%. The largest statistically significant increase over this time period was in Congestive Heart Failure, where the readmission rate increased from 25.5% in 2002 to 27.0% in 2009.
- Eight of the conditions had readmission rates for any reason that exceeded the overall rate of 18.9% (based on all 21 conditions for which readmissions were reported in 2009).




- Among the conditions reported, Respiratory Failure with Mechanical Ventilation had the highest readmission rate at 28.5%. Hysterectomy - Vaginal had the lowest rate at 3.6%.



## Key Findings

### Readmissions for Complication or Infection


- There were 21,688 readmissions for complication or infection in 2009 (for the 21 conditions for which these ratings were reported in 2009). These readmissions amounted to approximately \$1.1 billion in charges and 150,000 hospital days.
- Twelve of the conditions had readmission rates for complication or infection that exceeded the overall rate of 7.1% (based on all 21 conditions for which these ratings were reported in 2009).



- The condition with the highest readmission rate for complication or infection was Pneumonia - Aspiration (16.6%). The condition with the lowest rate was Hysterectomy - Vaginal (2.5%).

## Volume

- The following ten conditions represent the top five increases and decreases in volume from 2002 through 2009.



- Septicemia had the largest percentage increase in volume (97%), from 13,810 discharges in 2002 to 27,213 discharges in 2009.
- Abdominal Aortic Aneurysm Repair - Open had the largest percentage decrease in volume (65%), from 1,269 discharges in 2002 to 445 discharges in 2009.

## Length of Stay

- There was wide variation in length of stay among hospitals. The category with the most variation was Colorectal Procedures, where hospitals' average length of stay ranged from 5.0 days to 17.8 days after taking patient risk factors into account.
- The average length of stay showed a statistically significant decrease in 19 of the 24 conditions for which length of stay was consistently reported between 2002 and 2009. The largest statistically significant decline was in Prostatectomy - Radical, where the average length of stay decreased from 3.3 days in 2002 to 2.1 days in 2009. The average length of stay also showed a statistically significant increase for three conditions in this time period. The largest statistically significant increase was in Abdominal Aortic Aneurysm Repair - Open, where the average length of stay increased from 7.7 days in 2002 to 8.2 days in 2009.



## Understanding this Report

### What is the purpose of this report?

Before we make a major purchase, we usually gather as much information as we can about the available product or service. By comparing what we learn about the quality of the product as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. It should be the same with health care services. Unfortunately, the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's *Hospital Performance Report* can help to fill the information vacuum and assist consumers and purchasers in making more informed health care decisions. This report can also serve as an aid to providers in highlighting additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

### About this report

- This report includes 31 conditions based on ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) codes, which specify the clinical reason(s) for a patient's hospitalization. Of the 31 code-based conditions, there are 19 diagnoses and 12 procedures. Descriptions of these conditions are on pages 10 and 11.
- This report covers inpatient hospital discharges

during Federal Fiscal Year (FFY) 2009, which includes data from October 1, 2008 through September 30, 2009.

- This report is divided into three regional versions and is hospital-specific.
- All Pennsylvania general acute care and most specialty general acute care hospitals, regardless of size, are included.
- The hospital names have been shortened in many cases for formatting purposes. Hospital names may be different today than during the time period covered in this report due to mergers and name changes. A list of changes can be found on the PHC4 website at [www.phc4.org](http://www.phc4.org).

### Where does the data come from?

The data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals submit data indicating, in simple terms, "how sick the patient was" or, in technical jargon, a "severity score." The data is then risk-adjusted.

### Accounting for high-risk patients

Even though two patients may be admitted to the hospital with the same illness, there may be differences in the seriousness of their conditions. In order to report fair comparisons among hospitals, PHC4 uses a complex mathematical formula to "risk-adjust" the mortality, length of stay and readmission data, meaning that hospitals receive "extra credit" for treating patients that are more seriously ill or at a greater risk than others. Risk-adjusting the data is important because sicker patients may be more likely to die, stay in the hospital longer, or be readmitted.

The Atlas patient risk classification system is used to collect clinical information about hospital patients and to predict each patient's probability

of mortality and expected length of stay. Atlas is a sophisticated clinical information management system developed by MediQual™, a business of Quantros, Inc. This system uses clinical laboratory data, patient characteristics such as age and gender, and billing codes that describe medical conditions and some procedures to calculate risk for the patients in this report. PHC4 also independently adjusts for other relevant patient risk factors, such as poverty level, the presence of cancer, diabetes, etc.

A comprehensive description of the risk-adjustment techniques used for this report can be found in the Technical Notes on PHC4's website at [www.phc4.org](http://www.phc4.org).

## What is measured in the report and why is it important?

PHC4's mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not an exact science. There may be a number of ways to define quality; however, for the purposes of this report, six measures are suggested. With the exception of volume of cases, each of these measures has been adjusted for patient risk. (For more information, see the previous section titled, Accounting for high-risk patients.)

- **Volume of Cases** – For each hospital, the number of cases for each condition, after exclusions, is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that, in at least some areas, the volume of cases treated by a physician or hospital can be a factor in the success of the treatment. The number of cases represents separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Outcome data are not reported for hospitals that had fewer than five cases evaluated for a measure;

such low volume cannot be considered meaningful and, as such, the outcome data are not displayed. Not Reported (NR) appears in the table when this occurs.

Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- **Risk-Adjusted Mortality** – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. To determine the mortality rating, PHC4 compares the number of patients one could reasonably expect to die in a given hospital in a given condition with the actual number of deaths.
- **Risk-Adjusted Length of Stay** – The length of time a patient stays in the hospital can reflect how successful the hospital is in providing treatment and has an impact on the resources used in delivering treatment.
- **Risk-Adjusted Length of Stay Outliers** – Length of stay “outliers” are abnormally short or long hospitalizations – those individual hospitalizations where the difference between the actual and expected length of stay was in the top (long length of stay outliers) or bottom (short length of stay outliers) 5% of all statewide hospitalizations. They are the hospitalizations where the difference between the actual and expected length of stay was above or below the normal range for all hospitalizations in the state. For any one hospital, the outlier rate is the number of outliers divided by the total number of hospitalizations. Length of stay may be an important quality of care indicator; however, many factors affect length of stay, some of which are beyond the hospital's control. Abnormally short or long hospital stays may result from factors, such as payer expectations, complications, clinical treatment advancements, or avoidable admissions due to inadequate health and social support in the community. Reported ratings

should be interpreted cautiously and do not necessarily indicate high or low quality care.

- **Risk-Adjusted Readmissions** – A readmission is defined as a subsequent acute care hospitalization, for any reason in any Pennsylvania hospital, where the admit date is within 30 days of the discharge date of the original hospitalization. To determine the risk-adjusted readmission rating, PHC4 compares the number of patients one could reasonably expect to be readmitted in a given hospital in a given condition with the actual number of readmissions. The methodology was designed to limit planned readmissions; however, some may still be included. While some re-hospitalizations can be expected, high quality care may lessen the need for subsequent hospitalizations.
- **Risk-Adjusted Readmissions for Complication/Infection** – The risk-adjusted readmission rating (discussed above) takes into consideration all subsequent hospitalizations within 30 days of the discharge date of the original hospitalization. However, this measure includes only readmissions with a principal diagnosis of a complication/infection (see the Technical Notes on the PHC4 website, [www.phc4.org](http://www.phc4.org), for a detailed description).

## Other data issues

- **Do Not Resuscitate Cases** – The mortality analysis includes Do Not Resuscitate (DNR) cases. Since DNR is defined and utilized differently across Pennsylvania hospitals, such records are retained in the analysis to avoid potential biases in mortality ratings.
- Not all data is reported for all measures. For example, readmission rates are not reported for Heart Attack – Medical Management because subsequent admissions are often planned.

## Hospital charges

This report also includes the average hospital charge for each of the 31 code-based conditions. While charges are what the hospital reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for inpatient services, and the amount they receive in Net Patient Revenue (NPR). Pennsylvania hospitals received, on average statewide, \$.26 in NPR for every dollar that they charged in Fiscal Year 2009 (for most hospitals 7/1/2008 through 6/30/2009).

Within the geographic area covered in this report, hospitals received, on average, \$.29 in NPR for every dollar charged. Broken down even further, hospitals within Southwestern Pennsylvania received, on average, \$.28 in NPR for every dollar charged, Northwestern Pennsylvania hospitals received an average of \$.32 on the dollar, and hospitals in the Southern Allegheny regions (Somerset, Johnstown, Altoona areas) received an average of \$.42 on the dollar.

These regional figures are aggregate only and cannot be applied to individual hospitals or individual average charges for conditions to calculate actual payment figures. This is due to substantial variation in hospital charges from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payers, and even individual patients.

## Hospitals not included

Hospitals are required under Pennsylvania law (Act 89 of 1986 as reenacted and amended as Act 3 of 2009) to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing Uniform Billing (UB) data or patient severity scores in excess of or equal to 10% of all records for which severity scores are to be reported are excluded from this report. Although hospitalization data specific to these hospitals is not shown in this report, these records have been included in the overall analysis for the measures included in this report (unless noted otherwise), and thus are reflected in the statewide and regional totals.

### Hospitals not included:

No hospitals in Western Pennsylvania were excluded due to data issues.

## Understanding the Symbols

Symbols representing ratings for risk-adjusted mortality, readmissions, and length of stay outliers are displayed in the report. These symbols reflect a comparison of a hospital's actual rate and what is expected.

- Significantly higher than expected.
- ◉ Not significantly different than expected.
- Significantly lower than expected.

## How to use this report

- **Patients/Consumers** can use this report as an aid in making decisions about where to seek treatment for the conditions detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- **Group Benefits Purchasers/Insurers** can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.
- **Health Care Providers** can use this report as an aid in identifying opportunities for quality improvement and cost containment.
- **Policymakers/Public Officials** can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.
- All of the previously mentioned groups can use this information to raise important questions about why differences exist in the quality and efficiency of care.

This report can be used as a tool. It should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in specific treatment categories. The measurement of quality is highly complex, and the information used to capture such measures is limited. A hospital death is frequently an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right, and the patient can still die. However, the statistical methods used eliminate many of the clinical and medical differences among the patients in different hospitals, thereby allowing us to explore the real differences in the measures presented in this report. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.

## Code-based Diagnosis Descriptions

### **Abnormal Heartbeat:**

Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects, or heart valve disorders.

**Blood Clot in Extremities:** Inflammation of a blood vessel with the formation of a thrombus (blood clot) in a deep or superficial vein involving the legs, arms, and other parts of the body. Includes deep vein thrombosis (DVT).

**Blood Clot in Lung:** The formation of a thrombus (blood clot) and/or infarction (damage or death) of the lung tissue. Often called pulmonary embolism or pulmonary infarct.

**Chronic Obstructive Pulmonary Disease (COPD):** Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma, or emphysema.

**Congestive Heart Failure (CHF):** Heart failure occurs when the heart loses its ability to pump enough blood through the body. Heart failure usually worsens over time as the heart gradually loses its pumping ability and works less efficiently, resulting in high blood pressure and fluid collection in the lungs.

**Diabetes with Amputation:** Includes patients who have diabetes and undergo an amputation of the arm, leg, or toe.

**Diabetes – Medical Management:** Includes patients hospitalized for control of blood sugar. Conditions include coma, high blood sugar crisis, and fluid imbalances. Kidney, eye, nerve, or blood vessel damage related to diabetes are included.

**Heart Attack – Medical Management:** A heart attack (myocardial infarction) occurs when there is blockage or obstruction in the blood vessels that supply oxygen to the heart muscle causing an infarction (damage or death) to an area of the heart. Included are heart attack patients who were treated without a balloon (angioplasty) procedure or open heart surgery.

**Intestinal Obstruction:** Partial or complete blockage of the intestine often caused by scar tissue, tumors, twisting and kinking, or decreased blood supply that prevents the contents in the intestine from passing beyond the blockage.

**Kidney Failure – Acute:** A sudden and rapid loss of kidney function resulting in a build-up of waste products that are normally removed from the body through urine. Because these waste products are toxic, acute kidney failure can be life-threatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

**Kidney and Urinary Tract Infections:** Acute and chronic infections of the kidney and urinary tract. Does not include urinary stone or urinary symptoms, such as frequency, bleeding, or pain.

**Pneumonia – Aspiration:** Inflammation of the lungs and bronchial tubes caused by inhaling foreign material, such as food, drink, vomit, or secretions from the mouth into the lungs. Does not include infectious pneumonia.

**Pneumonia – Infectious:** Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy, an inflammation of the membrane surrounding the lungs.

**Respiratory Failure with Mechanical Ventilation:** Failure of the lungs to support the exchange of essential gases (oxygen and carbon dioxide), making the use of mechanical ventilation necessary. A mechanical ventilator (“breathing machine”) delivers oxygen through a tube placed in the mouth or nose into the trachea (windpipe). The breathing machine can be set to help or completely control breathing.

**Respiratory Failure without Mechanical Ventilation:** Inability of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) without the need for mechanical ventilation.

**Stomach and Intestinal Bleeding:** Bleeding from ulcers or areas of inflammation in the stomach, small or large intestine, rectum, or esophagus (muscular tube that connects the mouth to the stomach).

**Septicemia:** Also known as blood poisoning, is a system-wide infection of the patient’s blood. Does not include post-operative or post-injury infections.

**Stroke – Hemorrhagic:** Stroke is a cardiovascular disease that affects the blood vessels supplying blood to the brain. In hemorrhagic strokes, a blood vessel in the brain breaks or ruptures and causes bleeding (hemorrhage) within or around the brain.

**Stroke – Non-hemorrhagic:** In ischemic (non-hemorrhagic) strokes, a blood clot blocks a blood vessel in the brain or an artery leading to the brain. This is the most common type of stroke. Transient ischemic attack (temporary stroke symptoms) is not included.

## Code-based Procedure Descriptions

### **Abdominal Aortic Aneurysm Repair – Endovascular (EVAR):**

An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This procedure repairs the aneurysm in a minimally invasive manner. A covered stent (mesh tube) or “endograft” is inserted through small incisions in the groin and advanced through the blood vessels to the weakened or bulging area of the abdominal aorta using X-rays to guide the placement. This endograft reinforces the weakened area of the aorta and prevents rupture of the aneurysm.

**Abdominal Aortic Aneurysm Repair – Open:** An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This “open” procedure is performed through an incision in the abdomen. A synthetic graft is sutured (sewn) into the aorta to replace the weakened section.

**Colorectal Procedures:** The majority of colorectal procedures are performed in relation to the presence of cancer or diverticulitis (inflammation of part of the lower digestive tract). Does not include patients with abdominal trauma.

**Gallbladder Removal – Laparoscopic:** Cholecystectomy is the operation for removal of the gallbladder. Included are patients who underwent this type of surgery carried out with a laparoscope (microscopic camera) through three or four small incisions.

**Gallbladder Removal – Open:** Traditional gallbladder removal surgery that is carried out through an incision in the right side of the upper abdomen.

**Heart Attack – Angioplasty/Stent:** Treatment (called percutaneous transluminal coronary angioplasty or PTCA) of a heart attack using special balloons to open up obstructed arteries and increase blood flow to the heart. Often, a stent (a mesh tube) is inserted in the blocked or narrowed artery to open it wider and prevent re-narrowing or recurring blockage. Does not include coronary artery bypass graft (CABG) surgery.

**Hip Fracture – Surgical Repair:** Fracture (“broken bone”) of the hip involves the top portion of the femur (thigh bone). Surgical repair includes inserting a pin, rod or screw into the bone to hold the fracture together for healing or may also include a partial or total hip joint replacement.

**Hysterectomy – Abdominal:** An operation, performed through an abdominal incision, to remove the uterus (womb) and sometimes the ovaries and fallopian tubes. This type of surgery is performed when vaginal or laparoscopic approaches are deemed inappropriate for a variety of conditions, including female cancers, uterine fibroids, endometriosis, pelvic trauma, and uterine or vaginal prolapse.

**Hysterectomy – Vaginal:** Includes hysterectomy through a vaginal approach and those laparoscopically assisted. Includes hysterectomy performed for a variety of conditions such as female cancers, pelvic trauma, uterine fibroids, and endometriosis.

**Prostatectomy – Radical:** Radical prostatectomy is the surgical removal of the entire prostate. This type of surgery is usually performed when localized cancer is present.

**Prostatectomy – Transurethral:** This type of surgery involves the surgical removal of part of the prostate gland and is usually done to relieve urinary symptoms caused by benign (non-cancerous) enlargement of the prostate.

**Removal of Blockage of Neck Vessels:** This procedure, also known as a carotid endarterectomy, is performed to prevent strokes. It involves removal of blockages, complete or partial, in the two arteries (carotid arteries) that supply the brain with blood and oxygen.

## Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	145	○	4.1	3.5	○	11.1	●	○	○	\$16,080
Allegheny General	753	○	3.8	4.3	○	6.5	○	○	○	\$27,279
Alle-Kiski	302	○	3.6	3.0	○	3.4	○	○	○	\$19,997
Altoona Regional	576	○	3.4	7.2	●	3.5	○	○	○	\$17,280
Bradford Regional	97	○	3.1	7.3	○	0.0	○	○	○	\$12,256
Brookville	36	○	2.8	0.0	○	0.0	○	○	○	\$8,247
Butler Memorial	443	○	3.2	3.2	○	1.4	○	○	○	\$19,457
Canonsburg General	120	○	4.1	7.7	○	8.5	○	○	○	\$26,341
Charles Cole Memorial	21	○	3.1	4.8	○	0.0	○	○	○	\$12,378
Clarion	97	○	2.5	9.4	○	2.1	○	○	○	\$10,267
Clearfield	144	○	3.1	2.8	○	3.5	○	○	○	\$12,821
Conemaugh Valley Memorial	616	●	4.0	2.8	○	7.8	●	○	○	\$16,444
Corry Memorial	12	○	3.8	8.3	○	8.3	○	○	○	\$15,964
DuBois Regional	257	○	2.8	8.6	●	1.6	○	○	○	\$14,547
Elk Regional	104	○	3.0	7.7	○	1.9	○	○	○	\$13,631
Ellwood City	66	○	4.0	1.5	○	4.6	○	○	○	\$11,127
Excelsa Hlth Westmoreland	646	○	4.1	3.1	○	7.3	●	○	○	\$18,220
Frick	118	○	3.8	4.2	○	5.1	○	○	○	\$16,922
Grove City	73	○	3.6	1.4	○	8.2	○	○	○	\$17,704
Hamot	689	○	3.3	4.8	○	3.6	○	○	○	\$28,404
Heritage Valley Beaver	539	○	3.9	3.9	○	4.9	○	○	○	\$14,814
Heritage Valley Sewickley	251	●	3.2	5.3	○	0.8	○	●	○	\$13,323
Highlands	54	○	3.1	3.7	○	1.9	○	○	○	\$18,580
Indiana Regional	256	○	3.0	7.1	○	1.6	○	○	○	\$15,996
Jameson Memorial	165	○	3.0	9.7	●	1.2	○	○	○	\$12,588
Jefferson Regional	617	○	3.9	3.4	○	5.1	○	○	○	\$17,510
Kane Community	24	○	3.1	4.2	○	0.0	○	○	○	\$14,674
Latrobe Area	336	●	3.8	2.7	○	5.2	○	○	○	\$17,719
Magee-Womens	28	○	5.4	3.6	○	21.4	●	○	○	\$38,420
Meadville	145	○	3.1	2.8	○	3.5	○	●	○	\$14,058

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meysersdale Community	11	○	3.8	0.0	○	0.0	○	●	○	\$14,380
Millcreek Community	44	○	4.1	2.3	○	4.5	○	○	○	\$21,993
Miners	29	○	3.5	6.9	○	3.4	○	○	○	\$12,703
Monongahela Valley	238	○	4.2	3.0	○	8.1	●	○	○	\$18,794
Nason	57	○	3.7	7.3	○	7.3	○	●	○	\$10,724
Ohio Valley General	149	○	3.6	2.0	○	4.8	○	○	○	\$25,667
Punxsutawney Area	43	○	3.1	4.7	○	0.0	○	○	●	\$10,776
Saint Vincent Health	528	○	3.9	3.3	○	5.7	○	○	○	\$33,937
Sharon Regional	308	○	3.2	6.5	○	2.0	○	○	○	\$17,969
Somerset	121	○	4.1	5.8	○	4.2	○	○	○	\$16,827
Southwest Regional MC	57	○	3.4	3.5	○	3.5	○	○	○	\$18,468
St Clair Memorial	631	○	3.4	5.3	○	3.3	○	○	○	\$18,554
Titusville Area	27	○	2.9	7.7	○	0.0	○	○	○	\$10,708
Tyrone	31	○	2.7	0.0	○	0.0	○	○	○	\$11,453
Uniontown	264	○	3.4	3.5	○	5.4	○	○	○	\$12,908
UPMC Bedford	70	○	2.2	16.2	●	0.0	○	○	○	\$10,924
UPMC Horizon	240	○	4.0	1.7	○	5.0	○	○	○	\$17,347
UPMC McKeesport	217	○	4.3	4.2	○	9.8	●	○	○	\$25,477
UPMC Mercy	477	○	4.2	3.2	○	9.1	●	○	○	\$24,255
UPMC Northwest	172	○	3.8	5.9	○	5.9	○	○	○	\$12,959
UPMC Passavant	601	○	4.0	2.8	○	6.2	○	○	○	\$27,414
UPMC Presby Shadyside	1,396	○	3.7	4.6	○	6.2	●	○	○	\$37,752
UPMC St Margaret	377	○	3.6	2.9	○	4.5	○	○	○	\$26,122
Warren General	70	○	3.7	2.9	○	8.6	○	○	○	\$18,757
Washington	523	○	3.9	3.9	○	6.0	○	○	○	\$19,039
Western PA Hosp/Forbes	419	○	3.4	3.8	○	3.1	○	●	○	\$19,796
Western Pennsylvania	348	○	3.7	3.2	○	5.5	○	○	○	\$25,819
Windber	38	○	3.5	0.0	○	5.4	○	○	○	\$15,374
Western Pennsylvania	15,385		3.7	4.3		5.1				\$22,432
TOTAL: Statewide	46,531		3.5	5.0		5.0				\$34,770

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

### Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
ACMH	48	●	4.0	6.7	○	6.7	○	\$7,694
Allegheny General	109	○	4.2	5.5	○	2.8	○	\$19,001
Alle-Kiski	68	○	4.0	7.4	○	5.9	○	\$12,144
Altoona Regional	94	○	3.5	9.7	○	3.2	○	\$10,679
Bradford Regional	23	○	5.4	4.3	○	13.0	○	\$8,083
Brookville	16	○	3.6	0.0	○	0.0	○	\$4,963
Butler Memorial	87	○	4.3	4.6	○	5.7	○	\$10,388
Canonsburg General	37	○	4.7	2.7	○	8.1	○	\$12,647
Charles Cole Memorial	12	○	2.7	0.0	○	0.0	○	\$5,731
Clarion	31	○	3.4	3.2	○	0.0	○	\$5,504
Clearfield	25	○	3.9	8.0	○	0.0	○	\$8,804
Conemaugh Valley Memorial	132	○	4.7	3.0	○	9.1	●	\$10,449
Corry Memorial	14	○	3.1	0.0	○	7.7	○	\$10,674
DuBois Regional	28	○	3.6	3.6	○	7.1	○	\$10,717
Elk Regional	18	○	3.1	5.6	○	0.0	○	\$5,821
Ellwood City	13	○	4.3	0.0	○	0.0	○	\$6,282
Excelsa Hlth Westmoreland	99	○	4.7	2.0	○	8.1	○	\$10,933
Frick	16	○	4.9	0.0	○	12.5	○	\$11,779
Grove City	14	○	4.6	7.1	○	7.1	○	\$7,934
Hamot	65	○	5.5	1.6	○	12.5	●	\$17,567
Heritage Valley Beaver	90	○	5.1	4.5	○	9.0	○	\$10,439
Heritage Valley Sewickley	44	○	5.0	4.7	○	7.0	○	\$11,652
Highlands	15	○	3.9	0.0	○	0.0	○	\$6,889
Indiana Regional	58	○	4.2	6.9	○	0.0	○	\$8,807
Jameson Memorial	71	○	4.7	4.2	○	5.6	○	\$8,473
Jefferson Regional	84	○	4.8	3.6	○	3.6	○	\$8,345
Kane Community	9	○	3.5	0.0	○	0.0	○	\$13,821
Latrobe Area	35	○	3.0	8.6	○	0.0	○	\$7,655
Magee-Womens	34	○	3.6	17.6	●	5.9	○	\$16,579
Meadville	73	○	5.0	1.4	○	6.8	○	\$9,890

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
Meyersdale Community	8	⊖	3.6	12.5	⊖	0.0	⊖	\$8,208
Millcreek Community	13	⊖	4.2	7.7	⊖	0.0	⊖	\$9,979
Miners	8	⊖	2.9	0.0	⊖	0.0	⊖	\$6,554
Monongahela Valley	57	⊖	5.5	0.0	⊖	8.8	⊖	\$11,999
Nason	7	⊖	4.5	0.0	⊖	0.0	⊖	\$4,892
Ohio Valley General	33	⊖	4.0	0.0	⊖	0.0	⊖	\$13,790
Punxsutawney Area	10	⊖	3.8	0.0	⊖	0.0	⊖	\$5,821
Saint Vincent Health	64	⊖	3.9	4.7	⊖	6.3	⊖	\$17,594
Sharon Regional	47	⊖	3.6	8.5	⊖	6.4	⊖	\$8,957
Somerset	26	⊖	4.5	3.8	⊖	0.0	⊖	\$9,085
Southwest Regional MC	8	⊖	4.1	12.5	⊖	12.5	⊖	\$13,067
St Clair Memorial	90	⊖	4.2	1.1	⊖	3.4	⊖	\$12,470
Titusville Area	21	⊖	4.4	4.8	⊖	4.8	⊖	\$7,378
Tyrone	6	⊖	4.0	0.0	⊖	0.0	⊖	\$8,643
Uniontown	35	⊖	3.7	2.9	⊖	0.0	⊖	\$7,356
UPMC Bedford	15	⊖	3.7	6.7	⊖	6.7	⊖	\$7,613
UPMC Horizon	98	⊖	4.7	1.0	⊖	4.2	⊖	\$10,290
UPMC McKeesport	46	⊖	4.8	2.2	⊖	4.3	⊖	\$14,982
UPMC Mercy	61	⊖	4.1	6.6	⊖	1.6	⊖	\$15,861
UPMC Northwest	45	⊖	4.3	0.0	⊖	6.7	⊖	\$8,826
UPMC Passavant	109	⊖	4.8	1.9	⊖	2.8	⊖	\$16,581
UPMC Presby Shadyside	170	⊖	4.1	6.5	⊖	4.7	⊖	\$27,602
UPMC St Margaret	120	⊖	5.1	2.5	⊖	7.5	⊖	\$17,593
Warren General	15	⊖	5.0	0.0	⊖	0.0	⊖	\$10,047
Washington	81	⊖	3.7	4.9	⊖	2.5	⊖	\$9,785
Western PA Hosp/Forbes	99	⊖	4.9	2.0	⊖	7.1	⊖	\$13,030
Western Pennsylvania	60	⊖	4.4	1.7	⊖	3.4	⊖	\$19,794
Windber	21	⊖	3.1	9.5	⊖	4.8	⊖	\$9,738
Western Pennsylvania	2,868		4.4	4.0		5.0		\$12,772
TOTAL: Statewide	7,791		4.2	5.0		5.0		\$19,429

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
ACMH	15	○	5.7	0.0	○	7.1	○	\$10,717
Allegheny General	107	○	5.5	7.5	○	13.2	●	\$31,777
Alle-Kiski	32	○	5.1	9.4	○	0.0	○	\$17,350
Altoona Regional	107	○	4.4	7.6	○	3.8	○	\$16,190
Bradford Regional	14	○	5.3	7.7	○	7.7	○	\$14,500
Brookville	13	○	4.0	0.0	○	0.0	○	\$8,674
Butler Memorial	35	○	5.9	0.0	○	0.0	○	\$18,444
Canonsburg General	15	○	6.5	0.0	○	20.0	●	\$22,316
Charles Cole Memorial	13	○	3.2	8.3	○	0.0	○	\$8,877
Clarion	28	○	4.4	3.6	○	3.6	○	\$9,821
Clearfield	26	○	4.2	3.8	○	0.0	○	\$14,152
Conemaugh Valley Memorial	88	○	5.5	0.0	○	6.8	○	\$14,356
Corry Memorial	1	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	24	○	4.5	8.3	○	4.2	○	\$17,849
Elk Regional	17	○	3.9	11.8	○	5.9	○	\$12,234
Ellwood City	11	○	5.4	10.0	○	0.0	○	\$10,738
Excelsior Hlth Westmoreland	76	○	5.6	4.1	○	6.8	○	\$16,780
Frick	20	○	4.6	0.0	○	5.0	○	\$15,684
Grove City	20	○	4.7	0.0	○	0.0	○	\$12,699
Hamot	82	○	6.2	2.5	○	8.8	○	\$40,488
Heritage Valley Beaver	49	○	7.5	0.0	○	18.4	●	\$17,526
Heritage Valley Sewickley	55	○	5.2	1.8	○	0.0	○	\$16,451
Highlands	2	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	50	○	5.2	2.0	○	6.0	○	\$15,612
Jameson Memorial	34	○	4.7	3.0	○	0.0	○	\$14,024
Jefferson Regional	97	○	5.3	3.2	○	4.2	○	\$12,674
Kane Community	7	○	4.7	0.0	○	0.0	○	\$18,647
Latrobe Area	44	○	4.7	6.8	○	2.3	○	\$15,630
Magee-Womens	46	○	4.5	6.5	○	2.2	○	\$21,621
Meadville	29	○	6.0	0.0	○	7.1	○	\$17,242

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	8	○	3.7	12.5	○	0.0	○	\$18,351
Miners	2	NR	NR	NR	NR	NR	NR	NR
Monongahela Valley	30	○	6.7	0.0	○	14.3	●	\$17,311
Nason	18	○	4.3	5.9	○	0.0	○	\$9,627
Ohio Valley General	14	○	4.5	0.0	○	0.0	○	\$18,341
Punxsutawney Area	8	○	4.1	0.0	○	0.0	○	\$7,679
Saint Vincent Health	66	○	5.0	6.2	○	3.1	○	\$33,434
Sharon Regional	29	○	4.3	3.6	○	0.0	○	\$15,947
Somerset	17	○	6.1	5.9	○	5.9	○	\$17,955
Southwest Regional MC	9	○	3.8	0.0	○	0.0	○	\$12,741
St Clair Memorial	106	○	5.2	4.8	○	2.9	○	\$18,611
Titusville Area	7	○	6.7	0.0	○	0.0	○	\$10,187
Tyrone	5	●	NR	NR	NR	NR	NR	\$19,021
Uniontown	41	○	4.9	2.5	○	2.5	○	\$10,142
UPMC Bedford	18	○	3.5	0.0	○	0.0	○	\$8,965
UPMC Horizon	36	●	4.9	2.9	○	0.0	○	\$17,114
UPMC McKeesport	50	○	6.2	2.0	○	8.0	○	\$25,255
UPMC Mercy	70	○	4.4	7.4	○	1.5	○	\$19,427
UPMC Northwest	31	○	4.9	3.2	○	6.5	○	\$14,164
UPMC Passavant	115	○	4.8	6.1	○	5.3	○	\$24,080
UPMC Presby Shadyside	223	○	5.1	5.4	○	7.2	○	\$43,286
UPMC St Margaret	116	○	6.6	1.8	○	4.4	○	\$27,649
Warren General	11	○	5.8	0.0	○	0.0	○	\$16,360
Washington	54	○	4.9	3.7	○	1.9	○	\$14,934
Western PA Hosp/Forbes	69	○	5.8	4.5	○	4.5	○	\$20,360
Western Pennsylvania	82	○	5.1	8.6	○	8.6	○	\$30,987
Windber	8	○	4.6	0.0	○	0.0	○	\$14,017
Western Pennsylvania	2,436		5.2	4.3		5.1		\$21,833
TOTAL: Statewide	7,193		5.1	5.0		5.0		\$30,315

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	113	○	5.3	0.9	○	8.1	○	○	○	\$8,862
Allegheny General	320	○	4.2	5.7	○	2.8	○	○	○	\$20,443
Alle-Kiski	186	○	4.0	4.3	○	2.2	○	○	○	\$12,969
Altoona Regional	337	○	4.3	3.9	○	5.1	○	○	○	\$12,939
Bradford Regional	134	○	4.3	4.5	○	3.0	○	○	○	\$9,932
Brookville	69	○	4.5	1.4	○	5.8	○	○	○	\$9,324
Butler Memorial	298	○	4.2	4.4	○	2.0	○	○	○	\$12,364
Canonsburg General	144	○	5.0	1.4	○	6.3	○	○	○	\$17,281
Charles Cole Memorial	103	○	3.3	3.0	○	0.0	○	○	○	\$9,096
Clarion	125	○	3.9	3.3	○	4.9	○	○	○	\$7,871
Clearfield	139	○	4.2	4.3	○	2.2	○	○	○	\$10,393
Conemaugh Valley Memorial	366	○	4.9	3.0	○	8.3	●	○	●	\$11,264
Corry Memorial	73	●	4.1	2.8	○	1.4	○	○	○	\$12,799
DuBois Regional	270	○	3.1	11.5	●	0.4	○	○	○	\$10,119
Elk Regional	122	○	4.0	5.0	○	0.8	○	○	○	\$9,196
Ellwood City	118	○	4.5	6.0	○	5.2	○	○	○	\$8,476
Excelsior Health Westmoreland	503	○	4.9	2.2	○	7.2	●	○	○	\$14,754
Frick	219	○	4.5	2.3	○	4.6	○	○	○	\$12,985
Grove City	94	○	4.5	4.3	○	7.5	○	○	○	\$13,688
Hamot	260	○	4.1	5.8	○	3.1	○	○	○	\$21,202
Heritage Valley Beaver	377	○	5.0	4.5	○	9.0	●	○	○	\$10,843
Heritage Valley Sewickley	191	○	4.1	5.8	○	4.7	○	○	○	\$10,558
Highlands	84	○	4.2	7.1	○	4.8	○	○	○	\$10,532
Indiana Regional	193	○	3.7	5.7	○	1.0	○	○	○	\$9,063
Jameson Memorial	362	○	4.9	2.8	○	5.8	○	○	●	\$10,789
Jefferson Regional	709	○	4.8	2.8	○	5.5	○	○	○	\$10,248
Kane Community	82	○	3.7	1.2	○	1.2	○	○	○	\$10,756
Latrobe Area	351	○	4.4	3.4	○	3.7	○	○	○	\$13,808
Magee-Womens	79	○	4.8	10.3	○	9.0	○	○	○	\$24,097
Meadville	159	○	5.0	2.5	○	7.0	○	○	○	\$12,434

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meysersdale Community	17	○	3.5	11.8	○	0.0	○	○	\$9,429	
Millcreek Community	72	○	4.7	2.8	○	5.6	○	○	\$15,171	
Miners	62	○	3.8	1.6	○	4.9	○	○	\$10,041	
Monongahela Valley	411	○	4.8	2.2	○	5.1	○	○	\$11,542	
Nason	30	●	4.3	3.6	○	3.6	○	○	\$6,798	
Ohio Valley General	136	○	5.3	0.7	○	6.7	○	○	\$13,585	
Punxsutawney Area	74	○	4.1	1.4	○	2.7	○	○	\$8,143	
Saint Vincent Health	158	○	4.1	1.3	○	3.2	○	○	\$20,192	
Sharon Regional	144	○	4.1	2.8	○	4.9	○	○	\$12,274	
Somerset	78	○	4.3	3.9	○	3.9	○	○	\$11,876	
Southwest Regional MC	141	○	3.5	8.5	○	0.0	○	○	\$9,423	
St Clair Memorial	300	○	4.5	3.7	○	5.4	○	●	\$11,795	
Titusville Area	112	○	4.4	8.3	○	5.5	○	○	\$7,716	
Tyrone	48	○	3.7	4.3	○	0.0	○	○	\$8,135	
Uniontown	481	○	4.8	2.9	○	5.3	○	○	\$9,853	
UPMC Bedford	47	○	3.7	8.7	○	2.2	○	○	\$9,433	
UPMC Horizon	236	○	4.6	3.8	○	2.1	○	○	\$13,296	
UPMC McKeesport	328	○	4.6	2.2	○	3.4	○	○	\$15,121	
UPMC Mercy	388	○	4.1	4.1	○	2.3	○	○	\$17,574	
UPMC Northwest	347	○	4.2	2.0	○	3.5	○	○	\$8,583	
UPMC Passavant	404	○	5.2	2.3	○	6.8	○	●	\$19,562	
UPMC Presby Shadyside	499	○	4.3	9.2	●	4.6	○	○	\$27,858	
UPMC St Margaret	406	○	5.0	2.2	○	5.7	○	○	\$20,233	
Warren General	111	○	3.9	0.9	○	0.9	○	○	\$12,227	
Washington	487	○	4.5	3.7	○	6.0	○	○	\$11,091	
Western PA Hosp/Forbes	287	○	4.3	2.5	○	4.2	○	○	\$13,859	
Western Pennsylvania	218	○	4.6	1.9	○	3.7	○	○	\$18,755	
Windber	58	○	3.7	5.2	○	3.4	○	○	\$13,858	
Western Pennsylvania	12,928		4.5	3.8		4.6			\$13,630	
TOTAL: Statewide	33,477		4.4	5.0		5.0			\$23,779	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

### Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	136	●	5.8	3.1	○	9.4	●	○	○	\$11,630
Allegheny General	585	○	5.3	5.6	○	7.7	●	○	○	\$25,296
Alle-Kiski	511	○	5.0	2.4	○	3.4	○	○	●	\$18,290
Altoona Regional	521	○	4.8	6.4	○	3.4	○	○	○	\$14,366
Bradford Regional	109	○	4.3	5.6	○	2.8	○	○	○	\$11,670
Brookville	84	○	4.3	2.4	○	0.0	○	○	○	\$7,989
Butler Memorial	400	○	4.4	6.5	○	1.0	○	○	○	\$15,320
Canonsburg General	164	○	5.4	1.3	○	3.8	○	○	○	\$20,859
Charles Cole Memorial	65	○	3.6	9.2	○	0.0	○	○	○	\$10,395
Clarion	120	●	3.7	4.6	○	0.0	○	○	○	\$8,956
Clearfield	189	○	4.3	2.2	○	1.6	○	○	○	\$11,214
Conemaugh Valley Memorial	703	●	5.8	1.2	○	8.3	●	○	○	\$13,335
Corry Memorial	67	○	5.4	0.0	○	1.6	○	○	○	\$16,402
DuBois Regional	225	○	3.8	10.0	●	2.7	○	○	○	\$13,457
Elk Regional	178	○	4.1	6.9	○	0.6	○	○	○	\$10,133
Ellwood City	156	○	5.1	3.3	○	2.6	○	○	○	\$10,704
Excelsa Hlth Westmoreland	731	○	6.1	1.6	○	8.3	●	○	○	\$17,024
Frick	194	○	5.0	3.1	○	1.6	○	○	○	\$14,439
Grove City	108	●	5.0	2.0	○	1.0	○	○	○	\$16,073
Hamot	481	○	4.4	5.4	○	3.4	○	○	○	\$28,010
Heritage Valley Beaver	725	○	5.8	2.4	○	8.6	●	○	○	\$12,255
Heritage Valley Sewickley	304	○	4.7	2.4	○	3.0	○	○	○	\$12,230
Highlands	100	○	4.6	2.0	○	5.1	○	●	○	\$14,079
Indiana Regional	307	●	4.5	2.7	○	2.1	○	○	○	\$11,243
Jameson Memorial	396	○	4.5	9.2	●	2.6	○	○	●	\$10,573
Jefferson Regional	683	○	5.2	3.0	○	4.5	○	○	○	\$12,944
Kane Community	81	○	4.5	0.0	○	2.5	○	○	○	\$14,656
Latrobe Area	296	○	4.8	2.8	○	2.8	○	○	○	\$16,015
Magee-Womens	60	○	6.0	8.8	○	17.5	●	○	○	\$32,014
Meadville	138	○	4.7	2.2	○	3.7	○	○	○	\$14,128

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	29	○	4.5	0.0	○	0.0	○	○	\$10,639	
Millcreek Community	99	●	5.7	0.0	○	6.6	○	○	\$18,393	
Miners	34	○	5.2	0.0	○	5.9	○	○	\$11,877	
Monongahela Valley	472	○	5.7	2.6	○	4.8	○	○	\$16,468	
Nason	78	○	4.9	1.3	○	2.6	○	○	\$8,647	
Ohio Valley General	208	○	5.5	1.0	○	4.5	○	○	\$18,145	
Punxsutawney Area	104	○	4.6	4.0	○	1.0	○	○	\$9,726	
Saint Vincent Health	530	○	5.2	2.9	○	6.4	○	○	\$29,357	
Sharon Regional	215	○	4.4	13.5	●	2.9	○	○	\$13,407	
Somerset	107	○	5.2	6.0	○	3.0	○	○	\$13,244	
Southwest Regional MC	187	○	3.5	7.6	○	0.5	○	○	\$11,806	
St Clair Memorial	613	○	5.1	3.4	○	4.4	○	○	\$14,968	
Titusville Area	76	●	4.7	1.5	○	2.9	○	○	\$8,957	
Tyrone	66	○	4.5	1.6	○	3.2	○	○	\$10,124	
Uniontown	410	●	4.7	2.6	○	2.1	○	○	\$11,156	
UPMC Bedford	62	○	3.5	6.6	○	1.6	○	○	\$9,277	
UPMC Horizon	254	○	4.9	3.2	○	3.6	○	○	\$14,693	
UPMC McKeesport	327	○	5.1	3.7	○	4.3	○	○	\$18,738	
UPMC Mercy	449	○	5.0	5.0	○	3.7	○	○	\$21,827	
UPMC Northwest	224	○	4.8	1.9	○	3.7	○	○	\$10,909	
UPMC Passavant	480	○	5.4	3.6	○	6.6	○	○	\$23,007	
UPMC Presby Shadyside	1,229	●	5.4	8.2	●	10.3	●	○	\$32,571	
UPMC St Margaret	600	○	5.4	2.9	○	7.3	●	○	\$23,253	
Warren General	123	○	5.4	0.0	○	5.7	○	○	\$17,814	
Washington	530	○	4.9	2.3	○	3.9	○	○	\$13,635	
Western PA Hosp/Forbes	604	○	5.0	3.1	○	1.9	○	●	\$15,058	
Western Pennsylvania	385	○	4.8	1.9	○	2.7	○	○	\$23,181	
Windber	112	○	4.8	0.9	○	3.7	○	○	\$16,455	
Western Pennsylvania	17,670		5.1	3.9		4.8			\$17,892	
TOTAL: Statewide	48,924		4.9	5.0		5.0			\$29,369	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	3	NR	NR	NR	NR	NR
Allegheny General	26	○	6.3	○	○	\$38,165
Alle-Kiski	14	○	8.7	○	○	\$27,782
Altoona Regional	10	○	9.8	○	○	\$27,049
Bradford Regional	2	NR	NR	NR	NR	NR
Brookville	2	NR	NR	NR	NR	NR
Butler Memorial	6	○	7.8	○	○	\$33,601
Canonsburg General	3	NR	NR	NR	NR	NR
Charles Cole Memorial	0	NR	NR	NR	NR	NR
Clarion	4	NR	NR	NR	NR	NR
Clearfield	2	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	36	○	10.4	○	○	\$25,060
Corry Memorial	3	NR	NR	NR	NR	NR
DuBois Regional	12	○	5.8	○	○	\$24,919
Elk Regional	1	NR	NR	NR	NR	NR
Ellwood City	2	NR	NR	NR	NR	NR
Excelsa Hlth Westmoreland	30	○	10.6	○	○	\$30,281
Frick	3	NR	NR	NR	NR	NR
Grove City	4	NR	NR	NR	NR	NR
Hamot	25	○	10.1	○	○	\$58,365
Heritage Valley Beaver	17	○	8.7	○	○	\$17,500
Heritage Valley Sewickley	10	○	7.4	●	○	\$35,178
Highlands	7	○	9.9	●	○	\$29,196
Indiana Regional	7	○	6.1	○	○	NR
Jameson Memorial	4	NR	NR	NR	NR	NR
Jefferson Regional	38	○	11.7	○	○	\$30,888
Kane Community	0	NR	NR	NR	NR	NR
Latrobe Area	10	○	10.6	○	○	\$25,686
Magee-Womens	7	○	9.5	○	○	\$54,805
Meadville	3	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	8	○	7.3	○	○	NR
Miners	0	NR	NR	NR	NR	NR
Monongahela Valley	11	○	7.5	○	○	\$21,154
Nason	4	NR	NR	NR	NR	NR
Ohio Valley General	12	○	7.6	○	○	\$29,170
Punxsutawney Area	2	NR	NR	NR	NR	NR
Saint Vincent Health	31	○	8.9	○	○	\$52,091
Sharon Regional	7	○	8.9	○	○	\$25,527
Somerset	3	NR	NR	NR	NR	NR
Southwest Regional MC	0	NR	NR	NR	NR	NR
St Clair Memorial	11	○	10.0	○	○	\$30,348
Titusville Area	2	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR
Uniontown	33	○	6.7	○	○	\$17,190
UPMC Bedford	1	NR	NR	NR	NR	NR
UPMC Horizon	9	○	11.2	○	○	NR
UPMC McKeesport	1	NR	NR	NR	NR	NR
UPMC Mercy	24	○	7.3	○	○	\$41,301
UPMC Northwest	14	○	7.1	○	○	\$11,225
UPMC Passavant	16	○	11.6	○	○	\$52,607
UPMC Presby Shadyside	43	○	10.8	○	○	\$95,766
UPMC St Margaret	33	○	11.1	○	○	\$52,768
Warren General	0	NR	NR	NR	NR	NR
Washington	25	○	9.5	○	○	\$33,453
Western PA Hosp/Forbes	10	○	9.5	●	○	\$37,460
Western Pennsylvania	14	○	8.8	○	○	\$51,977
Windber	0	NR	NR	NR	NR	NR
Western Pennsylvania	617		9.2			\$39,478
TOTAL: Statewide	2,119		9.2			\$70,079

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

## Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	48	○	4.4	6.3	○	10.4	○	○	○	\$6,315
Allegheny General	218	○	3.7	6.5	○	5.5	○	○	○	\$19,852
Alle-Kiski	162	○	3.8	4.4	○	5.0	○	○	○	\$12,142
Altoona Regional	156	○	3.7	3.8	○	5.1	○	○	○	\$10,153
Bradford Regional	25	○	3.5	4.0	○	4.0	○	○	○	\$8,264
Brookville	16	○	3.3	0.0	○	0.0	○	○	○	\$5,143
Butler Memorial	79	○	3.5	2.5	○	2.5	○	○	○	\$11,890
Canonsburg General	27	○	3.5	3.7	○	3.7	○	○	○	\$12,377
Charles Cole Memorial	14	○	2.7	7.1	○	0.0	○	○	○	\$6,393
Clarion	44	○	2.9	4.5	○	2.3	○	○	○	\$8,200
Clearfield	50	○	2.9	2.0	○	0.0	○	○	○	\$7,777
Conemaugh Valley Memorial	213	○	3.8	3.3	○	8.1	○	○	○	\$9,669
Corry Memorial	19	○	4.5	0.0	○	10.5	○	○	○	\$14,700
DuBois Regional	90	○	3.0	12.5	●	2.3	○	○	○	\$12,000
Elk Regional	36	○	3.0	5.6	○	2.8	○	○	○	\$8,792
Ellwood City	16	○	3.3	0.0	○	0.0	○	○	○	\$7,700
Excelsior Hlth Westmoreland	174	○	3.8	6.4	○	5.8	○	○	○	\$11,409
Frick	65	○	3.6	3.1	○	4.6	○	○	○	\$9,062
Grove City	23	○	3.2	4.3	○	4.3	○	○	○	\$10,764
Hamot	149	○	4.2	2.7	○	6.8	○	○	○	\$21,825
Heritage Valley Beaver	125	○	4.2	2.4	○	4.9	○	○	○	\$9,063
Heritage Valley Sewickley	109	○	3.6	1.8	○	1.8	○	○	○	\$9,851
Highlands	38	○	3.5	16.2	●	10.8	○	○	○	\$9,520
Indiana Regional	115	○	3.6	4.3	○	3.5	○	○	●	\$10,375
Jameson Memorial	132	○	3.8	2.3	○	4.5	○	○	○	\$8,395
Jefferson Regional	150	○	4.1	5.4	○	2.7	○	○	○	\$9,559
Kane Community	10	○	3.4	0.0	○	0.0	○	○	○	\$9,807
Latrobe Area	106	○	3.1	3.8	○	1.9	○	○	○	\$9,915
Magee-Womens	56	○	4.1	8.9	○	14.3	●	○	○	\$18,179
Meadville	36	○	4.0	0.0	○	5.7	○	○	○	\$12,116

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	9	○	3.7	0.0	○	0.0	○	○	\$7,971	
Millcreek Community	16	○	5.0	0.0	○	12.5	○	○	\$13,100	
Miners	11	○	3.4	9.1	○	0.0	○	○	\$6,809	
Monongahela Valley	107	○	4.5	1.9	○	6.5	○	○	\$12,212	
Nason	16	○	3.3	12.5	○	6.3	○	○	\$4,702	
Ohio Valley General	54	○	4.4	3.8	○	1.9	○	○	\$14,052	
Punxsutawney Area	30	○	2.6	6.7	○	0.0	○	○	\$6,324	
Saint Vincent Health	99	○	4.0	5.2	○	5.2	○	○	\$20,623	
Sharon Regional	83	○	3.1	9.8	○	2.4	○	○	\$10,479	
Somerset	34	○	4.8	2.9	○	8.8	○	○	\$12,159	
Southwest Regional MC	25	○	3.2	4.0	○	0.0	○	○	\$11,056	
St Clair Memorial	129	○	3.5	3.9	○	3.1	○	○	\$11,995	
Titusville Area	24	●	3.7	9.1	○	4.5	○	○	\$7,610	
Tyrone	10	●	3.9	0.0	○	0.0	○	○	\$6,256	
Uniontown	159	○	3.7	6.3	○	3.1	○	○	\$8,110	
UPMC Bedford	37	○	2.4	16.2	●	0.0	○	○	\$6,747	
UPMC Horizon	96	○	4.0	5.2	○	5.2	○	○	\$11,977	
UPMC McKeesport	94	○	3.5	8.5	○	3.2	○	○	\$13,748	
UPMC Mercy	156	○	3.5	3.2	○	4.5	○	○	\$16,502	
UPMC Northwest	68	○	3.6	4.4	○	2.9	○	○	\$8,099	
UPMC Passavant	117	○	3.7	5.2	○	4.3	○	○	\$16,369	
UPMC Presby Shadyside	462	○	4.2	6.6	○	7.4	●	●	\$28,132	
UPMC St Margaret	135	○	4.4	5.2	○	8.9	○	○	\$19,974	
Warren General	22	○	3.7	0.0	○	4.5	○	○	\$14,479	
Washington	119	○	3.9	4.2	○	3.4	○	○	\$12,246	
Western PA Hosp/Forbes	216	○	3.8	9.3	●	4.7	○	○	\$11,516	
Western Pennsylvania	202	○	4.1	2.5	○	5.5	○	●	\$18,249	
Windber	22	○	3.7	4.5	○	0.0	○	○	\$11,830	
Western Pennsylvania	5,178		3.8	5.0		4.9			\$13,923	
TOTAL: Statewide	17,140		3.7	5.0		5.0			\$23,170	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
ACMH	46	40.3	○	5.7	7.5	○	0.0	○	\$9,381
Allegheny General*	208	3.9	○	5.6	5.1	○	7.1	○	\$37,621
Alle-Kiski	160	37.6	○	6.3	5.5	○	8.9	○	\$22,573
Altoona Regional*	238	3.6	○	4.9	4.2	○	5.1	○	\$19,499
Bradford Regional	41	39.1	○	4.3	7.7	○	0.0	○	\$13,009
Brookville	26	32.4	○	5.1	4.0	○	8.0	○	\$9,695
Butler Memorial*	113	4.4	○	5.3	2.8	○	1.9	○	\$23,007
Canonsburg General	15	71.7	○	6.2	0.0	○	0.0	○	\$23,977
Charles Cole Memorial	14	40.9	○	3.4	8.3	○	0.0	○	\$10,525
Clarion	18	54.5	○	4.0	0.0	○	0.0	○	\$8,770
Clearfield	19	50.0	○	4.0	6.3	○	6.3	○	\$14,088
Conemaugh Valley Memorial*	253	3.4	○	5.8	3.1	○	7.9	○	\$17,794
Corry Memorial	3	NR	NR	NR	NR	NR	NR	NR	NR
DuBois Regional*	92	7.7	○	4.0	9.5	○	2.4	○	\$22,060
Elk Regional	31	36.2	○	5.1	3.3	○	0.0	○	\$12,538
Ellwood City	5	83.3	●	NR	NR	NR	NR	NR	NR
Excelsior Hlth Westmoreland*	105	8.0	○	6.7	1.1	○	10.9	●	\$21,240
Frick	17	59.0	○	5.6	0.0	○	6.3	○	\$16,595
Grove City	8	54.5	○	5.7	0.0	○	0.0	○	\$14,233
Hamot*	171	4.4	○	4.4	11.8	●	2.6	○	\$48,318
Heritage Valley Beaver*	150	5.4	○	5.9	2.2	○	8.0	○	\$17,698
Heritage Valley Sewickley	46	51.2	○	5.5	2.4	○	0.0	○	\$13,377
Highlands	11	57.1	○	4.1	0.0	○	0.0	○	\$14,758
Indiana Regional	93	31.0	○	5.3	7.0	○	2.3	○	\$15,184
Jameson Memorial*	90	23.8	○	5.5	3.8	○	3.8	○	\$17,766
Jefferson Regional*	70	3.0	○	5.4	7.7	○	4.6	○	\$19,813
Kane Community	8	58.3	○	6.0	0.0	○	0.0	○	\$15,903
Latrobe Area	51	51.7	○	5.6	2.4	○	7.1	○	\$15,316
Magee-Womens	2	NR	NR	NR	NR	NR	NR	NR	NR
Meadville	23	62.2	○	5.2	0.0	○	11.8	○	\$16,203

\* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup> While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
Meyersdale Community	8	11.1	○	3.6	0.0	○	0.0	○	\$10,463
Millcreek Community	8	52.9	○	7.2	0.0	○	12.5	○	\$30,339
Miners	11	20.0	○	5.0	0.0	○	0.0	○	\$11,973
Monongahela Valley*	57	56.6	○	6.9	4.1	○	16.3	●	\$18,414
Nason	6	86.4	●	NR	NR	NR	NR	NR	NR
Ohio Valley General	23	52.3	○	5.9	0.0	○	4.8	○	\$20,493
Punxsutawney Area	13	60.0	○	4.6	0.0	○	0.0	○	\$10,756
Saint Vincent Health*	170	2.6	●	5.4	1.4	○	8.2	○	\$44,998
Sharon Regional*	48	8.0	○	4.8	6.5	○	2.2	○	\$23,368
Somerset*	54	31.5	○	6.6	0.0	○	10.0	○	\$18,597
Southwest Regional MC	14	64.7	○	3.8	0.0	○	0.0	○	\$13,879
St Clair Memorial*	99	1.1	○	5.1	2.3	○	4.5	○	\$20,035
Titusville Area	8	38.5	○	5.5	0.0	○	0.0	○	\$13,344
Tyrone	7	52.6	○	2.7	28.6	●	0.0	○	\$9,265
Uniontown*	85	44.8	●	4.6	0.0	○	1.6	○	\$13,991
UPMC Bedford	19	39.3	○	3.9	5.9	○	0.0	○	\$10,824
UPMC Horizon	60	43.9	○	6.0	1.8	○	7.3	○	\$19,778
UPMC McKeesport*	83	32.8	○	5.4	6.6	○	7.9	○	\$27,973
UPMC Mercy*	125	0.9	○	5.8	3.6	○	8.0	○	\$31,166
UPMC Northwest	41	54.8	○	4.9	7.9	○	5.3	○	\$11,432
UPMC Passavant*	244	0.9	○	5.2	3.5	○	3.9	○	\$26,916
UPMC Presby Shadyside*	317	1.0	○	5.5	4.6	○	6.4	○	\$49,221
UPMC St Margaret	98	46.3	○	4.8	5.7	○	6.8	○	\$24,312
Warren General	14	28.6	●	5.0	0.0	○	0.0	○	\$16,862
Washington*	163	0.7	○	4.2	6.9	○	2.1	○	\$18,498
Western PA Hosp/Forbes*	134	5.3	○	5.1	7.1	○	3.2	○	\$21,097
Western Pennsylvania*	83	1.4	●	5.1	4.3	○	5.8	○	\$31,411
Windber	26	41.2	●	5.2	5.0	○	10.0	○	\$15,822
Western Pennsylvania	4,205	22.3		5.3	4.5		5.5		\$24,945
TOTAL: Statewide	12,134	20.3		5.2	5.0		5.0		\$35,933

\* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
ACMH	30	○	4.0	10.0	○	3.3	○	\$7,702
Allegheny General	117	○	4.4	4.3	○	3.4	○	\$21,814
Alle-Kiski	75	○	3.5	1.4	○	1.4	○	\$11,508
Altoona Regional	134	○	3.8	6.0	○	1.5	○	\$10,608
Bradford Regional	38	○	3.9	2.7	○	0.0	○	\$7,664
Brookville	22	○	3.8	0.0	○	0.0	○	\$5,727
Butler Memorial	48	○	3.7	10.6	○	2.1	○	\$11,822
Canonsburg General	27	○	4.5	0.0	○	3.7	○	\$12,618
Charles Cole Memorial	19	○	2.8	5.3	○	0.0	○	\$6,714
Clarion	7	○	3.9	14.3	○	0.0	○	\$7,686
Clearfield	38	○	3.0	2.6	○	0.0	○	\$8,586
Conemaugh Valley Memorial	97	○	4.4	2.1	○	7.4	○	\$10,499
Corry Memorial	21	○	3.8	5.0	○	0.0	○	\$9,862
DuBois Regional	29	○	2.8	28.6	●	0.0	○	\$11,134
Elk Regional	24	○	2.8	4.3	○	0.0	○	\$8,538
Ellwood City	18	○	3.8	5.6	○	0.0	○	\$7,803
Excelsa Hlth Westmoreland	139	○	4.1	1.5	○	5.3	○	\$12,301
Frick	44	○	4.1	4.8	○	0.0	○	\$11,336
Grove City	8	○	3.2	0.0	○	0.0	○	\$10,203
Hamot	105	○	4.4	2.0	○	7.9	○	\$21,082
Heritage Valley Beaver	75	○	4.4	2.7	○	4.1	○	\$11,059
Heritage Valley Sewickley	39	○	3.8	2.6	○	2.6	○	\$8,990
Highlands	33	○	4.4	3.2	○	6.5	○	\$7,959
Indiana Regional	46	○	3.2	11.6	○	0.0	○	\$9,420
Jameson Memorial	44	○	3.4	9.3	○	0.0	○	\$9,242
Jefferson Regional	85	○	4.5	4.7	○	4.7	○	\$8,257
Kane Community	10	○	4.0	0.0	○	0.0	○	\$9,987
Latrobe Area	64	○	3.6	4.8	○	3.2	○	\$12,369
Magee-Womens	45	○	3.9	17.8	●	4.4	○	\$20,192
Meadville	51	○	4.4	6.1	○	6.1	○	\$10,322

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
Meyersdale Community	1	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	20	○	3.5	0.0	○	0.0	○	\$12,184
Miners	4	NR	NR	NR	NR	NR	NR	NR
Monongahela Valley	36	○	4.3	0.0	○	0.0	○	\$11,167
Nason	22	○	3.1	0.0	○	0.0	○	\$4,202
Ohio Valley General	54	○	3.9	7.5	○	1.9	○	\$13,960
Punxsutawney Area	21	○	4.4	0.0	○	4.8	○	\$7,653
Saint Vincent Health	118	○	4.3	4.3	○	9.4	○	\$19,467
Sharon Regional	46	●	3.5	4.9	○	2.4	○	\$11,282
Somerset	22	●	4.2	5.3	○	0.0	○	\$11,353
Southwest Regional MC	22	○	2.9	0.0	○	0.0	○	\$8,148
St Clair Memorial	123	○	3.9	5.9	○	3.4	○	\$13,669
Titusville Area	18	○	2.8	22.2	●	0.0	○	\$5,399
Tyrone	6	○	4.1	0.0	○	0.0	○	\$9,115
Uniontown	46	○	4.2	6.8	○	6.8	○	\$7,206
UPMC Bedford	36	○	3.5	8.6	○	5.7	○	\$8,152
UPMC Horizon	58	○	4.0	3.5	○	3.5	○	\$13,165
UPMC McKeesport	60	○	3.9	10.0	○	5.0	○	\$14,441
UPMC Mercy	64	○	4.2	3.1	○	4.7	○	\$17,012
UPMC Northwest	32	○	5.0	3.2	○	12.9	○	\$9,561
UPMC Passavant	107	○	4.9	3.9	○	8.8	○	\$19,746
UPMC Presby Shadyside	297	○	4.6	5.4	○	7.1	○	\$26,793
UPMC St Margaret	128	○	4.7	4.7	○	6.3	○	\$21,061
Warren General	20	○	4.8	5.0	○	10.0	○	\$13,729
Washington	85	○	3.9	6.1	○	3.7	○	\$12,390
Western PA Hosp/Forbes	110	○	4.4	2.7	○	5.5	○	\$14,120
Western Pennsylvania	77	○	4.2	2.6	○	2.6	○	\$20,561
Windber	16	●	3.5	0.0	○	0.0	○	\$10,486
Western Pennsylvania	3,206		4.1	4.9		4.3		\$14,539
TOTAL: Statewide	9,879		4.2	5.0		5.0		\$21,970

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Kidney Failure - Acute

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	51	○	6.3	6.3	○	2.1	○	○	○	\$10,491
Allegheny General	315	○	5.6	5.0	○	6.0	○	○	○	\$29,877
Alle-Kiski	218	○	5.4	4.3	○	3.3	○	○	○	\$17,245
Altoona Regional	308	●	6.0	1.8	○	5.1	○	○	○	\$16,782
Bradford Regional	37	○	5.1	3.0	○	3.0	○	○	○	\$13,004
Brookville	11	○	5.3	0.0	○	0.0	○	○	○	\$9,629
Butler Memorial	184	○	5.1	5.7	○	3.4	○	○	○	\$15,840
Canonsburg General	89	○	6.0	1.2	○	3.6	○	○	○	\$20,544
Charles Cole Memorial	35	○	4.2	5.9	○	0.0	○	○	○	\$9,535
Clarion	62	●	4.0	5.6	○	0.0	○	○	○	\$8,725
Clearfield	34	○	5.1	0.0	○	0.0	○	○	○	\$13,659
Conemaugh Valley Memorial	443	●	6.5	2.2	○	8.9	●	○	○	\$15,741
Corry Memorial	8	○	4.7	0.0	○	0.0	○	○	○	\$14,778
DuBois Regional	117	○	4.9	5.4	○	1.8	○	○	○	\$18,532
Elk Regional	41	○	5.2	5.1	○	0.0	○	○	○	\$11,119
Ellwood City	25	○	5.9	4.3	○	0.0	○	○	○	\$12,621
Excelsior Health Westmoreland	193	○	6.1	2.7	○	6.5	○	○	○	\$16,732
Frick	67	○	5.0	6.3	○	3.2	○	○	○	\$13,063
Grove City	11	○	6.4	0.0	○	0.0	○	○	○	\$20,181
Hamot	285	○	5.9	4.4	○	6.6	○	○	○	\$34,520
Heritage Valley Beaver	213	●	6.8	2.1	○	7.8	○	○	○	\$15,428
Heritage Valley Sewickley	63	○	6.0	1.7	○	3.4	○	○	○	\$15,594
Highlands	16	○	5.5	0.0	○	0.0	○	○	○	\$12,703
Indiana Regional	87	○	5.1	4.9	○	1.2	○	○	○	\$12,908
Jameson Memorial	208	○	5.4	5.5	○	2.5	○	○	●	\$13,434
Jefferson Regional	209	○	5.9	3.4	○	4.4	○	○	○	\$13,135
Kane Community	6	●	NR	NR	NR	NR	NR	NR	NR	\$10,112
Latrobe Area	146	○	5.3	2.9	○	1.5	○	○	○	\$14,717
Magee-Womens	53	○	6.8	0.0	○	8.2	○	○	○	\$33,086
Meadville	84	●	5.7	6.6	○	7.9	○	○	○	\$19,632

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Kidney Failure - Acute

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	6	○	4.4	0.0	○	0.0	○	○	\$8,922	
Millcreek Community	37	○	5.0	0.0	○	0.0	○	○	\$19,554	
Miners	6	○	5.9	0.0	○	0.0	○	○	\$15,410	
Monongahela Valley	131	○	6.8	1.6	○	7.1	○	●	\$19,444	
Nason	3	NR	NR	NR	NR	NR	NR	NR	NR	
Ohio Valley General	44	○	5.6	2.3	○	2.3	○	○	\$15,101	
Punxsutawney Area	24	○	4.9	4.2	○	0.0	○	○	\$9,712	
Saint Vincent Health	221	○	5.5	4.8	○	1.0	○	○	\$34,157	
Sharon Regional	101	○	4.9	8.1	○	3.0	○	○	\$16,702	
Somerset	83	○	5.9	3.8	○	5.0	○	○	\$13,887	
Southwest Regional MC	15	○	4.1	0.0	○	0.0	○	○	\$13,028	
St Clair Memorial	180	○	5.5	6.0	○	5.4	○	○	\$17,918	
Titusville Area	7	○	5.1	16.7	○	0.0	○	○	\$10,893	
Tyrone	6	○	5.0	0.0	○	0.0	○	○	\$12,280	
Uniontown	138	●	5.4	3.2	○	4.0	○	○	\$12,782	
UPMC Bedford	17	○	4.4	11.8	○	0.0	○	○	\$11,049	
UPMC Horizon	134	○	5.4	3.1	○	1.5	○	●	\$16,068	
UPMC McKeesport	217	○	5.3	3.8	○	1.9	○	○	\$20,522	
UPMC Mercy	194	○	5.4	4.9	○	4.4	○	○	\$23,609	
UPMC Northwest	85	○	5.1	8.5	○	0.0	○	○	\$11,639	
UPMC Passavant	302	○	5.9	3.9	○	7.7	○	○	\$24,732	
UPMC Presby Shadyside	514	○	6.1	5.3	○	6.3	○	●	\$41,928	
UPMC St Margaret	192	○	5.7	4.9	○	5.9	○	○	\$26,427	
Warren General	7	○	6.9	0.0	○	0.0	○	○	\$25,096	
Washington	120	○	6.2	1.7	○	7.8	○	○	\$20,886	
Western PA Hosp/Forbes	229	○	5.0	6.8	○	2.3	○	●	\$14,313	
Western Pennsylvania	172	○	5.5	3.1	○	2.5	○	○	\$29,751	
Windber	35	○	4.9	0.0	○	0.0	○	○	\$17,243	
Western Pennsylvania	6,945		5.7	4.1		4.6			\$20,682	
TOTAL: Statewide	19,416		5.5	5.0		5.0			\$30,894	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	103	○	5.1	2.0	○	10.8	●	○	○	\$8,426
Allegheny General	242	○	4.0	4.6	○	5.4	○	○	○	\$19,338
Alle-Kiski	226	○	3.9	5.3	○	3.1	○	○	○	\$11,438
Altoona Regional	177	○	4.4	2.3	○	2.3	○	○	○	\$12,411
Bradford Regional	52	○	3.9	11.8	●	2.0	○	○	○	\$8,157
Brookville	30	○	3.8	3.3	○	0.0	○	○	○	\$5,690
Butler Memorial	173	○	3.9	2.9	○	1.7	○	○	○	\$12,705
Canonsburg General	82	●	4.3	3.8	○	7.7	○	○	○	\$12,315
Charles Cole Memorial	33	○	3.3	0.0	○	3.0	○	○	○	\$7,436
Clarion	81	○	3.5	10.1	○	2.5	○	○	○	\$6,777
Clearfield	86	○	3.9	0.0	○	3.6	○	○	○	\$8,732
Conemaugh Valley Memorial	248	●	4.1	7.0	○	6.6	○	○	○	\$9,969
Corry Memorial	23	○	4.7	0.0	○	4.3	○	○	○	\$12,922
DuBois Regional	98	○	3.4	10.2	●	2.0	○	○	○	\$10,507
Elk Regional	53	○	3.7	3.8	○	5.7	○	○	○	\$9,231
Ellwood City	43	○	3.7	0.0	○	4.7	○	○	○	\$6,125
Excelsior Health Westmoreland	279	○	4.1	3.2	○	3.6	○	○	○	\$10,830
Frick	65	○	4.8	3.1	○	6.2	○	○	○	\$12,257
Grove City	75	○	4.1	4.0	○	2.7	○	○	○	\$10,741
Hamot	130	○	4.2	6.2	○	4.7	○	○	○	\$18,199
Heritage Valley Beaver	273	○	4.7	3.0	○	8.5	●	○	○	\$9,853
Heritage Valley Sewickley	136	○	4.0	2.9	○	2.9	○	○	○	\$9,776
Highlands	45	○	4.4	0.0	○	6.7	○	○	○	\$8,944
Indiana Regional	196	○	3.8	5.1	○	2.6	○	●	●	\$9,387
Jameson Memorial	171	○	4.2	3.6	○	2.4	○	○	○	\$8,727
Jefferson Regional	379	○	4.1	2.1	○	2.9	○	○	○	\$7,719
Kane Community	28	○	4.6	0.0	○	3.6	○	○	○	\$10,773
Latrobe Area	137	○	3.4	5.1	○	2.2	○	○	○	\$10,961
Magee-Womens	108	○	4.3	3.7	○	6.5	○	○	○	\$17,452
Meadville	83	○	4.1	4.9	○	6.1	○	○	○	\$10,161

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	12	○	3.6	0.0	○	0.0	○	○	\$9,732	
Millcreek Community	57	○	4.1	3.6	○	3.6	○	○	\$11,934	
Miners	20	○	4.0	5.0	○	0.0	○	○	\$8,729	
Monongahela Valley	156	○	4.6	1.9	○	4.5	○	○	\$10,755	
Nason	68	●	3.8	6.2	○	0.0	○	○	\$6,346	
Ohio Valley General	88	○	4.1	2.3	○	2.3	○	○	\$11,931	
Punxsutawney Area	111	○	3.7	5.4	○	0.9	○	○	\$6,729	
Saint Vincent Health	111	○	4.2	3.6	○	2.7	○	○	\$18,214	
Sharon Regional	81	○	3.8	7.4	○	6.2	○	○	\$9,888	
Somerset	86	○	5.1	3.5	○	8.2	○	○	\$11,864	
Southwest Regional MC	63	○	3.1	6.3	○	0.0	○	○	\$8,370	
St Clair Memorial	286	○	4.1	4.6	○	2.8	○	○	\$11,339	
Titusville Area	56	○	3.9	0.0	○	1.8	○	○	\$6,592	
Tyrone	40	○	4.1	0.0	○	5.0	○	○	\$7,401	
Uniontown	221	○	3.9	5.0	○	4.6	○	○	\$7,827	
UPMC Bedford	46	○	2.9	8.7	○	0.0	○	○	\$7,225	
UPMC Horizon	131	○	3.8	0.0	○	3.1	○	○	\$10,781	
UPMC McKeesport	113	○	4.0	8.0	○	5.3	○	○	\$15,976	
UPMC Mercy	213	○	4.6	4.2	○	6.6	○	○	\$17,616	
UPMC Northwest	141	○	3.8	4.3	○	2.1	○	○	\$8,622	
UPMC Passavant	357	○	4.1	3.7	○	5.4	○	○	\$15,106	
UPMC Presby Shadyside	553	○	3.9	7.3	●	4.7	○	●	\$26,687	
UPMC St Margaret	279	○	4.1	4.0	○	2.5	○	○	\$17,124	
Warren General	62	○	4.0	4.8	○	3.2	○	○	\$11,218	
Washington	220	○	4.0	4.6	○	3.2	○	○	\$10,729	
Western PA Hosp/Forbes	441	○	3.8	1.8	○	0.7	○	●	\$10,513	
Western Pennsylvania	159	○	4.1	3.8	○	5.7	○	○	\$19,216	
Windber	38	●	3.2	13.9	●	5.6	○	○	\$11,997	
Western Pennsylvania	8,248		4.1	4.2		4.0			\$12,517	
TOTAL: Statewide	24,418		4.1	5.0		5.0			\$21,550	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	30	●	7.5	0.0	○	13.6	○	○	○	\$17,811
Allegheny General	152	○	6.4	4.8	○	3.4	○	○	○	\$34,387
Alle-Kiski	118	○	6.2	4.5	○	1.8	○	○	○	\$20,217
Altoona Regional	123	●	7.2	3.2	○	4.3	○	○	○	\$20,806
Bradford Regional	15	○	5.2	0.0	○	0.0	○	○	○	\$11,129
Brookville	22	○	5.1	0.0	○	0.0	○	○	○	\$9,437
Butler Memorial	85	○	6.0	3.9	○	1.3	○	○	○	\$17,773
Canonsburg General	49	○	7.3	0.0	○	4.5	○	○	○	\$25,055
Charles Cole Memorial	6	○	5.2	0.0	○	0.0	○	●	●	\$12,126
Clarion	27	○	5.3	0.0	○	0.0	○	○	○	\$9,652
Clearfield	11	○	5.8	0.0	○	0.0	○	○	○	\$12,511
Conemaugh Valley Memorial	123	●	7.4	2.8	○	7.5	○	○	○	\$16,657
Corry Memorial	5	○	NR	NR	NR	NR	NR	NR	NR	\$12,306
DuBois Regional	18	○	5.5	5.9	○	0.0	○	○	○	\$18,159
Elk Regional	11	○	4.5	0.0	○	0.0	○	○	○	\$11,034
Ellwood City	6	●	NR	NR	NR	NR	NR	NR	NR	\$9,429
Excelsa Hlth Westmoreland	180	○	8.0	0.6	○	6.2	○	○	○	\$23,339
Frick	86	○	7.5	0.0	○	6.2	○	○	○	\$21,023
Grove City	10	○	8.7	0.0	○	12.5	○	○	○	\$18,674
Hamot	50	○	7.3	2.1	○	10.4	○	○	○	\$32,891
Heritage Valley Beaver	121	○	8.2	0.0	○	4.6	○	○	○	\$17,975
Heritage Valley Sewickley	67	○	6.4	0.0	○	3.4	○	○	○	\$16,562
Highlands	12	○	7.6	0.0	○	8.3	○	○	○	\$24,406
Indiana Regional	206	●	6.6	4.7	○	2.9	○	○	○	\$15,382
Jameson Memorial	71	○	7.0	1.6	○	6.3	○	○	○	\$15,078
Jefferson Regional	130	○	6.5	1.6	○	4.8	○	○	○	\$15,354
Kane Community	15	○	4.4	0.0	○	0.0	○	○	○	\$18,308
Latrobe Area	85	○	6.7	5.1	○	3.8	○	○	○	\$23,253
Magee-Womens	16	○	8.4	6.7	○	20.0	●	○	○	\$46,285
Meadville	59	○	7.0	0.0	○	7.5	○	○	○	\$17,942

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Miners	17	⊖	4.8	0.0	⊖	0.0	⊖	⊖	⊖	\$14,655
Monongahela Valley	65	⊖	7.4	1.6	⊖	4.9	⊖	⊖	⊖	\$18,476
Nason	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	9	⊖	8.6	0.0	⊖	0.0	⊖	●	⊖	\$25,112
Punxsutawney Area	15	⊖	6.0	0.0	⊖	0.0	⊖	⊖	⊖	\$11,957
Saint Vincent Health	29	⊖	6.5	8.0	⊖	8.0	⊖	⊖	⊖	\$31,671
Sharon Regional	28	⊖	6.5	0.0	⊖	7.1	⊖	⊖	⊖	\$17,474
Somerset	27	⊖	6.8	4.5	⊖	9.1	⊖	⊖	⊖	\$18,871
Southwest Regional MC	16	⊖	5.3	6.7	⊖	0.0	⊖	⊖	⊖	\$18,463
St Clair Memorial	177	●	6.7	2.8	⊖	5.5	⊖	⊖	⊖	\$19,128
Titusville Area	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyrone	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uniontown	56	●	7.0	2.3	⊖	4.5	⊖	⊖	⊖	\$14,783
UPMC Bedford	15	⊖	6.4	8.3	⊖	0.0	⊖	⊖	⊖	\$18,294
UPMC Horizon	44	⊖	6.4	10.3	⊖	2.6	⊖	⊖	⊖	\$16,490
UPMC McKeesport	52	⊖	7.3	6.1	⊖	2.0	⊖	⊖	⊖	\$26,919
UPMC Mercy	76	⊖	6.3	4.2	⊖	4.2	⊖	⊖	⊖	\$26,826
UPMC Northwest	156	⊖	6.9	5.6	⊖	5.6	⊖	●	●	\$14,430
UPMC Passavant	219	⊖	6.8	5.0	⊖	4.0	⊖	⊖	⊖	\$27,390
UPMC Presby Shadyside	335	⊖	6.4	8.1	●	5.5	⊖	●	⊖	\$46,855
UPMC St Margaret	156	⊖	6.6	5.6	⊖	5.6	⊖	⊖	⊖	\$29,812
Warren General	12	⊖	6.1	16.7	⊖	0.0	⊖	⊖	⊖	\$18,886
Washington	91	⊖	6.8	1.2	⊖	3.7	⊖	⊖	⊖	\$18,114
Western PA Hosp/Forbes	183	⊖	6.2	3.7	⊖	1.9	⊖	⊖	⊖	\$18,222
Western Pennsylvania	77	⊖	5.6	10.6	⊖	0.0	⊖	⊖	⊖	\$30,881
Windber	21	⊖	4.0	0.0	⊖	0.0	⊖	⊖	⊖	\$15,531
Western Pennsylvania	3,835		6.7	3.8		4.4				\$22,799
TOTAL: Statewide	9,517		6.6	5.0		5.0				\$35,545

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	235	○	6.1	4.0	○	13.4	●	○	○	\$11,052
Allegheny General	326	○	4.5	8.4	●	3.1	○	○	○	\$24,430
Alle-Kiski	272	○	5.0	7.8	●	4.4	○	○	●	\$15,244
Altoona Regional	354	○	5.2	7.6	●	8.2	●	○	○	\$15,222
Bradford Regional	93	○	4.3	9.0	○	2.2	○	○	○	\$11,368
Brookville	105	○	4.6	4.9	○	1.9	○	○	○	\$7,956
Butler Memorial	228	○	4.7	7.2	○	2.2	○	○	○	\$14,551
Canonsburg General	127	○	5.1	3.3	○	5.8	○	○	○	\$17,211
Charles Cole Memorial	95	○	3.5	8.8	○	0.0	○	○	○	\$9,867
Clarion	171	●	4.5	3.1	○	1.9	○	○	○	\$8,513
Clearfield	218	○	4.6	3.3	○	2.3	○	○	○	\$11,431
Conemaugh Valley Memorial	465	○	5.6	1.8	○	8.5	●	○	○	\$13,199
Corry Memorial	84	○	4.8	2.4	○	2.4	○	○	○	\$14,774
DuBois Regional	161	○	3.5	13.2	●	1.3	○	○	○	\$11,989
Elk Regional	154	○	4.3	5.3	○	2.0	○	○	○	\$10,632
Ellwood City	85	○	5.0	2.4	○	1.2	○	○	○	\$10,007
Excelsa Hlth Westmoreland	462	○	5.9	2.7	○	10.1	●	○	○	\$17,693
Frick	145	○	5.6	2.8	○	5.7	○	○	○	\$15,560
Grove City	117	○	4.6	10.6	●	3.5	○	○	○	\$14,101
Hamot	387	●	4.8	4.9	○	4.9	○	○	○	\$25,677
Heritage Valley Beaver	294	○	5.5	2.1	○	5.6	○	○	○	\$11,964
Heritage Valley Sewickley	229	○	5.0	2.3	○	4.5	○	○	○	\$13,075
Highlands	84	○	4.6	3.6	○	0.0	○	○	○	\$10,759
Indiana Regional	252	○	4.2	6.5	○	2.0	○	○	○	\$11,167
Jameson Memorial	282	○	5.6	4.1	○	6.3	○	●	●	\$12,225
Jefferson Regional	473	○	5.0	2.2	○	5.4	○	○	○	\$11,650
Kane Community	123	○	4.4	0.0	○	0.8	○	○	○	\$14,867
Latrobe Area	240	○	4.8	4.2	○	5.5	○	○	●	\$15,459
Magee-Womens	104	○	5.4	5.9	○	7.8	○	○	○	\$26,121
Meadville	151	○	5.0	5.4	○	5.4	○	○	○	\$13,370

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup> While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	40	○	5.2	2.5	○	2.5	○	○	○	\$12,877
Millcreek Community	76	○	5.1	0.0	○	2.6	○	○	○	\$17,306
Miners	80	○	5.3	4.0	○	4.0	○	○	○	\$12,113
Monongahela Valley	269	○	5.7	3.1	○	7.7	○	○	○	\$14,724
Nason	117	○	4.6	1.8	○	3.6	○	○	○	\$7,557
Ohio Valley General	164	○	5.5	0.0	○	5.7	○	○	○	\$16,989
Punxsutawney Area	104	○	4.8	2.0	○	1.0	○	○	○	\$10,007
Saint Vincent Health	234	○	4.5	4.4	○	3.1	○	○	○	\$21,489
Sharon Regional	206	○	4.5	7.9	○	2.5	○	○	○	\$11,930
Somerset	118	○	5.2	4.4	○	5.3	○	○	○	\$13,437
Southwest Regional MC	174	○	4.0	9.6	●	0.0	○	○	○	\$11,942
St Clair Memorial	703	○	5.4	2.5	○	5.3	○	○	○	\$14,616
Titusville Area	97	○	4.2	3.2	○	1.1	○	○	○	\$8,352
Tyrone	99	○	3.8	4.2	○	1.0	○	○	○	\$9,000
Uniontown	313	●	4.9	8.2	●	5.1	○	○	●	\$11,163
UPMC Bedford	121	○	3.7	10.1	●	0.8	○	○	○	\$10,133
UPMC Horizon	249	○	5.1	3.3	○	5.0	○	○	○	\$15,376
UPMC McKeesport	163	○	5.9	3.2	○	8.9	●	○	○	\$20,398
UPMC Mercy	363	○	5.3	4.2	○	6.8	○	○	○	\$20,354
UPMC Northwest	256	○	5.1	6.1	○	4.5	○	○	○	\$11,735
UPMC Passavant	410	○	5.4	3.3	○	6.6	○	○	○	\$21,616
UPMC Presby Shadyside	789	○	4.9	5.8	○	6.1	○	○	○	\$35,680
UPMC St Margaret	402	○	5.7	1.5	○	7.6	●	○	○	\$25,250
Warren General	146	○	4.9	4.1	○	2.1	○	○	○	\$15,704
Washington	543	○	4.9	4.2	○	5.7	○	○	○	\$13,541
Western PA Hosp/Forbes	352	○	5.2	3.2	○	5.2	○	○	○	\$16,284
Western Pennsylvania	207	○	5.0	2.5	○	4.5	○	○	○	\$25,015
Windber	120	○	4.5	2.6	○	3.5	○	○	○	\$15,425
Western Pennsylvania	13,589		5.0	4.4		5.1				\$16,413
TOTAL: Statewide	38,727		4.9	5.0		5.0				\$26,483

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	5	○	NR	NR	NR	NR	NR	NR	\$27,066	
Allegheny General	191	○	11.7	3.8	○	10.5	●	○	○	\$93,328
Alle-Kiski	41	○	7.4	3.0	○	0.0	○	○	○	\$43,818
Altoona Regional	104	○	8.6	4.1	○	1.4	○	○	○	\$36,607
Bradford Regional	15	○	6.7	9.1	○	0.0	○	○	●	\$33,254
Brookville	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Butler Memorial	59	○	7.4	4.9	○	0.0	○	○	○	\$41,784
Canonsburg General	16	○	6.4	30.8	●	0.0	○	○	○	\$36,577
Charles Cole Memorial	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Clarion	5	○	NR	NR	NR	NR	NR	NR	NR	\$19,601
Clearfield	12	○	5.5	0.0	○	0.0	○	○	○	\$26,871
Conemaugh Valley Memorial	125	○	9.9	0.0	○	4.3	○	○	○	\$34,591
Corry Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	32	○	6.7	3.7	○	0.0	○	○	○	\$37,145
Elk Regional	6	○	NR	NR	NR	NR	NR	NR	NR	\$30,541
Ellwood City	5	○	NR	NR	NR	NR	NR	NR	NR	\$24,857
Excela Hlth Westmoreland	70	○	9.3	1.9	○	5.6	○	○	○	\$36,196
Frick	8	○	8.7	0.0	○	0.0	○	○	○	\$33,549
Grove City	7	○	9.1	0.0	○	0.0	○	○	○	\$25,495
Hamot	127	○	9.0	2.2	○	3.4	○	○	○	\$98,840
Heritage Valley Beaver	59	○	10.3	0.0	○	4.5	○	○	●	\$32,526
Heritage Valley Sewickley	31	○	9.5	0.0	○	0.0	○	○	○	\$29,909
Highlands	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	15	○	8.8	9.1	○	0.0	○	○	○	\$27,540
Jameson Memorial	54	○	8.8	4.2	○	4.2	○	○	●	\$37,193
Jefferson Regional	39	○	9.5	3.1	○	6.3	○	○	○	\$35,418
Kane Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Latrobe Area	35	○	10.4	0.0	○	4.2	○	○	○	\$37,285
Magee-Womens	11	○	11.2	0.0	○	12.5	○	○	○	\$93,133
Meadville	27	○	9.3	4.5	○	4.5	○	○	○	\$35,900

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	7	○	5.5	0.0	○	0.0	○	○	○	\$47,563
Miners	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Monongahela Valley	31	○	8.5	4.2	○	0.0	○	○	○	\$46,921
Nason	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	11	●	NR	NR	NR	NR	NR	NR	NR	\$37,713
Punxsutawney Area	6	○	8.0	0.0	○	0.0	○	○	○	\$23,249
Saint Vincent Health	92	○	9.2	2.9	○	4.4	○	○	○	\$86,492
Sharon Regional	40	○	8.9	9.4	○	3.1	○	○	○	\$42,602
Somerset	7	○	12.0	0.0	○	20.0	○	○	○	\$38,997
Southwest Regional MC	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Clair Memorial	87	○	6.6	13.2	●	0.0	○	○	○	\$36,376
Titusville Area	5	○	NR	NR	NR	NR	NR	NR	NR	\$17,637
Tyrone	13	○	5.5	20.0	○	0.0	○	○	○	\$20,917
Uniontown	52	○	8.8	15.0	●	0.0	○	●	●	\$24,869
UPMC Bedford	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC Horizon	21	○	9.0	13.3	○	6.7	○	○	○	\$38,748
UPMC McKeesport	30	○	8.6	4.3	○	0.0	○	○	○	\$47,686
UPMC Mercy	102	○	8.1	12.5	●	0.0	○	○	○	\$50,638
UPMC Northwest	21	○	7.8	0.0	○	0.0	○	○	○	\$30,132
UPMC Passavant	60	○	10.0	5.4	○	8.1	○	○	○	\$56,244
UPMC Presby Shadyside	245	●	11.5	2.4	○	11.6	●	○	○	\$137,720
UPMC St Margaret	29	○	12.0	0.0	○	18.2	●	○	○	\$57,494
Warren General	8	○	8.3	0.0	○	0.0	○	○	○	\$33,007
Washington	52	○	8.6	4.9	○	2.4	○	○	○	\$39,966
Western PA Hosp/Forbes	41	○	5.8	17.9	●	0.0	○	○	○	\$40,925
Western Pennsylvania	26	○	9.3	0.0	○	6.7	○	○	○	\$58,739
Windber	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Western Pennsylvania	2,120		9.2	4.9		4.5				\$61,114
TOTAL: Statewide	5,834		9.3	5.0		5.0				\$85,560

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	16	○	7.1	0.0	○	7.1	○	○	\$12,336	
Allegheny General	114	○	5.7	4.5	○	2.7	○	○	\$32,553	
Alle-Kiski	189	○	4.4	4.4	○	1.7	○	○	\$15,544	
Altoona Regional	64	○	5.3	9.7	○	6.5	○	○	\$18,249	
Bradford Regional	77	○	5.1	1.4	○	1.4	○	○	\$12,347	
Brookville	8	○	5.1	14.3	○	0.0	○	○	\$9,863	
Butler Memorial	79	○	4.4	7.7	○	1.3	○	○	\$13,602	
Canonsburg General	59	○	5.9	3.6	○	3.6	○	○	\$21,165	
Charles Cole Memorial	5	○	3.6	0.0	○	0.0	○	●	\$14,121	
Clarion	5	○	NR	NR	NR	NR	NR	NR	\$7,011	
Clearfield	27	○	4.8	4.0	○	0.0	○	○	\$13,688	
Conemaugh Valley Memorial	131	○	6.3	0.8	○	8.2	○	○	\$17,194	
Corry Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	
DuBois Regional	48	○	5.1	8.7	○	2.2	○	○	\$15,664	
Elk Regional	15	○	4.9	0.0	○	0.0	○	○	\$13,199	
Ellwood City	5	○	NR	NR	NR	NR	NR	NR	\$15,721	
Excelsa Hlth Westmoreland	99	○	5.7	2.2	○	3.4	○	○	\$19,269	
Frick	19	○	5.0	5.6	○	5.6	○	○	\$17,546	
Grove City	5	○	4.9	20.0	○	0.0	○	NR	\$14,202	
Hamot	236	○	5.5	1.9	○	4.2	○	○	\$40,933	
Heritage Valley Beaver	55	○	7.4	2.0	○	6.1	○	○	\$16,080	
Heritage Valley Sewickley	30	○	5.5	3.4	○	3.4	○	○	\$13,706	
Highlands	6	○	5.8	0.0	○	0.0	○	○	\$18,230	
Indiana Regional	85	○	6.2	1.3	○	6.5	○	○	\$14,541	
Jameson Memorial	133	○	5.9	4.1	○	5.7	○	○	\$14,526	
Jefferson Regional	72	○	6.2	6.3	○	1.6	○	○	\$16,625	
Kane Community	13	○	5.0	9.1	○	0.0	○	○	\$15,854	
Latrobe Area	37	○	5.3	0.0	○	0.0	○	○	\$16,528	
Magee-Womens	9	○	9.1	0.0	○	25.0	○	○	\$43,401	
Meadville	26	○	6.3	4.3	○	0.0	○	○	\$17,702	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Miners	9	○	3.7	0.0	○	0.0	○	○	○	\$17,277
Monongahela Valley	50	○	5.3	10.6	○	2.1	○	○	○	\$16,176
Nason	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	12	●	7.1	0.0	○	12.5	○	○	○	\$18,708
Punxsutawney Area	8	○	5.9	0.0	○	0.0	○	○	○	\$12,195
Saint Vincent Health	177	○	4.8	2.4	○	1.2	○	○	○	\$32,084
Sharon Regional	120	○	4.3	7.1	○	0.9	○	○	○	\$12,272
Somerset	62	○	6.0	1.8	○	5.3	○	○	○	\$17,433
Southwest Regional MC	13	○	5.2	0.0	○	7.7	○	○	○	\$18,225
St Clair Memorial	163	○	4.2	3.9	○	0.7	○	○	○	\$11,484
Titusville Area	6	○	NR	NR	NR	NR	NR	NR	NR	\$15,093
Tyrone	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uniontown	67	○	6.0	0.0	○	3.5	○	○	○	\$12,805
UPMC Bedford	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC Horizon	53	○	5.8	2.0	○	2.0	○	○	○	\$21,710
UPMC McKeesport	63	○	5.8	0.0	○	4.9	○	○	○	\$24,010
UPMC Mercy	34	○	5.9	0.0	○	6.3	○	●	○	\$24,951
UPMC Northwest	16	○	6.0	0.0	○	15.4	○	○	○	\$13,415
UPMC Passavant	110	○	6.6	2.0	○	6.9	○	○	○	\$26,539
UPMC Presby Shadyside	78	○	6.5	2.7	○	11.0	●	○	○	\$40,655
UPMC St Margaret	22	○	7.9	0.0	○	10.5	○	○	○	\$34,404
Warren General	16	○	5.7	0.0	○	0.0	○	○	○	\$21,525
Washington	18	○	5.8	0.0	○	0.0	○	○	○	\$18,511
Western PA Hosp/Forbes	163	○	5.5	5.0	○	4.3	○	○	○	\$18,545
Western Pennsylvania	43	○	4.5	7.3	○	2.4	○	○	○	\$23,152
Windber	19	○	5.6	0.0	○	0.0	○	○	●	\$19,003
Western Pennsylvania	3,024		5.5	3.6		3.8				\$20,616
TOTAL: Statewide	7,283		5.6	4.9		4.7				\$31,864

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
ACMH	88	⊖	8.1	4.1	⊖	5.4	⊖	\$21,572
Allegheny General	465	⊖	7.5	6.3	⊖	7.9	●	\$53,519
Alle-Kiski	476	⊖	6.2	1.6	⊖	1.4	⊖	\$27,880
Altoona Regional	472	⊖	7.0	4.3	⊖	5.1	⊖	\$21,538
Bradford Regional	182	⊖	5.3	10.0	●	0.7	⊖	\$15,265
Brookville	33	⊖	5.8	0.0	⊖	0.0	⊖	\$12,091
Butler Memorial	258	⊖	6.6	5.8	⊖	3.4	⊖	\$26,950
Canonsburg General	133	⊖	7.6	4.7	⊖	4.7	⊖	\$21,891
Charles Cole Memorial	29	⊖	4.6	0.0	⊖	0.0	⊖	\$13,143
Clarion	93	⊖	5.2	9.1	⊖	2.6	⊖	\$11,108
Clearfield	83	⊖	5.8	1.4	⊖	1.4	⊖	\$15,474
Conemaugh Valley Memorial	514	●	7.3	2.2	⊖	4.8	⊖	\$19,808
Corry Memorial	11	⊖	5.6	0.0	⊖	0.0	⊖	\$17,352
DuBois Regional	83	⊖	4.8	10.5	⊖	1.3	⊖	\$21,669
Elk Regional	96	⊖	4.9	4.8	⊖	0.0	⊖	\$13,200
Ellwood City	54	⊖	6.2	2.2	⊖	0.0	⊖	\$15,257
Excelsior Health Westmoreland	538	⊖	8.1	1.1	⊖	5.9	⊖	\$27,263
Frick	175	⊖	6.4	1.8	⊖	0.6	⊖	\$23,726
Grove City	51	⊖	8.1	0.0	⊖	4.3	⊖	\$21,301
Hamot	364	⊖	7.2	6.0	⊖	4.2	⊖	\$43,379
Heritage Valley Beaver	305	●	9.0	1.7	⊖	8.2	●	\$21,861
Heritage Valley Sewickley	72	⊖	6.7	1.8	⊖	3.5	⊖	\$25,225
Highlands	37	⊖	6.5	0.0	⊖	2.9	⊖	\$18,721
Indiana Regional	270	⊖	5.8	2.8	⊖	2.4	⊖	\$16,795
Jameson Memorial	444	⊖	6.7	4.4	⊖	1.7	⊖	\$16,997
Jefferson Regional	226	⊖	7.1	5.1	⊖	1.5	⊖	\$21,159
Kane Community	12	⊖	5.7	0.0	⊖	0.0	⊖	\$16,466
Latrobe Area	272	⊖	6.3	1.7	⊖	1.7	⊖	\$23,682
Magee-Womens	52	⊖	7.6	4.8	⊖	4.8	⊖	\$51,577
Meadville	138	⊖	7.1	2.3	⊖	7.8	⊖	\$21,985

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
Meyersdale Community	8	○	6.7	0.0	○	0.0	○	\$14,558
Millcreek Community	13	○	8.5	0.0	○	12.5	○	\$26,633
Miners	47	○	6.5	0.0	○	2.2	○	\$15,652
Monongahela Valley	193	○	6.4	3.6	○	2.4	○	\$25,169
Nason	5	○	6.0	0.0	○	0.0	○	\$11,757
Ohio Valley General	22	○	7.7	5.6	○	5.6	○	\$32,870
Punxsutawney Area	25	○	7.4	0.0	○	4.8	○	\$14,826
Saint Vincent Health	375	○	6.2	5.2	○	2.4	○	\$38,089
Sharon Regional	312	○	6.6	3.0	○	2.3	○	\$21,090
Somerset	150	○	7.6	7.1	○	4.0	○	\$20,366
Southwest Regional MC	26	○	5.1	10.0	○	0.0	○	\$23,635
St Clair Memorial	234	○	7.4	3.1	○	2.6	○	\$24,488
Titusville Area	13	○	5.7	0.0	○	0.0	○	\$14,003
Tyrone	4	NR	NR	NR	NR	NR	NR	NR
Uniontown	87	●	6.8	1.8	○	0.0	○	\$19,025
UPMC Bedford	68	○	4.8	5.1	○	0.0	○	\$13,986
UPMC Horizon	183	○	6.6	6.3	○	2.5	○	\$24,888
UPMC McKeesport	421	○	7.6	5.2	○	6.0	○	\$35,198
UPMC Mercy	179	●	8.0	7.0	○	6.1	○	\$34,048
UPMC Northwest	174	○	7.2	4.8	○	2.8	○	\$18,297
UPMC Passavant	322	○	8.2	3.0	○	6.8	○	\$40,402
UPMC Presby Shadyside	940	●	7.8	5.6	○	7.7	●	\$73,053
UPMC St Margaret	214	○	8.1	5.2	○	4.6	○	\$42,016
Warren General	33	○	6.1	3.2	○	0.0	○	\$25,215
Washington	251	○	7.0	0.9	○	4.5	○	\$26,007
Western PA Hosp/Forbes	403	○	6.0	3.7	○	0.8	○	\$24,335
Western Pennsylvania	148	○	7.3	4.7	○	4.7	○	\$42,021
Windber	32	○	5.3	3.2	○	0.0	○	\$17,512
Western Pennsylvania	10,999		7.0	4.0		3.9		\$32,574
TOTAL: Statewide	27,213		7.0	5.0		5.0		\$46,037

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	71	○	4.9	2.9	○	7.2	○	○	○	\$11,944
Allegheny General	304	○	4.8	6.7	○	7.0	○	○	○	\$30,122
Alle-Kiski	222	○	4.1	5.5	○	1.8	○	○	○	\$17,581
Altoona Regional	267	○	4.5	2.7	○	4.7	○	○	○	\$15,686
Bradford Regional	53	○	3.8	11.3	●	1.9	○	○	○	\$10,158
Brookville	25	○	4.5	0.0	○	0.0	○	○	○	\$11,215
Butler Memorial	112	○	4.2	8.9	○	3.6	○	○	○	\$14,847
Canonsburg General	65	○	4.2	9.2	○	6.2	○	○	○	\$16,774
Charles Cole Memorial	33	○	3.4	3.0	○	0.0	○	○	○	\$12,792
Clarion	39	○	3.2	8.1	○	0.0	○	○	○	\$9,009
Clearfield	71	○	4.0	2.9	○	0.0	○	○	○	\$13,619
Conemaugh Valley Memorial	306	○	4.6	3.4	○	7.4	○	○	○	\$14,451
Corry Memorial	16	○	3.7	0.0	○	0.0	○	○	○	\$12,740
DuBois Regional	92	○	3.4	5.6	○	2.2	○	○	○	\$17,781
Elk Regional	43	○	4.1	2.5	○	5.0	○	○	○	\$10,641
Ellwood City	30	○	3.7	0.0	○	3.6	○	○	○	\$9,645
Excelsa Hlth Westmoreland	255	○	4.9	2.8	○	9.7	●	○	○	\$16,525
Frick	62	○	4.7	1.6	○	8.2	○	○	○	\$15,751
Grove City	51	○	3.8	4.1	○	0.0	○	○	○	\$13,068
Hamot	172	●	4.1	3.0	○	3.6	○	○	○	\$26,757
Heritage Valley Beaver	149	○	4.8	2.0	○	6.8	○	○	○	\$14,561
Heritage Valley Sewickley	117	○	4.3	3.5	○	5.2	○	○	○	\$14,599
Highlands	24	○	3.9	4.3	○	0.0	○	○	○	\$13,860
Indiana Regional	129	○	4.1	7.9	○	6.3	○	○	○	\$15,059
Jameson Memorial	207	○	4.2	7.8	○	3.9	○	○	●	\$11,700
Jefferson Regional	259	○	4.4	5.5	○	3.9	○	○	○	\$14,585
Kane Community	19	○	4.6	0.0	○	5.3	○	○	○	\$18,186
Latrobe Area	134	○	4.3	2.3	○	9.9	●	●	○	\$19,235
Magee-Womens	40	○	4.5	2.5	○	10.0	○	○	○	\$27,094
Meadville	126	○	4.2	3.3	○	6.5	○	○	○	\$14,155

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	4	NR	NR	NR	NR	NR	NR	NR	NR	
Millcreek Community	17	○	5.3	0.0	○	5.9	○	○	\$25,090	
Miners	15	○	3.1	6.7	○	0.0	○	○	\$11,490	
Monongahela Valley	127	○	4.6	1.6	○	3.2	○	○	\$16,521	
Nason	29	○	3.7	0.0	○	3.4	○	○	\$8,268	
Ohio Valley General	46	○	4.5	2.2	○	0.0	○	○	\$16,670	
Punxsutawney Area	41	○	3.8	5.0	○	0.0	○	○	\$9,237	
Saint Vincent Health	211	○	4.7	3.9	○	8.3	○	○	\$27,177	
Sharon Regional	141	○	4.1	4.4	○	1.5	○	○	\$14,201	
Somerset	43	○	5.7	2.3	○	7.0	○	○	\$16,782	
Southwest Regional MC	46	○	3.2	8.9	○	0.0	○	○	\$12,304	
St Clair Memorial	219	○	4.0	3.8	○	4.3	○	○	\$16,402	
Titusville Area	34	○	4.3	6.1	○	6.1	○	○	\$9,152	
Tyrone	9	○	3.2	0.0	○	0.0	○	○	\$12,300	
Uniontown	178	○	4.0	6.4	○	2.9	○	○	\$13,427	
UPMC Bedford	48	○	3.0	10.6	○	0.0	○	○	\$11,277	
UPMC Horizon	135	○	4.5	6.0	○	5.3	○	○	\$16,577	
UPMC McKeesport	118	○	4.4	9.5	●	6.0	○	○	\$19,601	
UPMC Mercy	164	○	4.6	4.4	○	5.7	○	○	\$23,991	
UPMC Northwest	101	○	4.4	2.0	○	5.0	○	○	\$10,201	
UPMC Passavant	323	●	4.8	3.2	○	6.1	○	●	\$20,649	
UPMC Presby Shadyside	597	○	4.4	6.2	○	6.2	○	●	\$40,731	
UPMC St Margaret	215	○	4.1	3.3	○	3.8	○	○	\$22,614	
Warren General	57	○	4.4	1.8	○	0.0	○	○	\$14,469	
Washington	248	○	5.1	2.9	○	10.3	●	○	\$16,074	
Western PA Hosp/Forbes	246	○	4.2	5.4	○	1.7	○	○	\$16,693	
Western Pennsylvania	158	○	4.3	3.3	○	3.9	○	○	\$25,834	
Windber	41	●	4.0	0.0	○	5.3	○	○	\$13,775	
Western Pennsylvania	7,183		4.4	4.5		5.1			\$19,310	
TOTAL: Statewide	19,884		4.3	5.0		5.0			\$28,107	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	10	○	3.6	0.0	○	0.0	○	○	\$5,545	
Allegheny General	221	○	6.1	5.1	○	4.6	○	○	\$47,665	
Alle-Kiski	9	○	3.0	28.6	●	0.0	○	NR	\$11,685	
Altoona Regional	70	○	4.7	6.5	○	2.2	○	○	\$16,290	
Bradford Regional	3	NR	NR	NR	NR	NR	NR	NR	NR	
Brookville	1	NR	NR	NR	NR	NR	NR	NR	NR	
Butler Memorial	8	○	5.4	12.5	○	0.0	○	○	\$14,602	
Canonsburg General	2	NR	NR	NR	NR	NR	NR	NR	NR	
Charles Cole Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	
Clarion	3	NR	NR	NR	NR	NR	NR	NR	NR	
Clearfield	3	NR	NR	NR	NR	NR	NR	NR	NR	
Conemaugh Valley Memorial	54	○	5.8	5.6	○	5.6	○	●	\$15,932	
Corry Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	
DuBois Regional	6	○	4.3	0.0	○	0.0	○	○	\$13,458	
Elk Regional	4	NR	NR	NR	NR	NR	NR	NR	NR	
Ellwood City	3	NR	NR	NR	NR	NR	NR	NR	NR	
Excela Hlth Westmoreland	23	○	5.4	0.0	○	0.0	○	○	\$15,770	
Frick	0	NR	NR	NR	NR	NR	NR	NR	NR	
Grove City	3	NR	NR	NR	NR	NR	NR	NR	NR	
Hamot	58	○	5.3	2.7	○	2.7	○	○	\$42,042	
Heritage Valley Beaver	24	○	5.0	0.0	○	0.0	○	○	\$9,209	
Heritage Valley Sewickley	8	○	3.5	14.3	○	0.0	○	●	\$10,070	
Highlands	0	NR	NR	NR	NR	NR	NR	NR	NR	
Indiana Regional	7	●	NR	NR	NR	NR	NR	NR	\$15,042	
Jameson Memorial	4	NR	NR	NR	NR	NR	NR	NR	NR	
Jefferson Regional	12	○	6.6	0.0	○	10.0	○	○	\$16,368	
Kane Community	1	NR	NR	NR	NR	NR	NR	NR	NR	
Latrobe Area	6	○	4.4	0.0	○	0.0	○	NR	\$13,124	
Magee-Womens	0	NR	NR	NR	NR	NR	NR	NR	NR	
Meadville	7	○	NR	NR	NR	NR	NR	NR	\$16,633	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Miners	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Monongahela Valley	11	⊖	6.3	14.3	⊖	14.3	⊖	⊖	⊖	\$21,436
Nason	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Punxsutawney Area	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Saint Vincent Health	54	●	6.0	0.0	⊖	0.0	⊖	⊖	⊖	\$41,014
Sharon Regional	6	⊖	NR	NR	NR	NR	NR	NR	NR	\$12,066
Somerset	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Southwest Regional MC	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Clair Memorial	10	⊖	2.8	0.0	⊖	0.0	⊖	⊖	⊖	\$11,164
Titusville Area	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uniontown	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC Bedford	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC Horizon	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC McKeesport	10	⊖	5.1	0.0	⊖	0.0	⊖	⊖	⊖	\$24,494
UPMC Mercy	91	⊖	5.7	4.1	⊖	4.1	⊖	⊖	⊖	\$40,693
UPMC Northwest	7	⊖	3.9	20.0	⊖	0.0	⊖	NR	NR	\$9,318
UPMC Passavant	14	⊖	5.6	0.0	⊖	8.3	⊖	⊖	⊖	\$22,647
UPMC Presby Shadyside	417	⊖	4.9	4.7	⊖	3.4	⊖	⊖	⊖	\$63,728
UPMC St Margaret	10	⊖	7.4	0.0	⊖	0.0	⊖	⊖	⊖	\$29,371
Warren General	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Washington	9	⊖	2.8	0.0	⊖	0.0	⊖	⊖	⊖	\$11,379
Western PA Hosp/Forbes	18	⊖	4.1	0.0	⊖	0.0	⊖	⊖	⊖	\$13,575
Western Pennsylvania	42	⊖	6.4	0.0	⊖	6.1	⊖	⊖	⊖	\$48,460
Windber	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Western Pennsylvania	1,281		5.3	4.5		3.3				\$42,118
TOTAL: Statewide	4,038		5.8	4.8		4.9				\$48,742

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
ACMH	91	○	4.6	4.7	○	2.3	○	○	○	\$11,239
Allegheny General	469	○	5.6	4.3	○	9.2	●	○	○	\$42,439
Alle-Kiski	89	○	4.8	3.5	○	5.9	○	●	○	\$20,707
Altoona Regional	264	●	4.6	3.7	○	4.9	○	○	○	\$20,418
Bradford Regional	34	○	4.7	6.1	○	3.0	○	○	○	\$11,884
Brookville	17	○	3.5	5.9	○	0.0	○	○	○	\$6,899
Butler Memorial	170	○	4.0	2.4	○	0.6	○	○	○	\$18,800
Canonsburg General	53	○	5.3	6.1	○	8.2	○	○	○	\$19,749
Charles Cole Memorial	17	○	3.0	0.0	○	0.0	○	○	○	\$10,296
Clarion	45	○	3.1	19.0	●	2.4	○	○	○	\$8,128
Clearfield	43	○	3.5	5.3	○	0.0	○	○	○	\$13,164
Conemaugh Valley Memorial	245	●	5.8	0.5	○	10.0	●	○	○	\$17,018
Corry Memorial	11	○	4.4	0.0	○	10.0	○	○	○	\$10,078
DuBois Regional	87	○	3.3	14.5	●	0.0	○	○	○	\$14,624
Elk Regional	22	○	4.4	0.0	○	4.8	○	○	○	\$14,865
Ellwood City	18	○	4.2	0.0	○	0.0	○	○	○	\$10,572
Excelsior Health Westmoreland	207	○	5.1	3.1	○	5.7	○	○	○	\$17,821
Frick	64	○	4.5	3.2	○	6.5	○	○	○	\$19,853
Grove City	22	○	4.5	4.8	○	0.0	○	○	○	\$14,199
Hamot	285	○	4.0	7.4	○	4.5	○	○	○	\$30,068
Heritage Valley Beaver	200	○	5.2	6.8	○	5.2	○	○	○	\$14,657
Heritage Valley Sewickley	103	○	4.3	3.0	○	3.0	○	○	○	\$15,420
Highlands	22	○	6.3	0.0	○	14.3	○	○	○	\$19,163
Indiana Regional	114	○	3.9	4.8	○	4.8	○	○	○	\$14,695
Jameson Memorial	123	○	4.5	1.7	○	1.7	○	○	○	\$13,830
Jefferson Regional	201	○	4.9	2.5	○	4.6	○	○	○	\$12,870
Kane Community	14	○	6.0	0.0	○	0.0	○	○	○	\$15,874
Latrobe Area	92	○	4.5	3.3	○	7.7	○	○	○	\$16,031
Magee-Womens	7	○	4.8	16.7	○	0.0	○	○	○	\$21,693
Meadville	77	○	4.1	5.2	○	0.0	○	○	○	\$15,899

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

### Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>			
Meyersdale Community	7	○	6.1	0.0	○	16.7	○	○	\$13,521	
Millcreek Community	15	○	5.5	0.0	○	0.0	○	○	\$22,814	
Miners	6	○	4.5	0.0	○	0.0	○	○	\$16,414	
Monongahela Valley	118	○	5.4	0.9	○	6.1	○	○	\$18,812	
Nason	22	○	4.3	0.0	○	5.0	○	○	\$10,329	
Ohio Valley General	36	○	3.8	0.0	○	2.9	○	○	\$18,767	
Punxsutawney Area	19	○	4.3	0.0	○	0.0	○	○	\$8,483	
Saint Vincent Health	269	○	4.5	3.5	○	2.7	○	○	\$36,418	
Sharon Regional	105	○	3.8	10.1	●	2.0	○	○	\$16,574	
Somerset	59	●	5.3	1.9	○	5.8	○	○	\$19,472	
Southwest Regional MC	16	○	3.7	6.7	○	0.0	○	○	\$14,811	
St Clair Memorial	188	○	3.9	5.1	○	1.1	○	○	\$17,088	
Titusville Area	16	○	3.8	0.0	○	0.0	○	○	\$11,501	
Tyrone	11	○	3.9	0.0	○	0.0	○	○	\$9,981	
Uniontown	64	●	4.2	9.4	○	1.9	○	○	\$9,654	
UPMC Bedford	38	○	3.6	8.3	○	0.0	○	○	\$9,363	
UPMC Horizon	97	○	4.3	5.4	○	3.3	○	○	\$17,957	
UPMC McKeesport	98	○	4.4	7.3	○	4.2	○	●	\$20,371	
UPMC Mercy	319	○	4.0	10.0	●	3.6	○	○	\$30,996	
UPMC Northwest	94	○	4.6	6.8	○	3.4	○	○	\$13,994	
UPMC Passavant	190	○	4.4	3.2	○	3.2	○	○	\$23,510	
UPMC Presby Shadyside	833	●	4.3	6.2	○	4.6	○	●	\$55,489	
UPMC St Margaret	183	○	4.6	1.7	○	4.0	○	○	\$24,585	
Warren General	17	○	5.4	5.9	○	11.8	○	○	\$17,635	
Washington	190	○	4.7	3.8	○	3.3	○	○	\$18,444	
Western PA Hosp/Forbes	146	○	4.4	5.1	○	1.5	○	○	\$19,190	
Western Pennsylvania	116	○	5.2	1.8	○	7.3	○	○	\$39,644	
Windber	36	●	4.0	0.0	○	3.6	○	○	\$14,172	
Western Pennsylvania	6,556		4.5	4.8		4.4			\$26,469	
TOTAL: Statewide	19,640		4.7	5.0		5.0			\$35,687	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Endovascular) during the report period.

## Abdominal Aortic Aneurysm Repair - Endovascular

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	4	NR	NR	NR	NR	NR
Allegheny General	90	⊖	2.3	⊕	●	\$127,070
Altoona Regional	45	⊕	2.1	⊕	⊕	\$67,545
Bradford Regional	4	NR	NR	NR	NR	NR
Butler Memorial	31	⊕	2.6	⊕	⊕	\$55,762
Clarion	1	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	38	⊕	1.9	⊕	⊕	\$65,771
Excelsa Hlth Westmoreland	18	⊕	2.9	⊕	⊕	\$55,222
Hamot	57	⊕	2.2	⊕	⊕	\$73,533
Heritage Valley Beaver	28	⊕	2.7	⊕	⊕	\$65,546
Heritage Valley Sewickley	11	⊕	3.2	⊕	⊕	\$70,983
Jefferson Regional	43	⊕	2.9	⊕	⊕	\$55,632
Magee-Womens	2	NR	NR	NR	NR	NR
Meadville	8	⊕	4.0	⊕	⊕	\$51,397
Monongahela Valley	7	⊕	3.3	⊕	⊕	\$77,531
Saint Vincent Health	28	⊕	2.2	⊕	⊕	\$138,704
St Clair Memorial	21	⊕	2.7	⊕	⊕	\$73,803
UPMC Horizon	7	⊕	3.5	⊕	⊕	\$92,787
UPMC McKeesport	4	NR	NR	NR	NR	NR
UPMC Mercy	34	⊕	2.8	⊕	⊕	\$85,491
UPMC Northwest	6	⊕	4.1	⊕	⊕	\$37,449
UPMC Passavant	14	⊕	1.7	⊕	⊕	\$69,779
UPMC Presby Shadyside	117	⊕	2.0	⊕	⊕	\$140,835
UPMC St Margaret	10	⊕	2.7	⊕	⊕	\$94,683
Washington	20	⊕	4.1	⊕	⊕	\$89,468
Western PA Hosp/Forbes	1	NR	NR	NR	NR	NR
Western Pennsylvania	29	⊕	2.2	⊕	⊕	\$88,207
Western Pennsylvania	678		2.5			\$92,197
TOTAL: Statewide	1,687		2.7			\$98,624

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

This page is intentionally left blank.

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Open) during the report period.

## Abdominal Aortic Aneurysm Repair - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Allegheny General	15	⊙	7.7	⊙	⊙	\$58,601
Altoona Regional	5	⊙	NR	NR	NR	NR
Butler Memorial	3	NR	NR	NR	NR	NR
Clarion	1	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	3	NR	NR	NR	NR	NR
DuBois Regional	7	⊙	6.8	⊙	⊙	NR
Excelsa Hlth Westmoreland	6	⊙	7.9	⊙	⊙	\$36,381
Hamot	2	NR	NR	NR	NR	NR
Heritage Valley Beaver	4	NR	NR	NR	NR	NR
Heritage Valley Sewickley	1	NR	NR	NR	NR	NR
Jefferson Regional	9	⊙	7.2	⊙	⊙	\$34,060
Meadville	1	NR	NR	NR	NR	NR
Saint Vincent Health	13	⊙	4.7	⊙	⊙	NR
St Clair Memorial	5	⊙	5.5	⊙	⊙	\$39,212
Uniontown	1	NR	NR	NR	NR	NR
UPMC Horizon	2	NR	NR	NR	NR	NR
UPMC McKeesport	3	NR	NR	NR	NR	NR
UPMC Mercy	4	NR	NR	NR	NR	NR
UPMC Passavant	2	NR	NR	NR	NR	NR
UPMC Presby Shadyside	20	⊙	7.5	⊙	⊙	\$129,812
UPMC St Margaret	5	⊙	5.8	NR	NR	\$62,335
Washington	4	NR	NR	NR	NR	NR
Western PA Hosp/Forbes	6	⊙	6.1	⊙	⊙	\$58,171
Western Pennsylvania	3	NR	NR	NR	NR	NR
Western Pennsylvania	126		7.4			\$69,862
TOTAL: Statewide	445		8.2			\$99,085

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- ⊙ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

This page is intentionally left blank.

## Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
ACMH	35	⊖	8.8	\$29,573
Allegheny General	353	⊖	8.9	\$57,303
Alle-Kiski	61	⊖	7.2	\$39,983
Altoona Regional	209	⊖	8.5	\$37,016
Bradford Regional	30	⊖	6.2	\$23,107
Brookville	20	⊖	6.9	\$22,121
Butler Memorial	73	⊖	7.3	\$42,626
Canonsburg General	45	⊖	9.3	\$41,399
Charles Cole Memorial	8	⊖	5.5	\$20,099
Clarion	27	⊖	7.6	\$26,078
Clearfield	48	⊖	6.9	\$23,701
Conemaugh Valley Memorial	189	⊖	9.2	\$36,577
Corry Memorial	0	NR	NR	NR
DuBois Regional	77	⊖	6.6	\$37,118
Elk Regional	27	⊖	7.1	\$30,445
Ellwood City	8	⊖	9.7	\$28,619
Excelsa Hlth Westmoreland	123	⊖	9.8	\$36,042
Frick	24	⊖	6.4	\$28,413
Grove City	13	⊖	5.0	\$22,893
Hamot	121	⊖	7.8	\$83,579
Heritage Valley Beaver	138	⊖	8.5	\$29,607
Heritage Valley Sewickley	103	⊖	7.5	\$33,504
Highlands	12	⊖	8.0	\$38,910
Indiana Regional	73	⊖	8.5	\$37,331
Jameson Memorial	59	⊖	7.9	\$30,423
Jefferson Regional	261	⊖	8.6	\$30,455
Kane Community	7	⊖	8.3	\$36,285
Latrobe Area	80	⊖	6.9	\$32,535
Magee-Womens	65	⊖	6.7	\$58,602
Meadville	40	⊖	9.4	\$32,489

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Meyersdale Community	0	NR	NR	NR
Millcreek Community	11	○	10.1	\$74,971
Miners	9	○	6.7	\$24,479
Monongahela Valley	79	○	9.9	\$37,092
Nason	39	○	8.2	\$19,840
Ohio Valley General	53	○	7.9	\$38,441
Punxsutawney Area	33	○	7.4	\$24,590
Saint Vincent Health	142	○	8.8	\$84,803
Sharon Regional	47	●	7.3	\$37,506
Somerset	33	○	11.6	\$48,247
Southwest Regional MC	11	○	5.6	\$30,556
St Clair Memorial	180	○	7.5	\$44,360
Titusville Area	12	○	7.4	\$23,387
Tyrone	9	○	7.6	\$28,169
Uniontown	109	○	6.8	\$24,925
UPMC Bedford	9	○	6.6	\$27,706
UPMC Horizon	84	○	8.4	\$47,335
UPMC McKeesport	58	○	7.2	\$47,574
UPMC Mercy	109	○	8.2	\$61,178
UPMC Northwest	55	○	8.6	\$24,480
UPMC Passavant	204	○	9.9	\$62,371
UPMC Presby Shadyside	636	○	8.0	\$125,526
UPMC St Margaret	163	○	8.7	\$73,136
Warren General	27	○	5.8	\$33,391
Washington	86	○	9.4	\$35,775
Western PA Hosp/Forbes	136	○	7.0	\$35,763
Western Pennsylvania	59	○	7.6	\$69,008
Windber	20	○	7.1	\$35,049
Western Pennsylvania	4,786		8.2	\$54,060
TOTAL: Statewide	14,220		8.3	\$69,762

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

## Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	75	○	3.5	○	○	\$13,876
Allegheny General	85	○	3.6	○	○	\$31,474
Alle-Kiski	83	○	3.4	○	○	\$22,906
Altoona Regional	147	○	3.9	○	○	\$21,032
Bradford Regional	3	NR	NR	NR	NR	NR
Brookville	11	○	3.6	○	○	\$14,916
Butler Memorial	116	○	3.6	○	○	\$25,683
Canonsburg General	124	○	3.6	○	○	\$24,406
Charles Cole Memorial	16	○	3.4	○	○	\$12,498
Clarion	29	○	3.0	○	○	\$13,900
Clearfield	43	○	3.4	○	○	\$17,880
Conemaugh Valley Memorial	123	○	3.8	○	○	\$20,830
Corry Memorial	1	NR	NR	NR	NR	NR
DuBois Regional	37	○	3.3	○	○	\$21,412
Elk Regional	29	○	3.0	○	○	\$19,893
Ellwood City	18	○	2.7	○	○	\$10,313
Excela Hlth Westmoreland	111	○	3.7	○	○	\$20,829
Frick	35	○	3.7	○	○	\$18,793
Grove City	17	○	2.7	○	○	\$15,869
Hamot	79	○	4.4	○	○	\$48,288
Heritage Valley Beaver	239	○	3.9	○	○	\$15,551
Heritage Valley Sewickley	142	○	4.0	○	○	\$15,215
Highlands	42	○	3.7	○	○	\$17,070
Indiana Regional	70	○	3.4	○	○	\$20,953
Jameson Memorial	87	○	3.5	○	○	\$18,469
Jefferson Regional	241	○	4.0	○	○	\$16,802
Kane Community	1	NR	NR	NR	NR	NR
Latrobe Area	86	○	3.3	○	○	\$18,573
Magee-Womens	23	○	3.4	○	○	\$34,741
Meadville	60	○	3.9	○	○	\$19,467

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	13	○	3.9	○	○	\$23,007
Miners	7	○	6.0	○	○	\$21,006
Monongahela Valley	88	○	4.2	○	○	\$17,495
Nason	34	○	3.9	○	○	\$11,173
Ohio Valley General	52	○	4.2	○	○	\$26,889
Punxsutawney Area	18	○	3.6	○	○	\$13,502
Saint Vincent Health	93	○	3.8	○	○	\$48,208
Sharon Regional	26	○	3.9	○	○	\$24,080
Somerset	66	○	4.6	○	○	\$24,255
Southwest Regional MC	17	○	3.4	○	○	\$17,074
St Clair Memorial	206	○	3.8	○	○	\$25,753
Titusville Area	25	○	2.7	○	○	\$11,335
Tyrone	10	○	4.1	○	○	\$14,891
Uniontown	144	○	3.5	○	○	\$13,690
UPMC Bedford	8	○	2.7	○	○	\$12,274
UPMC Horizon	48	○	4.6	○	○	\$32,008
UPMC McKeesport	55	○	3.9	○	○	\$33,884
UPMC Mercy	92	○	3.6	○	○	\$32,826
UPMC Northwest	57	○	3.3	○	○	\$14,779
UPMC Passavant	198	○	4.3	○	○	\$34,252
UPMC Presby Shadyside	206	○	4.1	○	○	\$54,077
UPMC St Margaret	182	○	3.6	○	○	\$36,868
Warren General	15	○	3.3	○	○	\$21,803
Washington	102	○	3.8	○	○	\$19,486
Western PA Hosp/Forbes	161	○	3.5	○	○	\$25,108
Western Pennsylvania	63	○	4.2	●	○	\$39,563
Windber	14	○	2.8	○	○	\$22,660
Western Pennsylvania	4,213		3.8			\$24,898
TOTAL: Statewide	13,826		3.6			\$35,186

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

## Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	10	⊙	6.8	⊙	⊙	\$21,906
Allegheny General	33	⊙	6.1	⊙	⊙	\$48,196
Alle-Kiski	6	⊙	6.6	⊙	⊙	\$36,457
Altoona Regional	28	⊙	6.3	⊙	⊙	\$28,261
Bradford Regional	4	NR	NR	NR	NR	NR
Brookville	3	NR	NR	NR	NR	NR
Butler Memorial	6	⊙	5.8	⊙	⊙	\$31,051
Canonsburg General	5	⊙	5.5	⊙	⊙	\$30,192
Charles Cole Memorial	4	NR	NR	NR	NR	NR
Clarion	1	NR	NR	NR	NR	NR
Clearfield	8	⊙	6.3	⊙	⊙	\$24,801
Conemaugh Valley Memorial	36	⊙	6.2	⊙	⊙	\$26,324
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	0	NR	NR	NR	NR	NR
Elk Regional	4	NR	NR	NR	NR	NR
Ellwood City	2	NR	NR	NR	NR	NR
Excelsa Hlth Westmoreland	27	⊙	8.2	⊙	⊙	\$28,585
Frick	4	NR	NR	NR	NR	NR
Grove City	7	⊙	6.9	⊙	⊙	\$23,208
Hamot	33	⊙	6.3	⊙	⊙	\$49,570
Heritage Valley Beaver	30	⊙	7.1	⊙	⊙	\$24,754
Heritage Valley Sewickley	13	⊙	6.2	⊙	⊙	\$24,418
Highlands	1	NR	NR	NR	NR	NR
Indiana Regional	21	⊙	5.8	⊙	⊙	\$25,906
Jameson Memorial	1	NR	NR	NR	NR	NR
Jefferson Regional	37	⊙	6.7	⊙	⊙	\$22,797
Kane Community	1	NR	NR	NR	NR	NR
Latrobe Area	3	NR	NR	NR	NR	NR
Magee-Womens	1	NR	NR	NR	NR	NR
Meadville	12	⊙	7.3	⊙	⊙	\$28,597

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	2	NR	NR	NR	NR	NR
Miners	3	NR	NR	NR	NR	NR
Monongahela Valley	16	⊖	6.6	⊖	⊖	\$19,675
Nason	5	⊖	4.8	⊖	⊖	\$13,874
Ohio Valley General	16	⊖	6.8	⊖	⊖	\$34,610
Punxsutawney Area	1	NR	NR	NR	NR	NR
Saint Vincent Health	58	⊖	6.9	⊖	⊖	\$64,215
Sharon Regional	14	⊖	6.4	⊖	⊖	\$28,571
Somerset	11	⊖	9.5	⊖	⊖	\$40,389
Southwest Regional MC	3	NR	NR	NR	NR	NR
St Clair Memorial	14	⊖	8.3	⊖	⊖	\$43,712
Titusville Area	12	⊖	4.0	⊖	⊖	\$16,467
Tyrone	4	NR	NR	NR	NR	NR
Uniontown	3	NR	NR	NR	NR	NR
UPMC Bedford	0	NR	NR	NR	NR	NR
UPMC Horizon	20	⊖	6.7	⊖	⊖	\$29,776
UPMC McKeesport	9	⊖	5.6	⊖	⊖	\$43,742
UPMC Mercy	18	⊖	6.1	⊖	⊖	\$41,574
UPMC Northwest	15	⊖	5.7	⊖	⊖	\$20,345
UPMC Passavant	18	⊖	6.9	⊖	⊖	\$38,878
UPMC Presby Shadyside	72	⊖	6.9	⊖	⊖	\$86,972
UPMC St Margaret	12	⊖	6.7	●	●	\$47,076
Warren General	2	NR	NR	NR	NR	NR
Washington	17	⊖	7.0	⊖	⊖	\$27,145
Western PA Hosp/Forbes	15	⊖	7.2	⊖	⊖	\$31,880
Western Pennsylvania	9	⊖	8.0	⊖	⊖	\$56,398
Windber	9	⊖	4.9	⊖	⊖	\$32,095
Western Pennsylvania	729		6.6			\$39,408
TOTAL: Statewide	2,325		6.6			\$58,133

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

The facilities listed below are those that provided advanced cardiac services (angioplasty/stent for heart attack) during the report period.

## Heart Attack - Angioplasty/Stent

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
Allegheny General	299	○	4.1	4.0	○	6.7	○	\$66,308
Altoona Regional	279	○	3.7	4.4	○	3.3	○	\$40,844
Butler Memorial	116	○	3.5	3.5	○	3.5	○	\$65,355
Conemaugh Valley Memorial	338	○	3.7	6.0	○	6.0	○	\$46,085
DuBois Regional	164	○	2.9	8.1	○	1.2	○	\$38,232
Excelsa Hlth Westmoreland	253	●	4.5	1.6	○	11.0	●	\$53,272
Hamot	373	○	2.9	9.4	●	1.1	○	\$81,447
Heritage Valley Beaver	166	○	3.8	4.9	○	7.9	○	\$41,605
Jameson Memorial	31	○	3.0	6.5	○	0.0	○	\$36,326
Jefferson Regional	133	○	3.8	3.0	○	6.0	○	\$48,368
Monongahela Valley	4	NR	NR	NR	NR	NR	NR	NR
Saint Vincent Health	203	○	3.9	2.5	○	6.0	○	\$113,047
Sharon Regional	71	○	3.6	4.3	○	1.4	○	\$51,263
Somerset	47	○	3.9	0.0	○	8.5	○	\$39,639
St Clair Memorial	99	○	3.4	4.2	○	2.1	○	\$45,591
Uniontown	51	○	3.3	3.9	○	2.0	○	\$30,229
UPMC McKeesport	31	○	4.4	6.5	○	9.7	○	\$70,305
UPMC Mercy	172	○	3.5	4.7	○	5.9	○	\$47,498
UPMC Passavant	187	○	3.6	2.7	○	5.4	○	\$60,127
UPMC Presby Shadyside	537	○	3.7	7.2	●	6.6	○	\$94,401
Washington	159	○	3.6	1.9	○	4.5	○	\$44,162
Western PA Hosp/Forbes	110	○	3.6	5.5	○	2.8	○	\$36,837
Western Pennsylvania	111	○	3.5	2.8	○	5.5	○	\$68,096
Western Pennsylvania	3,934		3.6	5.0		5.2		\$62,310
TOTAL: Statewide	11,311		3.7	5.0		5.0		\$75,648

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup> While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

This page is intentionally left blank.

## Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	55	⊖	8.0	⊖	⊖	\$21,893
Allegheny General	136	⊖	6.4	⊖	⊖	\$50,448
Alle-Kiski	100	⊖	5.3	⊖	⊖	\$31,156
Altoona Regional	210	⊖	5.6	⊖	⊖	\$26,572
Bradford Regional	23	⊖	5.1	⊖	⊖	\$18,396
Brookville	8	⊖	5.0	⊖	⊖	\$18,236
Butler Memorial	112	⊖	5.3	⊖	⊖	\$28,915
Canonsburg General	65	⊖	5.2	⊖	⊖	\$28,670
Charles Cole Memorial	17	⊖	5.4	⊖	⊖	\$18,384
Clarion	35	⊖	3.4	⊖	⊖	\$18,088
Clearfield	57	⊖	6.9	⊖	●	\$28,664
Conemaugh Valley Memorial	230	⊖	5.9	⊖	⊖	\$25,698
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	65	⊖	4.7	⊖	⊖	\$29,038
Elk Regional	42	⊖	5.9	⊖	⊖	\$25,557
Ellwood City	26	⊖	5.8	⊖	⊖	\$21,615
Excela Hlth Westmoreland	178	⊖	6.6	⊖	⊖	\$28,222
Frick	44	⊖	6.8	⊖	⊖	\$28,126
Grove City	28	⊖	5.0	⊖	⊖	\$20,467
Hamot	174	⊖	5.8	⊖	⊖	\$46,529
Heritage Valley Beaver	160	⊖	5.0	⊖	⊖	\$20,725
Heritage Valley Sewickley	98	⊖	5.4	⊖	⊖	\$21,641
Highlands	19	⊖	5.6	⊖	⊖	\$27,577
Indiana Regional	70	⊖	5.7	⊖	⊖	\$32,471
Jameson Memorial	109	⊖	5.0	⊖	⊖	\$19,930
Jefferson Regional	183	⊖	5.8	⊖	⊖	\$23,770
Kane Community	12	⊖	7.6	⊖	⊖	\$54,182
Latrobe Area	81	⊖	5.6	⊖	⊖	\$26,317
Magee-Womens	2	NR	NR	NR	NR	NR
Meadville	102	⊖	5.8	⊖	⊖	\$27,374

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	22	○	5.3	○	○	\$33,875
Miners	11	○	5.4	○	○	\$21,815
Monongahela Valley	90	○	6.8	○	○	\$30,934
Nason	32	○	5.5	○	○	\$18,987
Ohio Valley General	60	○	5.1	○	○	\$30,638
Punxsutawney Area	16	○	6.2	○	○	\$19,782
Saint Vincent Health	145	○	5.4	○	○	\$49,851
Sharon Regional	52	○	6.2	○	○	\$33,809
Somerset	42	○	5.2	○	○	\$27,421
Southwest Regional MC	32	○	4.7	○	○	\$26,960
St Clair Memorial	197	○	5.6	○	○	\$29,487
Titusville Area	18	○	5.4	○	○	\$19,761
Tyrone	17	○	5.6	○	○	\$24,955
Uniontown	100	○	4.9	○	○	\$16,548
UPMC Bedford	35	○	5.4	○	○	\$22,745
UPMC Horizon	82	○	5.9	○	○	\$33,078
UPMC McKeesport	89	○	5.2	○	○	\$30,978
UPMC Mercy	128	○	6.2	○	○	\$43,844
UPMC Northwest	54	○	5.3	○	○	\$19,965
UPMC Passavant	170	○	6.7	○	○	\$37,171
UPMC Presby Shadyside	251	○	6.1	○	○	\$71,115
UPMC St Margaret	174	○	6.4	○	○	\$43,996
Warren General	49	○	4.6	○	○	\$24,874
Washington	142	○	5.2	○	○	\$26,400
Western PA Hosp/Forbes	142	○	5.2	○	○	\$28,606
Western Pennsylvania	51	○	5.1	●	○	\$45,202
Windber	36	○	5.4	○	○	\$28,704
Western Pennsylvania	4,730		5.7			\$31,924
TOTAL: Statewide	12,930		5.8			\$48,228

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

## Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
ACMH	80	○	1.7	12.5	●	1.3	○	\$10,473
Allegheny General	204	○	3.3	2.5	○	18.6	●	\$27,107
Alle-Kiski	59	○	1.7	11.9	●	0.0	○	\$21,541
Altoona Regional	294	○	2.2	2.0	○	1.7	○	\$11,929
Bradford Regional	36	○	3.2	2.8	○	5.6	○	\$11,531
Brookville	9	○	4.3	0.0	○	33.3	●	\$11,361
Butler Memorial	136	○	2.3	2.9	○	1.5	○	\$14,706
Canonsburg General	5	○	3.6	0.0	○	20.0	○	\$28,312
Charles Cole Memorial	26	○	2.6	0.0	○	0.0	○	\$6,808
Clarion	56	○	2.8	0.0	○	1.8	○	\$11,333
Clearfield	48	○	2.4	4.2	○	0.0	○	\$7,895
Conemaugh Valley Memorial	63	○	2.6	3.2	○	4.8	○	\$12,801
Corry Memorial	17	○	2.4	0.0	○	0.0	○	\$7,480
DuBois Regional	82	○	2.7	1.2	○	2.4	○	\$12,700
Elk Regional	21	○	3.2	0.0	○	4.8	○	\$15,203
Ellwood City	6	○	1.7	0.0	○	0.0	○	\$6,073
Excelsior Health Westmoreland	138	○	2.8	1.4	○	2.2	○	\$10,870
Frick	0	NR	NR	NR	NR	NR	NR	NR
Grove City	21	○	3.2	0.0	○	0.0	○	\$7,311
Hamot	105	○	2.7	1.0	○	1.0	○	\$23,565
Heritage Valley Beaver	114	○	2.4	1.8	○	1.8	○	\$10,795
Heritage Valley Sewickley	78	○	2.3	2.6	○	1.3	○	\$11,617
Highlands	0	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	72	○	2.4	1.4	○	5.6	○	\$15,148
Jameson Memorial	44	○	2.3	0.0	○	0.0	○	\$10,404
Jefferson Regional	9	○	2.4	22.2	○	0.0	○	\$15,938
Kane Community	0	NR	NR	NR	NR	NR	NR	NR
Latrobe Area	119	○	2.8	2.5	○	3.4	○	\$13,305
Magee-Womens	932	○	2.5	12.9	●	6.6	●	\$25,420
Meadville	63	○	2.8	4.8	○	4.8	○	\$12,407

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	23	○	3.0	0.0	○	4.3	○	\$13,040
Miners	0	NR	NR	NR	NR	NR	NR	NR
Monongahela Valley	14	○	2.5	7.1	○	7.1	○	\$13,191
Nason	18	○	3.0	0.0	○	5.6	○	\$9,162
Ohio Valley General	88	○	2.2	8.0	○	2.3	○	\$20,518
Punxsutawney Area	21	○	2.1	0.0	○	0.0	○	\$10,103
Saint Vincent Health	192	○	2.9	0.0	○	3.6	○	\$29,381
Sharon Regional	40	○	2.6	2.5	○	5.0	○	\$17,041
Somerset	41	○	2.7	2.4	○	2.4	○	\$15,435
Southwest Regional MC	3	NR	NR	NR	NR	NR	NR	NR
St Clair Memorial	130	○	2.4	3.1	○	3.8	○	\$17,520
Titusville Area	39	○	3.3	0.0	○	0.0	○	\$10,523
Tyrone	3	NR	NR	NR	NR	NR	NR	NR
Uniontown	173	○	2.5	0.6	○	3.5	○	\$8,634
UPMC Bedford	47	○	2.5	2.1	○	2.1	○	\$9,563
UPMC Horizon	128	○	2.4	0.8	○	0.0	○	\$14,874
UPMC McKeesport	31	○	2.9	3.2	○	9.7	○	\$27,966
UPMC Mercy	325	○	3.3	4.9	○	14.2	●	\$27,591
UPMC Northwest	60	○	2.5	1.7	○	3.3	○	\$7,326
UPMC Passavant	189	○	2.0	5.3	○	3.7	○	\$24,437
UPMC Presby Shadyside	112	○	2.2	12.5	●	3.6	○	\$49,471
UPMC St Margaret	20	○	3.8	0.0	○	26.3	●	\$33,612
Warren General	80	○	3.2	0.0	○	1.3	○	\$8,647
Washington	128	○	2.6	3.1	○	3.1	○	\$11,875
Western PA Hosp/Forbes	88	○	2.7	1.1	○	3.4	○	\$22,995
Western Pennsylvania	415	○	3.0	5.1	○	9.9	●	\$33,108
Windber	41	○	2.4	4.9	○	0.0	○	\$18,767
Western Pennsylvania	5,286		2.6	4.9		5.3		\$20,910
TOTAL: Statewide	15,277		2.6	5.0		5.0		\$29,532

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

## Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
ACMH	129	1.0	○	○	\$6,695
Allegheny General	36	1.9	○	○	\$17,177
Alle-Kiski	56	1.2	○	○	\$18,393
Altoona Regional	174	1.6	○	○	\$10,955
Bradford Regional	18	1.8	○	○	\$9,372
Brookville	1	NR	NR	NR	NR
Butler Memorial	40	1.5	○	○	\$9,984
Canonsburg General	0	NR	NR	NR	NR
Charles Cole Memorial	6	2.1	○	○	\$6,010
Clarion	47	1.8	○	○	\$12,395
Clearfield	68	1.6	○	○	\$7,202
Conemaugh Valley Memorial	62	1.4	○	○	\$12,259
Corry Memorial	7	1.1	○	○	\$5,515
DuBois Regional	47	2.1	○	○	\$12,715
Elk Regional	0	NR	NR	NR	NR
Ellwood City	2	NR	NR	NR	NR
Excelsior Health Westmoreland	39	2.0	○	○	\$8,840
Frick	0	NR	NR	NR	NR
Grove City	23	2.1	○	○	\$7,601
Hamot	110	1.9	○	○	\$24,470
Heritage Valley Beaver	158	1.1	○	○	\$8,669
Heritage Valley Sewickley	15	1.4	○	○	\$8,327
Highlands	0	NR	NR	NR	NR
Indiana Regional	31	1.8	○	○	\$13,893
Jameson Memorial	33	1.8	○	○	\$11,265
Jefferson Regional	2	NR	NR	NR	NR
Kane Community	0	NR	NR	NR	NR
Latrobe Area	40	2.2	○	○	\$8,469
Magee-Womens	341	1.5	○	○	\$19,513
Meadville	30	1.9	○	○	\$11,596

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Meyersdale Community	0	NR	NR	NR	NR
Millcreek Community	0	NR	NR	NR	NR
Miners	0	NR	NR	NR	NR
Monongahela Valley	61	1.4	○	○	\$11,696
Nason	21	1.9	○	○	\$9,232
Ohio Valley General	52	2.0	○	○	\$11,327
Punxsutawney Area	17	1.2	○	○	\$6,688
Saint Vincent Health	139	1.9	○	○	\$25,295
Sharon Regional	17	1.5	○	○	\$15,333
Somerset	36	1.3	○	○	\$11,613
Southwest Regional MC	0	NR	NR	NR	NR
St Clair Memorial	25	2.2	○	○	\$13,258
Titusville Area	9	2.2	○	○	\$11,913
Tyrone	0	NR	NR	NR	NR
Uniontown	72	1.7	○	○	\$7,714
UPMC Bedford	0	NR	NR	NR	NR
UPMC Horizon	46	1.7	○	○	\$17,103
UPMC McKeesport	17	2.2	○	○	\$24,750
UPMC Mercy	55	1.9	○	○	\$19,402
UPMC Northwest	25	2.3	○	○	\$8,145
UPMC Passavant	60	1.7	○	○	\$20,745
UPMC Presby Shadyside	16	1.3	○	○	\$33,251
UPMC St Margaret	19	1.9	○	○	\$30,841
Warren General	33	2.2	○	○	\$13,244
Washington	74	1.6	○	○	\$9,661
Western PA Hosp/Forbes	54	2.0	○	○	\$17,448
Western Pennsylvania	63	1.5	●	●	\$23,933
Windber	26	1.6	○	○	\$15,915
Western Pennsylvania	2,452	1.6			\$14,683
TOTAL: Statewide	5,818	1.5			\$22,262

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

### Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
ACMH	0	NR	NR	NR	NR	NR	NR
Allegheny General	83	2.8	0.0	○	7.1	○	\$22,600
Alle-Kiski	5	3.9	0.0	○	16.7	○	\$41,775
Altoona Regional	11	4.0	0.0	○	27.3	●	\$17,305
Bradford Regional	8	3.6	0.0	○	12.5	○	\$19,323
Brookville	0	NR	NR	NR	NR	NR	NR
Butler Memorial	35	2.6	0.0	○	2.9	○	\$20,595
Canonsburg General	0	NR	NR	NR	NR	NR	NR
Charles Cole Memorial	0	NR	NR	NR	NR	NR	NR
Clarion	1	NR	NR	NR	NR	NR	NR
Clearfield	0	NR	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	63	2.6	0.0	○	6.2	○	\$12,891
Corry Memorial	0	NR	NR	NR	NR	NR	NR
DuBois Regional	9	2.9	0.0	○	0.0	○	\$25,293
Elk Regional	0	NR	NR	NR	NR	NR	NR
Ellwood City	0	NR	NR	NR	NR	NR	NR
Excelsior Hlth Westmoreland	21	3.9	0.0	○	17.4	●	\$14,961
Frick	16	3.9	0.0	○	12.5	○	\$15,675
Grove City	0	NR	NR	NR	NR	NR	NR
Hamot	42	3.7	0.0	○	14.3	●	\$55,726
Heritage Valley Beaver	11	3.6	0.0	○	0.0	○	\$11,975
Heritage Valley Sewickley	17	3.7	0.0	○	35.3	●	\$14,141
Highlands	0	NR	NR	NR	NR	NR	NR
Indiana Regional	0	NR	NR	NR	NR	NR	NR
Jameson Memorial	12	4.4	0.0	○	25.0	●	\$19,252
Jefferson Regional	21	4.4	0.0	○	29.2	●	\$19,322
Kane Community	0	NR	NR	NR	NR	NR	NR
Latrobe Area	34	2.6	0.0	○	0.0	○	\$10,228
Magee-Womens	11	2.6	0.0	○	0.0	○	\$26,256
Meadville	0	NR	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup> While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating <sup>†</sup>	%	Rating <sup>†</sup>	
Meyersdale Community	0	NR	NR	NR	NR	NR	NR
Millcreek Community	0	NR	NR	NR	NR	NR	NR
Miners	0	NR	NR	NR	NR	NR	NR
Monongahela Valley	1	NR	NR	NR	NR	NR	NR
Nason	1	NR	NR	NR	NR	NR	NR
Ohio Valley General	0	NR	NR	NR	NR	NR	NR
Punxsutawney Area	0	NR	NR	NR	NR	NR	NR
Saint Vincent Health	16	4.0	0.0	○	6.3	○	\$37,625
Sharon Regional	14	4.2	0.0	○	21.4	●	\$30,781
Somerset	8	3.1	0.0	○	0.0	○	\$15,078
Southwest Regional MC	9	2.6	0.0	○	0.0	○	\$23,927
St Clair Memorial	25	2.1	0.0	○	0.0	○	\$19,978
Titusville Area	1	NR	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR	NR
Uniontown	23	2.6	0.0	○	0.0	○	\$11,246
UPMC Bedford	6	4.6	0.0	○	66.7	●	\$15,811
UPMC Horizon	9	4.0	0.0	○	30.0	●	\$32,107
UPMC McKeesport	3	NR	NR	NR	NR	NR	NR
UPMC Mercy	9	3.0	0.0	○	0.0	○	\$21,975
UPMC Northwest	11	3.5	0.0	○	9.1	○	\$13,665
UPMC Passavant	32	3.7	0.0	○	23.5	●	\$27,254
UPMC Presby Shadyside	394	1.6	2.5	○	0.3	○	\$49,120
UPMC St Margaret	8	2.8	12.5	○	0.0	○	\$36,056
Warren General	0	NR	NR	NR	NR	NR	NR
Washington	8	3.2	12.5	○	37.5	●	\$19,328
Western PA Hosp/Forbes	12	4.1	0.0	○	8.3	○	\$23,356
Western Pennsylvania	42	2.2	0.0	○	4.8	○	\$45,648
Windber	0	NR	NR	NR	NR	NR	NR
Western Pennsylvania	1,038	2.6	1.1		7.1		\$33,708
TOTAL: Statewide	4,317	2.1	5.0		4.9		\$43,719

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

<sup>†</sup>While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

### Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
ACMH	10	2.1	\$9,651
Allegheny General	22	2.1	\$15,848
Alle-Kiski	31	2.7	\$16,203
Altoona Regional	82	2.5	\$7,894
Bradford Regional	9	2.9	\$7,027
Brookville	5	3.0	\$6,728
Butler Memorial	19	2.3	\$12,874
Canonsburg General	11	2.9	\$15,839
Charles Cole Memorial	0	NR	NR
Clarion	6	1.7	\$8,427
Clearfield	1	NR	NR
Conemaugh Valley Memorial	58	2.3	\$7,689
Corry Memorial	0	NR	NR
DuBois Regional	12	1.4	\$13,369
Elk Regional	4	NR	NR
Ellwood City	2	NR	NR
Excelsa Hlth Westmoreland	24	3.4	\$13,667
Frick	14	4.6	\$12,969
Grove City	11	2.6	\$7,386
Hamot	26	3.2	\$21,378
Heritage Valley Beaver	44	3.2	\$11,031
Heritage Valley Sewickley	3	NR	NR
Highlands	0	NR	NR
Indiana Regional	12	3.0	\$13,625
Jameson Memorial	27	2.8	\$9,420
Jefferson Regional	34	2.6	\$8,063
Kane Community	0	NR	NR
Latrobe Area	9	2.8	\$9,432
Magee-Womens	11	1.1	\$16,530
Meadville	3	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

## Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
Meyersdale Community	0	NR	NR
Millcreek Community	0	NR	NR
Miners	0	NR	NR
Monongahela Valley	19	2.9	\$8,402
Nason	7	2.2	\$6,287
Ohio Valley General	2	NR	NR
Punxsutawney Area	1	NR	NR
Saint Vincent Health	40	2.3	\$26,436
Sharon Regional	21	3.2	\$15,717
Somerset	28	2.5	\$8,483
Southwest Regional MC	6	2.7	\$18,050
St Clair Memorial	25	3.1	\$13,411
Titusville Area	27	3.0	\$9,378
Tyrone	0	NR	NR
Uniontown	2	NR	NR
UPMC Bedford	51	2.0	\$8,491
UPMC Horizon	17	3.0	\$13,564
UPMC McKeesport	9	2.6	\$22,410
UPMC Mercy	30	3.4	\$16,847
UPMC Northwest	21	2.2	\$7,849
UPMC Passavant	25	2.8	\$16,068
UPMC Presby Shadyside	95	1.9	\$27,299
UPMC St Margaret	15	1.6	\$22,418
Warren General	0	NR	NR
Washington	21	2.7	\$12,627
Western PA Hosp/Forbes	10	2.9	\$12,452
Western Pennsylvania	14	4.2	\$27,260
Windber	0	NR	NR
Western Pennsylvania	985	2.6	\$14,014
<b>TOTAL: Statewide</b>	<b>3,145</b>	<b>2.5</b>	<b>\$21,222</b>

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

## Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	13	○	3.4	○	○	\$13,534
Allegheny General	196	○	2.1	○	○	\$26,523
Alle-Kiski	12	○	1.9	○	○	\$24,154
Altoona Regional	95	○	2.2	○	○	\$17,498
Bradford Regional	22	○	1.6	○	○	\$11,868
Brookville	16	○	2.9	○	○	\$13,684
Butler Memorial	60	○	2.7	○	○	\$15,350
Canonsburg General	1	NR	NR	NR	NR	NR
Charles Cole Memorial	0	NR	NR	NR	NR	NR
Clarion	2	NR	NR	NR	NR	NR
Clearfield	0	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	74	○	2.5	○	○	\$15,131
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	80	○	1.9	●	○	\$17,081
Elk Regional	10	○	4.5	○	○	\$21,548
Ellwood City	15	○	2.3	○	○	\$10,212
Excelsior Hlth Westmoreland	90	○	1.9	○	○	\$10,570
Frick	1	NR	NR	NR	NR	NR
Grove City	6	○	2.8	○	○	\$14,074
Hamot	44	○	2.1	○	○	\$47,444
Heritage Valley Beaver	36	○	2.5	○	○	\$23,003
Heritage Valley Sewickley	57	○	1.9	○	○	\$10,990
Highlands	0	NR	NR	NR	NR	NR
Indiana Regional	0	NR	NR	NR	NR	NR
Jameson Memorial	0	NR	NR	NR	NR	NR
Jefferson Regional	108	○	2.8	○	○	\$13,809
Kane Community	0	NR	NR	NR	NR	NR
Latrobe Area	37	○	2.4	○	○	\$10,767
Magee-Womens	0	NR	NR	NR	NR	NR
Meadville	16	○	4.6	○	○	\$22,311

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

## Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	3	NR	NR	NR	NR	NR
Miners	4	NR	NR	NR	NR	NR
Monongahela Valley	54	○	3.5	○	●	\$14,966
Nason	0	NR	NR	NR	NR	NR
Ohio Valley General	21	○	2.2	○	○	\$16,280
Punxsutawney Area	0	NR	NR	NR	NR	NR
Saint Vincent Health	155	○	1.7	○	○	\$37,762
Sharon Regional	47	○	1.3	○	○	\$16,785
Somerset	3	NR	NR	NR	NR	NR
Southwest Regional MC	0	NR	NR	NR	NR	NR
St Clair Memorial	43	○	2.5	○	●	\$21,968
Titusville Area	0	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR
Uniontown	35	○	3.1	○	○	\$9,070
UPMC Bedford	0	NR	NR	NR	NR	NR
UPMC Horizon	43	○	2.5	○	○	\$21,899
UPMC McKeesport	38	○	2.0	○	○	\$29,182
UPMC Mercy	38	○	2.3	○	○	\$32,797
UPMC Northwest	26	○	2.8	○	○	\$12,756
UPMC Passavant	48	○	2.1	○	○	\$24,266
UPMC Presby Shadyside	150	○	2.9	○	○	\$52,307
UPMC St Margaret	33	○	2.2	○	○	\$42,507
Warren General	11	○	3.6	○	○	\$24,461
Washington	46	○	2.6	○	○	\$19,059
Western PA Hosp/Forbes	56	○	2.7	○	○	\$30,238
Western Pennsylvania	34	○	2.4	●	○	\$37,246
Windber	1	NR	NR	NR	NR	NR
Western Pennsylvania	1,904		2.4			\$24,195
TOTAL: Statewide	4,755		2.3			\$31,615

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 6.



## **Pennsylvania Health Care Cost Containment Council**

Joe Martin, Executive Director

225 Market Street, Suite 400, Harrisburg, PA 17101

Phone: 717-232-6787 • Fax: 717-232-3821

[www.phc4.org](http://www.phc4.org)

Hospitals may have commented on this report. Comments are available on the PHC4 website or by request.

This report and other PHC4 publications are available online at [www.phc4.org](http://www.phc4.org). Additional financial, hospitalization and ambulatory procedure health care data is available for purchase. For more information, contact PHC4's Data Requests Unit at [specialrequests@phc4.org](mailto:specialrequests@phc4.org) or 717-232-6787.