Abnormal Heartbeat

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	38,718	0.9%	14.5%	\$39,658
Western Pennsylvania	13,455	1.1%	14.9%	\$26,768
ACMH	106	·	0	\$22,991
Allegheny General	624	·	0	\$27,331
Allegheny Valley	204	•	0	\$22,709
Bradford Regional	32	•	0	\$12,393
Butler Memorial	429	⊙	0	\$29,761
Canonsburg	69	•	0	\$24,282
Charles Cole Memorial	37	⊙	0	\$10,658
Clarion	41	⊙	•	\$13,163
Conemaugh Memorial	563	•	0	\$18,153
Conemaugh Meyersdale	4	NR	NR	NR
Conemaugh Miners	4	NR	NR	NR
Corry Memorial	13	⊙	0	\$17,504
Ellwood City	80	•	0	\$12,652
Excela Hith Westmoreland	655	•	0	\$24,275
Forbes	446	•	0	\$21,966
Frick	127	•	•	\$20,824
Grove City	86	•	0	\$22,783
Heritage Valley Beaver	480	•	0	\$13,217
Heritage Valley Sewickley	183	•	0	\$13,006
Highlands	28	•	0	\$14,571
Indiana Regional	262	•	0	\$18,390
Jameson Memorial	194	•	0	\$14,395
Jefferson	543	•	•	\$20,022
Kane Community	20	•	0	\$16,288
Latrobe Area	219	0	0	\$18,465
Magee Womens/UPMC	38	⊙	0	\$28,892
Meadville	160	•	0	\$19,198
Millcreek Community	41	0	0	\$20,255
Monongahela Valley	180	0	0	\$21,869

Abnormal Heartbeat

Includes abnormalities in the heart rate (how fast or slow the heart beats) and/or the heart rhythm (how regular/steady the heart beats). Common examples include tachycardia (too fast), bradycardia (too slow) and atrial fibrillation (too fast and irregular).

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Abnormal Heartbeat

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	38	⊙	0	\$11,330
Ohio Valley General	115	·	0	\$28,237
Penn Highlands/Brookville	11	·	0	\$12,199
Penn Highlands/Clearfield	46	·	0	\$13,063
Penn Highlands/DuBois	201	·	0	\$14,114
Penn Highlands/Elk	56	·	0	\$13,026
Punxsutawney Area	27	·	0	\$10,563
Saint Vincent	524	·	0	\$33,611
Sharon Regional	368	·	0	\$24,242
Somerset	63	·	0	\$18,696
Southwest Regional MC	35	⊙	0	\$13,495
St Clair Memorial	544	⊙	•	\$21,763
Titusville Area	5	·	0	\$9,824
Tyrone	12	·	0	\$15,199
Uniontown	265	•	•	\$11,539
UPMC Altoona	550	·	0	\$21,575
UPMC Bedford	48	·	0	\$15,341
UPMC East	248	·	0	\$31,323
UPMC Hamot	603	·	0	\$36,650
UPMC Horizon	198	•	0	\$22,547
UPMC McKeesport	136	·	0	\$32,453
UPMC Mercy	387	·	0	\$34,354
UPMC Northwest	165	·	0	\$15,901
UPMC Passavant	674	·	0	\$36,049
UPMC Presby Shadyside	1,179	·	0	\$51,271
UPMC St Margaret	423	·	0	\$33,256
Warren General	56	·	0	\$21,572
Washington	455	·	0	\$16,672
West Penn	99	•	0	\$24,949
Windber	44	0	0	\$15,386

Abnormal Heartbeat

Includes abnormalities in the heart rate (how fast or slow the heart beats) and/or the heart rhythm (how regular/steady the heart beats). Common examples include tachycardia (too fast), bradycardia (too slow) and atrial fibrillation (too fast and irregular).

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Chest Pain

Hospital	Total Number of Cases	Readmissions (for any reason)	Average Hospital Charge
Statewide	7,990	14.6%	\$22,593
Western Pennsylvania	1,791	12.8%	\$14,439
ACMH	2	NR	NR
Allegheny General	61	0	\$18,797
Allegheny Valley	8	0	\$13,894
Bradford Regional	3	NR	NR
Butler Memorial	25	⊙	\$21,928
Canonsburg	3	NR	NR
Charles Cole Memorial	7	0	\$6,281
Clarion	1	NR	NR
Conemaugh Memorial	89	0	\$10,895
Conemaugh Meyersdale	0	NR	NR
Conemaugh Miners	0	NR	NR
Corry Memorial	1	NR	NR
Ellwood City	11	0	\$9,585
Excela Hith Westmoreland	124	·	\$11,582
Forbes	40	0	\$15,700
Frick	31	0	\$10,741
Grove City	9	0	\$14,033
Heritage Valley Beaver	42	0	\$7,307
Heritage Valley Sewickley	22	·	\$11,558
Highlands	4	NR	NR
Indiana Regional	41	0	\$9,844
Jameson Memorial	65	0	\$8,847
Jefferson	51	0	\$15,168
Kane Community	1	NR	NR
Latrobe Area	41	0	\$10,912
Magee Womens/UPMC	24	0	\$18,971
Meadville	3	NR	NR
Millcreek Community	10	0	\$10,487
Monongahela Valley	44	0	\$14,273

Chest Pain

Pain in the chest that is usually not related to the heart (non-cardiac chest pain). Common causes for this type of chest pain include gastric reflux ("heartburn"), pleurisy (inflammation of the membrane around the lungs) and problems with the ribs and muscles of the chest.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Mortality ratings were not reported for Chest Pain because the number of mortalities statewide was less than 10.

Chest Pain

Hospital	Total Number of Cases	Readmissions (for any reason)	Average Hospital Charge
Nason	9	0	\$5,518
Ohio Valley General	29	0	\$14,972
Penn Highlands/Brookville	2	NR	NR
Penn Highlands/Clearfield	1	NR	NR
Penn Highlands/DuBois	23	0	\$7,125
Penn Highlands/Elk	9	0	\$4,826
Punxsutawney Area	7	0	\$8,473
Saint Vincent	53	0	\$22,717
Sharon Regional	198	0	\$12,513
Somerset	5	NR	\$17,968
Southwest Regional MC	2	NR	NR
St Clair Memorial	20	0	\$15,112
Titusville Area	3	NR	NR
Tyrone	4	NR	NR
Uniontown	77	0	\$6,285
UPMC Altoona	50	0	\$14,308
UPMC Bedford	1	NR	NR
UPMC East	26	0	\$19,682
UPMC Hamot	48	0	\$21,257
UPMC Horizon	13	0	\$12,410
UPMC McKeesport	26	0	\$15,674
UPMC Mercy	87	•	\$17,299
UPMC Northwest	33	0	\$7,470
UPMC Passavant	54	0	\$18,482
UPMC Presby Shadyside	139	0	\$26,574
UPMC St Margaret	44	0	\$19,715
Warren General	0	NR	NR
Washington	55	0	\$11,127
West Penn	7	0	\$13,111
Windber	1	NR	NR

Chest Pain

Pain in the chest that is usually not related to the heart (non-cardiac chest pain). Common causes for this type of chest pain include gastric reflux ("heartburn"), pleurisy (inflammation of the membrane around the lungs) and problems with the ribs and muscles of the chest.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Mortality ratings were not reported for Chest Pain because the number of mortalities statewide was less than 10.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	26,805	0.6%	20.1%	\$27,429
Western Pennsylvania	10,059	0.6%	19.2%	\$17,378
ACMH	81	·	0	\$13,975
Allegheny General	254	·	0	\$24,098
Allegheny Valley	195	·	0	\$15,086
Bradford Regional	114	·	0	\$10,455
Butler Memorial	319	·	0	\$19,681
Canonsburg	113	·	0	\$17,805
Charles Cole Memorial	85	•	0	\$9,303
Clarion	51	•	0	\$11,216
Conemaugh Memorial	339	·	0	\$13,538
Conemaugh Meyersdale	19	·	0	\$10,505
Conemaugh Miners	25	·	0	\$12,511
Corry Memorial	45	·	0	\$14,899
Ellwood City	54	·	0	\$10,593
Excela Hlth Westmoreland	454	·	0	\$18,076
Forbes	247	0	0	\$18,801
Frick	169	⊙	0	\$13,972
Grove City	88	⊙	0	\$20,014
Heritage Valley Beaver	237	⊙	0	\$9,284
Heritage Valley Sewickley	150	⊙	0	\$10,982
Highlands	88	⊙	0	\$11,795
Indiana Regional	182	⊙	0	\$13,428
Jameson Memorial	303	0	•	\$12,538
Jefferson	469	•	0	\$17,035
Kane Community	49	·	0	\$15,019
Latrobe Area	260	·	0	\$14,578
Magee Womens/UPMC	46	⊙	0	\$31,209
Meadville	147	⊙	0	\$16,522
Millcreek Community	65	⊙	0	\$15,127
Monongahela Valley	285	·	0	\$16,597

COPD

Chronic damage, inflammation and narrowing of the airways in the lungs. Common COPD diseases include emphysema and chronic obstructive bronchitis.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	36	0	0	\$11,925
Ohio Valley General	127	0	0	\$16,008
Penn Highlands/Brookville	43	·	0	\$10,354
Penn Highlands/Clearfield	89	0	0	\$11,543
Penn Highlands/DuBois	111	0	0	\$11,379
Penn Highlands/Elk	131	0	0	\$10,937
Punxsutawney Area	54	·	0	\$11,280
Saint Vincent	237	·	0	\$22,358
Sharon Regional	233	·	0	\$17,795
Somerset	80	·	0	\$15,190
Southwest Regional MC	110	0	0	\$10,257
St Clair Memorial	337	0	0	\$15,643
Titusville Area	54	0	0	\$5,709
Tyrone	26	·	0	\$11,055
Uniontown	338	·	0	\$9,832
UPMC Altoona	317	⊙	0	\$17,226
UPMC Bedford	77	•	0	\$11,475
UPMC East	117	0	0	\$23,994
UPMC Hamot	261	0	0	\$33,141
UPMC Horizon	153	•	0	\$17,303
UPMC McKeesport	221	0	0	\$22,326
UPMC Mercy	287	•	0	\$25,851
UPMC Northwest	246	•	0	\$13,835
UPMC Passavant	333	•	0	\$25,212
UPMC Presby Shadyside	349	0	0	\$36,096
UPMC St Margaret	305	0	0	\$25,239
Warren General	72	0	0	\$14,083
Washington	283	⊙	0	\$12,819
West Penn	60	⊙	0	\$18,291
Windber	39	•	•	\$12,944

COPD

Chronic damage, inflammation and narrowing of the airways in the lungs. Common COPD diseases include emphysema and chronic obstructive bronchitis.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Colorectal Procedures

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Statewide	12,637	1.8%	\$85,543
Western Pennsylvania	4,161	1.8%	\$67,730
ACMH	39	0	\$35,857
Allegheny General	170	•	\$66,440
Allegheny Valley	36	•	\$50,962
Bradford Regional	20	•	\$29,683
Butler Memorial	101	•	\$67,428
Canonsburg	37	•	\$37,017
Charles Cole Memorial	7	•	\$24,747
Clarion	20	•	\$27,625
Conemaugh Memorial	127	•	\$35,712
Conemaugh Meyersdale	0	NR	NR
Conemaugh Miners	2	NR	NR
Corry Memorial	2	NR	NR
Ellwood City	11	0	\$20,221
Excela Hith Westmoreland	72	0	\$42,053
Forbes	134	0	\$48,976
Frick	24	•	\$36,186
Grove City	8	0	\$32,183
Heritage Valley Beaver	127	0	\$31,087
Heritage Valley Sewickley	59	•	\$32,432
Highlands	33	•	\$29,517
Indiana Regional	54	•	\$41,850
Jameson Memorial	51	•	\$34,096
Jefferson	228	•	\$41,284
Kane Community	1	NR	NR
Latrobe Area	109	•	\$35,399
Magee Womens/UPMC	36	•	\$92,851
Meadville	25	0	\$50,458
Millcreek Community	7	0	\$70,867
Monongahela Valley	54	0	\$45,222

Colorectal Procedures

Surgical procedure performed on the colon (large intestine) and rectum (last section of the large intestine). Reasons for colorectal procedures include cancer and diverticulitis (severe inflammation of large intestine). Common procedures include removal of the rectum or part or all of the large intestine. Does not include patients with abdominal trauma.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Colorectal Procedures to avoid counting readmissions that may have been planned.

Colorectal Procedures

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Nason	28	0	\$21,751
Ohio Valley General	19	0	\$42,822
Penn Highlands/Brookville	0	NR	NR
Penn Highlands/Clearfield	27	0	\$30,307
Penn Highlands/DuBois	73	0	\$30,160
Penn Highlands/Elk	16	0	\$34,094
Punxsutawney Area	15	0	\$26,413
Saint Vincent	164	·	\$86,802
Sharon Regional	42	·	\$62,817
Somerset	54	·	\$43,210
Southwest Regional MC	0	NR	NR
St Clair Memorial	189	0	\$59,134
Titusville Area	12	·	\$21,723
Tyrone	3	NR	NR
Uniontown	93	·	\$25,038
UPMC Altoona	186	·	\$45,815
UPMC Bedford	8	·	\$44,397
UPMC East	52	·	\$82,103
UPMC Hamot	127	·	\$87,167
UPMC Horizon	44	·	\$64,790
UPMC McKeesport	42	⊙	\$55,555
UPMC Mercy	79	·	\$88,666
UPMC Northwest	33	·	\$27,809
UPMC Passavant	337	·	\$84,583
UPMC Presby Shadyside	573	·	\$143,086
UPMC St Margaret	121	· ·	\$93,198
Warren General	26	0	\$50,163
Washington	98	· ·	\$35,091
West Penn	60	0	\$58,974
Windber	41	•	\$37,645

Colorectal Procedures

Surgical procedure performed on the colon (large intestine) and rectum (last section of the large intestine). Reasons for colorectal procedures include cancer and diverticulitis (severe inflammation of large intestine). Common procedures include removal of the rectum or part or all of the large intestine. Does not include patients with abdominal trauma.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Colorectal Procedures to avoid counting readmissions that may have been planned.

Congestive Heart Failure (CHF)

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	42,315	2.7%	23.8%	\$35,837
Western Pennsylvania	14,565	3.2%	23.8%	\$24,352
ACMH	141	·	0	\$13,817
Allegheny General	675	⊙	0	\$30,736
Allegheny Valley	279	·	0	\$22,409
Bradford Regional	51	·	0	\$9,837
Butler Memorial	244	·	0	\$25,115
Canonsburg	119	·	0	\$21,911
Charles Cole Memorial	61	·	0	\$10,798
Clarion	43	·	0	\$12,330
Conemaugh Memorial	723	•	•	\$16,348
Conemaugh Meyersdale	12	·	0	\$13,693
Conemaugh Miners	51	·	0	\$13,707
Corry Memorial	25	·	0	\$15,841
Ellwood City	80	•	0	\$11,563
Excela Hlth Westmoreland	520	·	0	\$23,086
Forbes	410	·	0	\$22,704
Frick	127	·	0	\$20,445
Grove City	84	·	0	\$24,919
Heritage Valley Beaver	487	·	0	\$11,742
Heritage Valley Sewickley	231	•	0	\$14,811
Highlands	86	·	0	\$13,998
Indiana Regional	211	·	0	\$16,266
Jameson Memorial	273	·	0	\$13,537
Jefferson	518	·	0	\$21,237
Kane Community	44	<u></u>	0	\$15,982
Latrobe Area	273	⊙	0	\$20,619
Magee Womens/UPMC	67	·	0	\$38,731
Meadville	158	·	•	\$20,044
Millcreek Community	106	·	0	\$16,984
Monongahela Valley	314	0	0	\$21,910

CHF

Inability of the heart to pump enough blood to meet the needs of the body leading to swelling of the legs and shortness of breath from fluid build-up in the lungs.

Common causes of heart failure include heart disease (e.g., coronary artery disease and heart valve problems) and long-standing hypertension (high blood pressure).

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Congestive Heart Failure (CHF)

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	74	0	0	\$13,045
Ohio Valley General	119	·	0	\$25,308
Penn Highlands/Brookville	32	·	0	\$11,681
Penn Highlands/Clearfield	104	·	0	\$12,972
Penn Highlands/DuBois	266	0	0	\$12,682
Penn Highlands/Elk	141	·	0	\$11,977
Punxsutawney Area	60	·	0	\$13,188
Saint Vincent	433	·	0	\$30,242
Sharon Regional	189	·	0	\$21,001
Somerset	92	·	0	\$17,983
Southwest Regional MC	83	0	0	\$12,289
St Clair Memorial	582	·	0	\$18,402
Titusville Area	28	·	0	\$9,424
Tyrone	39	·	0	\$12,680
Uniontown	329	•	0	\$11,820
UPMC Altoona	521	0	0	\$20,780
UPMC Bedford	65	·	0	\$12,200
UPMC East	243	⊙	0	\$28,311
UPMC Hamot	535	⊙	0	\$39,676
UPMC Horizon	218	⊙	0	\$22,364
UPMC McKeesport	251	⊙	0	\$27,786
UPMC Mercy	373	·	0	\$30,114
UPMC Northwest	184	⊙	0	\$16,057
UPMC Passavant	585	•	0	\$32,304
UPMC Presby Shadyside	1,191	•	0	\$48,429
UPMC St Margaret	574	0	0	\$32,434
Warren General	94	0	0	\$16,301
Washington	544	0	0	\$15,066
West Penn	114	0	0	\$26,593
Windber	74	0	0	\$15,657

CHF

Inability of the heart to pump enough blood to meet the needs of the body leading to swelling of the legs and shortness of breath from fluid build-up in the lungs.

Common causes of heart failure include heart disease (e.g., coronary artery disease and heart valve problems) and long-standing hypertension (high blood pressure).

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Diabetes - Medical Management

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	15,992	0.6%	19.8%	\$27,907
Western Pennsylvania	4,594	0.6%	18.7%	\$17,620
ACMH	32	·	0	\$11,173
Allegheny General	164	⊙	0	\$25,315
Allegheny Valley	79	·	0	\$14,698
Bradford Regional	19	0	0	\$8,523
Butler Memorial	119	0	0	\$19,872
Canonsburg	29	0	0	\$13,365
Charles Cole Memorial	19	0	0	\$10,423
Clarion	37	⊙	0	\$8,504
Conemaugh Memorial	205	0	0	\$13,729
Conemaugh Meyersdale	5	0	0	\$7,681
Conemaugh Miners	6	0	0	\$10,903
Corry Memorial	5	0	0	\$11,537
Ellwood City	13	0	0	\$8,995
Excela Hith Westmoreland	159	⊙	0	\$13,741
Forbes	114	0	0	\$15,726
Frick	53	0	0	\$11,101
Grove City	30	0	0	\$16,147
Heritage Valley Beaver	128	⊙	0	\$9,095
Heritage Valley Sewickley	108	⊙	0	\$10,447
Highlands	20	0	0	\$13,624
Indiana Regional	86	0	0	\$11,216
Jameson Memorial	76	⊙	0	\$10,847
Jefferson	136	•	0	\$17,030
Kane Community	9	0	0	\$15,709
Latrobe Area	66	⊙	0	\$11,446
Magee Womens/UPMC	40	0	•	\$23,732
Meadville	54	0	•	\$13,857
Millcreek Community	23	⊙	0	\$16,172
Monongahela Valley	68	0	0	\$11,588

Diabetes – Medical Management

The body is unable to make enough insulin or it does not use the insulin properly. Diabetes can lead to acute complications such as a coma from too much or too little glucose (blood sugar) and long-term complications such as kidney disease and damage to blood vessels and nerves.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Diabetes - Medical Management

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	18	0	0	\$7,096
Ohio Valley General	51	·	0	\$13,789
Penn Highlands/Brookville	6	⊙	0	\$8,349
Penn Highlands/Clearfield	32	·	0	\$8,779
Penn Highlands/DuBois	76	·	0	\$12,577
Penn Highlands/Elk	44	·	0	\$10,198
Punxsutawney Area	19	·	0	\$9,211
Saint Vincent	140	·	0	\$22,185
Sharon Regional	100	·	0	\$13,865
Somerset	25	·	0	\$11,103
Southwest Regional MC	23	0	0	\$8,177
St Clair Memorial	135	·	0	\$14,855
Titusville Area	28	·	0	\$6,302
Tyrone	16	·	0	\$11,310
Uniontown	162	•	0	\$8,005
UPMC Altoona	171	⊙	0	\$15,530
UPMC Bedford	12	·	0	\$8,377
UPMC East	105	•	0	\$21,968
UPMC Hamot	157	⊙	0	\$30,138
UPMC Horizon	66	0	0	\$15,204
UPMC McKeesport	103	0	0	\$19,554
UPMC Mercy	203	⊙	0	\$20,021
UPMC Northwest	62	•	0	\$11,556
UPMC Passavant	156	⊙	0	\$23,016
UPMC Presby Shadyside	393	0	0	\$36,806
UPMC St Margaret	117	0	0	\$22,235
Warren General	32	0	0	\$13,541
Washington	126	0	0	\$13,357
West Penn	59	0	0	\$19,950
Windber	26	0	0	\$10,933

Diabetes - Medical Management

The body is unable to make enough insulin or it does not use the insulin properly. Diabetes can lead to acute complications such as a coma from too much or too little glucose (blood sugar) and long-term complications such as kidney disease and damage to blood vessels and nerves.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Gallbladder Removal - Laparoscopic

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	10,801	0.2%	6.8%	\$47,522
Western Pennsylvania	3,331	0.2%	7.6%	\$33,129
ACMH	51	·	0	\$23,057
Allegheny General	55	·	0	\$40,250
Allegheny Valley	49	·	0	\$33,071
Bradford Regional	5	·	NR	NR
Butler Memorial	106	⊙	0	\$36,311
Canonsburg	75	·	0	\$25,558
Charles Cole Memorial	12	·	0	\$23,352
Clarion	26	⊙	0	\$15,852
Conemaugh Memorial	98	·	0	\$23,494
Conemaugh Meyersdale	0	NR	NR	NR
Conemaugh Miners	0	NR	NR	NR
Corry Memorial	2	NR	NR	NR
Ellwood City	16	·	0	\$13,465
Excela Hlth Westmoreland	100	·	0	\$22,947
Forbes	77	·	0	\$34,687
Frick	33	·	0	\$25,222
Grove City	7	·	0	\$26,691
Heritage Valley Beaver	170	·	0	\$18,092
Heritage Valley Sewickley	110	·	0	\$15,670
Highlands	27	·	0	\$13,951
Indiana Regional	52	·	0	\$25,772
Jameson Memorial	53	·	0	\$19,618
Jefferson	142	·	0	\$23,451
Kane Community	1	NR	NR	NR
Latrobe Area	53	·	0	\$24,095
Magee Womens/UPMC	18	·	0	\$50,269
Meadville	46	⊙	0	\$28,721
Millcreek Community	15	·	0	\$17,610
Monongahela Valley	72	0	0	\$21,908

Gallbladder Removal – Laparoscopic

Removal of the gallbladder using several small incisions and a laparoscope (small camera on the end of an instrument) inserted into the abdomen. This type of procedure is sometimes referred to as "minimally invasive" surgery. Common reasons for laparoscopic gallbladder removal include cholelithiasis (stones in the gallbladder) and cholecystitis (inflammation of the gallbladder).

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Gallbladder Removal - Laparoscopic

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	30	0	0	\$15,521
Ohio Valley General	52	0	0	\$28,517
Penn Highlands/Brookville	0	NR	NR	NR
Penn Highlands/Clearfield	9	·	0	\$19,411
Penn Highlands/DuBois	26	·	0	\$25,039
Penn Highlands/Elk	12	·	0	\$21,574
Punxsutawney Area	11	0	0	\$15,511
Saint Vincent	133	·	0	\$43,464
Sharon Regional	45	·	0	\$34,920
Somerset	25	•	0	\$28,499
Southwest Regional MC	6	0	0	\$18,783
St Clair Memorial	176	0	0	\$32,942
Titusville Area	6	·	0	\$13,378
Tyrone	0	NR	NR	NR
Uniontown	101	⊙	0	\$12,814
UPMC Altoona	197	0	0	\$29,908
UPMC Bedford	9	⊙	0	\$19,651
UPMC East	68	•	0	\$48,831
UPMC Hamot	93	⊙	0	\$55,717
UPMC Horizon	45	0	•	\$33,369
UPMC McKeesport	52	0	0	\$42,326
UPMC Mercy	82	•	0	\$44,879
UPMC Northwest	34	•	0	\$19,065
UPMC Passavant	187	⊙	0	\$46,205
UPMC Presby Shadyside	196	0	0	\$70,973
UPMC St Margaret	136	0	0	\$50,652
Warren General	11	0	0	\$24,808
Washington	76	⊙	0	\$24,228
West Penn	23	0	0	\$42,271
Windber	13	0	0	\$23,001

Gallbladder Removal – Laparoscopic

Removal of the gallbladder using several small incisions and a laparoscope (small camera on the end of an instrument) inserted into the abdomen. This type of procedure is sometimes referred to as "minimally invasive" surgery. Common reasons for laparoscopic gallbladder removal include cholelithiasis (stones in the gallbladder) and cholecystitis (inflammation of the gallbladder).

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Gallbladder Removal - Open

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	1,290	1.0%	10.8%	\$75,246
Western Pennsylvania	382	1.8%	10.9%	\$55,147
ACMH	2	NR	NR	NR
Allegheny General	27	·	0	\$56,416
Allegheny Valley	4	NR	NR	NR
Bradford Regional	4	NR	NR	NR
Butler Memorial	2	NR	NR	NR
Canonsburg	0	NR	NR	NR
Charles Cole Memorial	1	NR	NR	NR
Clarion	3	NR	NR	NR
Conemaugh Memorial	16	⊙	0	NR
Conemaugh Meyersdale	0	NR	NR	NR
Conemaugh Miners	0	NR	NR	NR
Corry Memorial	2	NR	NR	NR
Ellwood City	3	NR	NR	NR
Excela Hith Westmoreland	8	⊙	0	\$23,380
Forbes	9	⊙	0	\$41,623
Frick	1	NR	NR	NR
Grove City	4	NR	NR	NR
Heritage Valley Beaver	3	NR	NR	NR
Heritage Valley Sewickley	3	NR	NR	NR
Highlands	1	NR	NR	NR
Indiana Regional	8	⊙	0	NR
Jameson Memorial	3	NR	NR	NR
Jefferson	13	⊙	0	\$32,512
Kane Community	2	NR	NR	NR
Latrobe Area	2	NR	NR	NR
Magee Womens/UPMC	0	NR	NR	NR
Meadville	8	·	•	\$34,376
Millcreek Community	6	⊙	0	\$33,564
Monongahela Valley	14	0	0	\$29,074

Gallbladder Removal – Open

Removal of the gallbladder using one large incision rather than several small incisions as is used in laparoscopic gallbladder removal. This type of open procedure is sometimes referred to as "traditional" gallbladder removal. Common reasons for open gallbladder removal include cholelithiasis (stones in the gallbladder), cholecystitis (inflammation of the gallbladder) and cancer.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Gallbladder Removal - Open

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	0	NR	NR	NR
Ohio Valley General	4	NR	NR	NR
Penn Highlands/Brookville	0	NR	NR	NR
Penn Highlands/Clearfield	2	NR	NR	NR
Penn Highlands/DuBois	6	0	0	\$33,929
Penn Highlands/Elk	2	NR	NR	NR
Punxsutawney Area	2	NR	NR	NR
Saint Vincent	20	0	0	\$60,832
Sharon Regional	7	0	NR	\$50,718
Somerset	2	NR	NR	NR
Southwest Regional MC	2	NR	NR	NR
St Clair Memorial	3	NR	NR	NR
Titusville Area	3	NR	NR	NR
Tyrone	0	NR	NR	NR
Uniontown	2	NR	NR	NR
UPMC Altoona	27	0	0	NR
UPMC Bedford	2	NR	NR	NR
UPMC East	11	·	0	\$71,384
UPMC Hamot	27	·	0	\$71,303
UPMC Horizon	5	·	0	\$47,155
UPMC McKeesport	8	0	0	\$48,988
UPMC Mercy	11	·	0	\$87,569
UPMC Northwest	9	·	0	\$31,567
UPMC Passavant	4	NR	NR	NR
UPMC Presby Shadyside	46	·	0	\$98,438
UPMC St Margaret	9	⊙	0	\$92,022
Warren General	5	⊙	NR	NR
Washington	9	·	0	\$30,623
West Penn	4	NR	NR	NR
Windber	1	NR	NR	NR

Gallbladder Removal – Open

Removal of the gallbladder using one large incision rather than several small incisions as is used in laparoscopic gallbladder removal. This type of open procedure is sometimes referred to as "traditional" gallbladder removal. Common reasons for open gallbladder removal include cholelithiasis (stones in the gallbladder), cholecystitis (inflammation of the gallbladder) and cancer.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Heart Attack - Angioplasty/Stent

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Statewide	12,417	1.8%	\$86,416
Western Pennsylvania	4,496	2.1%	\$74,168
ACMH	61	•	\$71,274
Allegheny General	235	•	\$66,327
Allegheny Valley	0	NR	NR
Bradford Regional	0	NR	NR
Butler Memorial	203	·	\$90,753
Canonsburg	0	NR	NR
Charles Cole Memorial	0	NR	NR
Clarion	0	NR	NR
Conemaugh Memorial	306	0	\$48,567
Conemaugh Meyersdale	0	NR	NR
Conemaugh Miners	0	NR	NR
Corry Memorial	0	NR	NR
Ellwood City	0	NR	NR
Excela HIth Westmoreland	294	·	\$60,583
Forbes	107	·	\$62,190
Frick	0	NR	NR
Grove City	0	NR	NR
Heritage Valley Beaver	216	•	\$40,244
Heritage Valley Sewickley	0	NR	NR
Highlands	0	NR	NR
Indiana Regional	0	NR	NR
Jameson Memorial	15	•	\$44,762
Jefferson	165	•	\$61,801
Kane Community	0	NR	NR
Latrobe Area	0	NR	NR
Magee Womens/UPMC	0	NR	NR
Meadville	53	·	\$55,280
Millcreek Community	0	NR	NR
Monongahela Valley	60	0	\$60,623

Heart Attack – Angioplasty/Stent

Procedures are used to open narrowed or blocked coronary (heart) arteries to restore blood flow to the heart muscle by inserting a catheter (thin tube) through the skin of the upper thigh or arm. An angioplasty is performed by inflating a small balloon at the end of the catheter to widen the narrowed or blocked area in the artery. Angioplasty procedures are often combined with the placement of a stent (permanent metallic mesh tube) to prevent the artery from narrowing again. Only patients who had a myocardial infarction (heart attack) are included.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Heart Attack – Angioplasty/Stent to avoid counting readmissions that may have been planned.

Heart Attack – Angioplasty/Stent

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Nason	0	NR	NR
Ohio Valley General	0	NR	NR
Penn Highlands/Brookville	0	NR	NR
Penn Highlands/Clearfield	0	NR	NR
Penn Highlands/DuBois	173	·	\$44,681
Penn Highlands/Elk	0	NR	NR
Punxsutawney Area	0	NR	NR
Saint Vincent	203	·	\$111,522
Sharon Regional	94	·	\$68,262
Somerset	20	·	\$47,197
Southwest Regional MC	0	NR	NR
St Clair Memorial	149	·	\$54,570
Titusville Area	0	NR	NR
Tyrone	0	NR	NR
Uniontown	92	·	\$24,233
UPMC Altoona	390	0	\$56,197
UPMC Bedford	0	NR	NR
UPMC East	77	·	\$83,661
UPMC Hamot	387	·	\$113,677
UPMC Horizon	0	NR	NR
UPMC McKeesport	53	0	\$74,918
UPMC Mercy	153	•	\$74,797
UPMC Northwest	0	NR	NR
UPMC Passavant	245	·	\$81,842
UPMC Presby Shadyside	481	·	\$121,234
UPMC St Margaret	0	NR	NR
Warren General	0	NR	NR
Washington	205	•	\$56,872
West Penn	59	·	\$57,645
Windber	0	NR	NR

Heart Attack – Angioplasty/Stent

Procedures are used to open narrowed or blocked coronary (heart) arteries to restore blood flow to the heart muscle by inserting a catheter (thin tube) through the skin of the upper thigh or arm. An angioplasty is performed by inflating a small balloon at the end of the catheter to widen the narrowed or blocked area in the artery. Angioplasty procedures are often combined with the placement of a stent (permanent metallic mesh tube) to prevent the artery from narrowing again. Only patients who had a myocardial infarction (heart attack) are included.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Heart Attack – Angioplasty/Stent to avoid counting readmissions that may have been planned.

Heart Attack - Medical Management

Hospital	Total Number of Cases	Transfer to Acute Care	Mortality	Average Hospital Charge
Statewide	10,886	17.1%	8.2%	\$39,649
Western Pennsylvania	3,957	17.7%	9.1%	\$29,182
ACMH*	39	20.4%	0	\$19,857
Allegheny General*	176	3.0%	0	\$43,066
Allegheny Valley	91	43.2%	0	\$21,328
Bradford Regional	13	43.8%	0	\$12,154
Butler Memorial*	108	8.9%	0	\$32,870
Canonsburg	8	65.2%	0	\$17,041
Charles Cole Memorial	18	21.7%	0	\$10,443
Clarion	10	58.8%	0	\$10,433
Conemaugh Memorial*	177	2.5%	•	\$19,299
Conemaugh Meyersdale	1	NR	NR	NR
Conemaugh Miners	8	12.5%	0	\$13,091
Corry Memorial	3	NR	NR	NR
Ellwood City	11	56.3%	•	\$10,962
Excela Hlth Westmoreland*	195	7.3%	0	\$25,203
Forbes*	89	2.4%	0	\$28,056
Frick	53	12.1%	0	\$13,838
Grove City	1	NR	NR	NR
Heritage Valley Beaver*	132	7.0%	0	\$15,567
Heritage Valley Sewickley	27	35.3%	0	\$13,078
Highlands	1	NR	NR	NR
Indiana Regional	75	37.4%	•	\$16,392
Jameson Memorial*	51	37.5%	0	\$19,260
Jefferson*	131	1.7%	0	\$25,503
Kane Community	1	NR	NR	NR
Latrobe Area	57	25.3%	0	\$17,348
Magee Womens/UPMC	10	35.7%	0	\$39,992
Meadville*	38	35.7%	0	\$22,519
Millcreek Community	1	NR	NR	NR
Monongahela Valley*	130	17.7%	0	\$24,018

Heart Attack – Medical Management

Occurs when there is blockage or obstruction in a blood vessel (coronary artery) causing damage or death to an area of the heart (myocardial infarction). Patients who are treated with a balloon (angioplasty)/stent procedure or open heart surgery are not included.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.
- * Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

Readmission ratings were not reported for Heart Attack – Medical Management to avoid counting readmissions that may have been planned.

Heart Attack – Medical Management

Hospital	Total Number of Cases	Transfer to Acute Care	Mortality	Average Hospital Charge
Nason	1	NR	NR	NR
Ohio Valley General	18	46.9%	0	\$22,134
Penn Highlands/Brookville	16	34.8%	0	\$10,242
Penn Highlands/Clearfield	13	58.6%	0	\$10,004
Penn Highlands/DuBois*	93	21.1%	•	\$19,165
Penn Highlands/Elk	16	48.1%	•	\$12,587
Punxsutawney Area	3	NR	NR	NR
Saint Vincent*	117	1.9%	•	\$45,005
Sharon Regional*	69	13.9%	•	\$26,107
Somerset*	47	25.5%	0	\$21,083
Southwest Regional MC	6	50.0%	0	\$6,693
St Clair Memorial*	117	3.5%	0	\$20,026
Titusville Area	9	30.0%	0	\$11,245
Tyrone	13	20.0%	•	\$13,516
Uniontown*	89	36.7%	•	\$12,580
UPMC Altoona*	270	5.2%	0	\$27,447
UPMC Bedford	10	37.5%	•	\$12,605
UPMC East*	100	33.8%	•	\$30,253
UPMC Hamot*	226	1.5%	•	\$56,245
UPMC Horizon	48	50.5%	•	\$22,259
UPMC McKeesport*	117	19.8%	•	\$36,307
UPMC Mercy*	141	1.5%	•	\$36,991
UPMC Northwest	19	55.6%	•	\$16,139
UPMC Passavant*	180	1.7%	•	\$38,530
UPMC Presby Shadyside*	275	1.2%	•	\$54,259
UPMC St Margaret	73	47.0%	•	\$30,834
Warren General	20	24.0%	•	\$19,840
Washington*	117	5.2%	•	\$16,473
West Penn*	64	3.3%	•	\$30,737
Windber	15	36.4%	•	\$13,821

Heart Attack – Medical Management

Occurs when there is blockage or obstruction in a blood vessel (coronary artery) causing damage or death to an area of the heart (myocardial infarction). Patients who are treated with a balloon (angioplasty)/stent procedure or open heart surgery are not included.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.
- * Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

Readmission ratings were not reported for Heart Attack – Medical Management to avoid counting readmissions that may have been planned.

Hypotension and Fainting

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	9,385	0.4%	12.7%	\$25,683
Western Pennsylvania	2,595	0.3%	13.3%	\$16,670
ACMH	20	•	0	\$11,324
Allegheny General	92	·	0	\$22,557
Allegheny Valley	34	·	0	\$18,045
Bradford Regional	7	·	0	\$8,600
Butler Memorial	54	•	0	\$19,491
Canonsburg	11	•	0	\$14,722
Charles Cole Memorial	6	•	0	\$9,517
Clarion	1	NR	NR	NR
Conemaugh Memorial	121	·	0	\$13,085
Conemaugh Meyersdale	3	NR	NR	NR
Conemaugh Miners	1	NR	NR	NR
Corry Memorial	3	NR	NR	NR
Ellwood City	11	·	0	\$8,771
Excela Hlth Westmoreland	166	·	0	\$13,245
Forbes	72	•	0	\$20,161
Frick	30	·	0	\$11,849
Grove City	14	·	0	\$17,072
Heritage Valley Beaver	84	•	0	\$8,233
Heritage Valley Sewickley	43	•	0	\$10,720
Highlands	5	·	0	\$10,961
Indiana Regional	52	·	0	\$11,527
Jameson Memorial	80	•	0	\$10,020
Jefferson	104	•	0	\$15,030
Kane Community	1	NR	NR	NR
Latrobe Area	71	·	0	\$13,240
Magee Womens/UPMC	22	·	0	\$19,531
Meadville	25	·	0	\$15,185
Millcreek Community	30	0	0	\$12,057
Monongahela Valley	37	0	0	\$17,439

Hypotension and Fainting

Hypotension is an abnormally low blood pressure with effects ranging from dizziness to fainting. Dehydration is an example of a condition that can cause hypotension. Fainting (syncope) is a temporary loss of consciousness. Syncope may also be referred to as "passing out" or "blacking out."

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Hypotension and Fainting

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	6	·	0	\$5,710
Ohio Valley General	52	0	0	\$15,461
Penn Highlands/Brookville	2	NR	NR	NR
Penn Highlands/Clearfield	3	NR	NR	NR
Penn Highlands/DuBois	19	0	0	\$8,923
Penn Highlands/Elk	20	0	0	\$9,723
Punxsutawney Area	5	0	0	\$8,929
Saint Vincent	54	·	0	\$22,595
Sharon Regional	125	·	0	\$14,076
Somerset	24	·	0	\$14,261
Southwest Regional MC	5	0	0	\$7,627
St Clair Memorial	90	·	0	\$13,240
Titusville Area	7	•	0	\$6,767
Tyrone	3	NR	NR	NR
Uniontown	47	·	0	\$7,136
UPMC Altoona	111	⊙	0	\$18,127
UPMC Bedford	7	⊙	0	\$11,813
UPMC East	40	0	0	\$21,080
UPMC Hamot	78	⊙	0	\$24,306
UPMC Horizon	21	•	0	\$13,790
UPMC McKeesport	24	0	0	\$20,499
UPMC Mercy	104	⊙	0	\$21,721
UPMC Northwest	41	⊙	0	\$10,873
UPMC Passavant	81	⊙	0	\$17,917
UPMC Presby Shadyside	230	0	0	\$31,240
UPMC St Margaret	92	0	0	\$21,234
Warren General	14	0	0	\$11,344
Washington	67	0	•	\$12,116
West Penn	17	0	0	\$19,834
Windber	4	NR	NR	NR

Hypotension and Fainting

Hypotension is an abnormally low blood pressure with effects ranging from dizziness to fainting. Dehydration is an example of a condition that can cause hypotension. Fainting (syncope) is a temporary loss of consciousness. Syncope may also be referred to as "passing out" or "blacking out."

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Kidney and Urinary Tract Infections

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	20,712	0.5%	15.9%	\$24,502
Western Pennsylvania	7,323	0.5%	16.2%	\$16,230
ACMH	104	·	0	\$12,721
Allegheny General	192	·	0	\$21,622
Allegheny Valley	93	·	0	\$13,364
Bradford Regional	20	·	0	\$7,823
Butler Memorial	156	·	0	\$17,260
Canonsburg	47	·	0	\$12,558
Charles Cole Memorial	48	⊙	0	\$10,091
Clarion	60	•	0	\$10,132
Conemaugh Memorial	260	·	•	\$13,623
Conemaugh Meyersdale	12	·	0	\$9,071
Conemaugh Miners	15	·	0	\$11,397
Corry Memorial	16	·	0	\$11,562
Ellwood City	34	⊙	0	\$8,658
Excela Hlth Westmoreland	343	⊙	0	\$12,975
Forbes	195	⊙	0	\$16,861
Frick	86	⊙	0	\$12,820
Grove City	72	⊙	0	\$16,239
Heritage Valley Beaver	175	⊙	0	\$8,778
Heritage Valley Sewickley	87	⊙	0	\$9,838
Highlands	49	·	0	\$8,496
Indiana Regional	208	·	•	\$11,176
Jameson Memorial	112	·	0	\$10,241
Jefferson	282	·	0	\$13,576
Kane Community	13	·	0	\$12,757
Latrobe Area	164	·	0	\$13,379
Magee Womens/UPMC	82	·	0	\$24,850
Meadville	79	·	0	\$13,169
Millcreek Community	71	<u></u>	0	\$9,753
Monongahela Valley	162	•	0	\$13,083

Kidney and Urinary Tract Infections

Infections of the urinary tract, which includes the kidneys (pyelonephritis) and bladder (cystitis). These infections can be acute or chronic.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Kidney and Urinary Tract Infections

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	50	0	0	\$8,962
Ohio Valley General	76	·	0	\$15,200
Penn Highlands/Brookville	26	⊙	·	\$8,909
Penn Highlands/Clearfield	45	·	0	\$8,722
Penn Highlands/DuBois	51	0	0	\$10,194
Penn Highlands/Elk	68	0	0	\$10,237
Punxsutawney Area	87	•	0	\$8,902
Saint Vincent	113	·	0	\$18,419
Sharon Regional	139	·	0	\$14,990
Somerset	51	·	0	\$14,125
Southwest Regional MC	50	·	0	\$8,044
St Clair Memorial	335	0	0	\$13,952
Titusville Area	29	·	0	\$5,855
Tyrone	16	·	0	\$7,754
Uniontown	173	·	•	\$7,930
UPMC Altoona	255	⊙	·	\$17,108
UPMC Bedford	82	·	0	\$10,397
UPMC East	160	⊙	·	\$22,379
UPMC Hamot	203	·	0	\$25,730
UPMC Horizon	135	⊙	·	\$18,022
UPMC McKeesport	97	·	0	\$20,881
UPMC Mercy	303	⊙	·	\$19,939
UPMC Northwest	95	⊙	· ·	\$11,076
UPMC Passavant	381	⊙	·	\$23,376
UPMC Presby Shadyside	460	0	0	\$33,441
UPMC St Margaret	293	0	0	\$23,239
Warren General	27	0	0	\$13,341
Washington	184	⊙	0	\$10,311
West Penn	55	0	0	\$22,357
Windber	21	0	0	\$9,772

Kidney and Urinary Tract Infections

Infections of the urinary tract, which includes the kidneys (pyelonephritis) and bladder (cystitis). These infections can be acute or chronic.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Kidney Failure - Acute

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	23,258	2.9%	21.7%	\$32,406
Western Pennsylvania	8,338	3.1%	21.3%	\$22,571
ACMH	53	·	0	\$15,206
Allegheny General	247	·	•	\$33,475
Allegheny Valley	134	•	0	\$18,523
Bradford Regional	42	•	0	\$10,110
Butler Memorial	200	0	•	\$22,203
Canonsburg	80	⊙	0	\$16,640
Charles Cole Memorial	42	⊙	0	\$11,605
Clarion	34	•	0	\$10,978
Conemaugh Memorial	539	•	0	\$15,981
Conemaugh Meyersdale	6	•	0	\$8,958
Conemaugh Miners	2	NR	NR	NR
Corry Memorial	5	⊙	NR	\$10,841
Ellwood City	35	⊙	0	\$10,985
Excela Hlth Westmoreland	227	⊙	0	\$19,489
Forbes	192	•	•	\$21,130
Frick	69	•	0	\$14,790
Grove City	13	•	0	\$22,496
Heritage Valley Beaver	365	•	0	\$10,128
Heritage Valley Sewickley	115	•	0	\$12,707
Highlands	19	•	•	\$13,481
Indiana Regional	165	•	0	\$13,035
Jameson Memorial	144	•	0	\$13,017
Jefferson	201	•	0	\$20,567
Kane Community	16	•	0	\$12,753
Latrobe Area	137	0	0	\$15,596
Magee Womens/UPMC	50	0	0	\$31,118
Meadville	135	0	0	\$18,699
Millcreek Community	46	•	0	\$14,311
Monongahela Valley	144	0	0	\$16,373

Kidney Failure – Acute

A sudden and rapid loss of kidney function resulting in a build-up of waste products that are normally filtered by the kidneys and removed from the body through urine. Because these waste products are toxic, acute kidney failure can be lifethreatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Kidney Failure - Acute

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	10	⊙	0	\$10,088
Ohio Valley General	36	•	0	\$22,762
Penn Highlands/Brookville	12	·	0	\$8,252
Penn Highlands/Clearfield	37	0	0	\$9,372
Penn Highlands/DuBois	209	·	0	\$14,746
Penn Highlands/Elk	43	•	0	\$11,378
Punxsutawney Area	28	•	0	\$9,771
Saint Vincent	266	·	0	\$25,078
Sharon Regional	151	·	0	\$18,803
Somerset	83	·	0	\$18,301
Southwest Regional MC	35	·	0	\$8,145
St Clair Memorial	249	·	0	\$18,079
Titusville Area	14	·	0	\$6,457
Tyrone	6	·	0	\$12,249
Uniontown	176	•	0	\$10,302
UPMC Altoona	334	•	0	\$21,564
UPMC Bedford	18	0	0	\$9,179
UPMC East	180	·	0	\$27,788
UPMC Hamot	417	·	0	\$35,043
UPMC Horizon	157	·	0	\$18,846
UPMC McKeesport	134	0	0	\$26,093
UPMC Mercy	314	·	0	\$28,163
UPMC Northwest	147	·	0	\$12,862
UPMC Passavant	324	·	0	\$31,295
UPMC Presby Shadyside	812	·	0	\$48,171
UPMC St Margaret	347	·	0	\$27,556
Warren General	28	·	•	\$15,223
Washington	198	·	0	\$13,405
West Penn	79	•	•	\$25,030
Windber	33	0	•	\$13,711

Kidney Failure – Acute

A sudden and rapid loss of kidney function resulting in a build-up of waste products that are normally filtered by the kidneys and removed from the body through urine. Because these waste products are toxic, acute kidney failure can be lifethreatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Pneumonia – Aspiration

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	7,227	6.4%	21.7%	\$43,337
Western Pennsylvania	2,976	7.4%	22.1%	\$29,846
ACMH	24	•	0	\$18,980
Allegheny General	113	·	0	\$39,294
Allegheny Valley	51	⊙	0	\$21,426
Bradford Regional	3	NR	NR	NR
Butler Memorial	36	·	0	\$27,367
Canonsburg	18	·	0	\$22,123
Charles Cole Memorial	8	·	0	\$20,255
Clarion	7	·	0	\$20,045
Conemaugh Memorial	97	·	0	\$19,125
Conemaugh Meyersdale	5	·	NR	\$16,984
Conemaugh Miners	9	·	0	\$22,321
Corry Memorial	1	NR	NR	NR
Ellwood City	6	·	NR	\$11,379
Excela Hlth Westmoreland	124	0	0	\$25,528
Forbes	100	·	0	\$27,571
Frick	59	·	0	\$23,100
Grove City	14	·	0	\$22,618
Heritage Valley Beaver	110	·	0	\$13,071
Heritage Valley Sewickley	66	·	0	\$15,620
Highlands	5	·	0	\$19,368
Indiana Regional	135	•	0	\$18,843
Jameson Memorial	48	·	0	\$17,430
Jefferson	71	•	0	\$23,762
Kane Community	6	·	0	\$12,908
Latrobe Area	40	0	0	\$20,096
Magee Womens/UPMC	26	·	0	\$37,672
Meadville	54	•	0	\$19,265
Millcreek Community	3	NR	NR	NR
Monongahela Valley	63	0	•	\$23,498

Pneumonia – Aspiration

Caused by inhaling food, drink, mucus or vomit into the lungs leading to inflammation and/or infection. Common causes of aspiration pneumonia include coma, problems with swallowing and decreased mental alertness from medication or alcohol.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Pneumonia – Aspiration

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	2	NR	NR	NR
Ohio Valley General	10	0	0	\$19,038
Penn Highlands/Brookville	27	·	0	\$12,471
Penn Highlands/Clearfield	22	0	0	\$17,086
Penn Highlands/DuBois	13	⊙	0	\$13,775
Penn Highlands/Elk	9	⊙	0	\$14,521
Punxsutawney Area	30	⊙	0	\$12,861
Saint Vincent	24	·	0	\$30,979
Sharon Regional	52	0	0	\$27,461
Somerset	10	0	0	\$26,286
Southwest Regional MC	12	⊙	0	\$13,959
St Clair Memorial	133	0	0	\$21,530
Titusville Area	1	NR	NR	NR
Tyrone	8	·	0	\$16,646
Uniontown	85	·	0	\$12,706
UPMC Altoona	88	•	0	\$27,084
UPMC Bedford	19	0	0	\$11,465
UPMC East	114	·	•	\$38,274
UPMC Hamot	49	·	0	\$47,584
UPMC Horizon	41	·	0	\$22,814
UPMC McKeesport	47	·	0	\$35,249
UPMC Mercy	87	·	0	\$41,891
UPMC Northwest	92	·	0	\$24,683
UPMC Passavant	132	·	0	\$40,083
UPMC Presby Shadyside	324	•	•	\$64,216
UPMC St Margaret	152	·	0	\$42,619
Warren General	9	·	•	\$19,268
Washington	45	·	0	\$16,466
West Penn	26	·	0	\$44,094
Windber	6	•	NR	\$13,920

Pneumonia – Aspiration

Caused by inhaling food, drink, mucus or vomit into the lungs leading to inflammation and/or infection. Common causes of aspiration pneumonia include coma, problems with swallowing and decreased mental alertness from medication or alcohol.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Pneumonia - Infectious

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	32,651	2.0%	16.4%	\$30,919
Western Pennsylvania	12,519	2.3%	16.2%	\$21,355
ACMH	201	•	0	\$16,006
Allegheny General	264	·	0	\$31,969
Allegheny Valley	259	·	0	\$18,661
Bradford Regional	106	·	0	\$12,678
Butler Memorial	335	·	0	\$23,455
Canonsburg	122	·	0	\$17,441
Charles Cole Memorial	57	·	•	\$12,724
Clarion	100	·	0	\$13,823
Conemaugh Memorial	447	·	0	\$15,313
Conemaugh Meyersdale	23	·	0	\$10,896
Conemaugh Miners	41	·	0	\$17,342
Corry Memorial	70	·	0	\$14,957
Ellwood City	82	·	0	\$12,070
Excela Hlth Westmoreland	507	·	0	\$21,921
Forbes	227	·	0	\$21,999
Frick	165	·	0	\$19,041
Grove City	116	·	0	\$23,033
Heritage Valley Beaver	345	·	0	\$10,908
Heritage Valley Sewickley	254	·	0	\$11,482
Highlands	98	·	0	\$14,155
Indiana Regional	197	·	0	\$14,924
Jameson Memorial	290	·	0	\$14,057
Jefferson	500	·	0	\$20,742
Kane Community	47	·	0	\$17,275
Latrobe Area	209	·	0	\$16,867
Magee Womens/UPMC	86	·	0	\$35,104
Meadville	139	•	0	\$18,960
Millcreek Community	63	⊙	0	\$14,244
Monongahela Valley	207	0	0	\$17,448

Pneumonia – Infectious

An infection in one or both lungs caused by bacteria or viruses.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Pneumonia - Infectious

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	97	0	0	\$10,981
Ohio Valley General	151	•	•	\$18,882
Penn Highlands/Brookville	65	·	0	\$13,935
Penn Highlands/Clearfield	91	·	0	\$11,729
Penn Highlands/DuBois	148	0	0	\$13,997
Penn Highlands/Elk	122	0	0	\$12,153
Punxsutawney Area	145	0	0	\$12,390
Saint Vincent	233	·	0	\$23,683
Sharon Regional	190	·	0	\$18,368
Somerset	72	·	0	\$17,158
Southwest Regional MC	118	0	0	\$10,528
St Clair Memorial	592	·	0	\$18,838
Titusville Area	70	·	0	\$6,668
Tyrone	68	·	0	\$13,222
Uniontown	315	•	0	\$10,099
UPMC Altoona	499	0	0	\$20,150
UPMC Bedford	142	·	0	\$13,264
UPMC East	258	⊙	0	\$31,787
UPMC Hamot	351	⊙	0	\$33,758
UPMC Horizon	223	0	0	\$21,224
UPMC McKeesport	229	0	0	\$27,621
UPMC Mercy	290	⊙	0	\$29,398
UPMC Northwest	219	⊙	•	\$17,845
UPMC Passavant	526	⊙	0	\$31,137
UPMC Presby Shadyside	774	•	•	\$49,080
UPMC St Margaret	366	0	0	\$32,503
Warren General	97	0	0	\$14,441
Washington	334	⊙	0	\$12,771
West Penn	94	0	0	\$26,278
Windber	68	0	0	\$14,094

Pneumonia – Infectious

An infection in one or both lungs caused by bacteria or viruses.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Septicemia

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Statewide	54,677	11.0%	\$52,860
Western Pennsylvania	16,093	12.6%	\$39,478
ACMH	145	•	\$28,148
Allegheny General	642	•	\$57,047
Allegheny Valley	189	⊙	\$31,834
Bradford Regional	115	•	\$16,071
Butler Memorial	302	·	\$38,976
Canonsburg	70	•	\$24,488
Charles Cole Memorial	27	·	\$22,991
Clarion	129	•	\$15,204
Conemaugh Memorial	865	•	\$22,197
Conemaugh Meyersdale	15	•	\$13,939
Conemaugh Miners	60	•	\$19,417
Corry Memorial	30	⊙	\$19,701
Ellwood City	57	•	\$14,809
Excela Hlth Westmoreland	401	•	\$34,739
Forbes	390	•	\$35,190
Frick	161	0	\$34,808
Grove City	18	•	\$31,297
Heritage Valley Beaver	850	0	\$19,509
Heritage Valley Sewickley	322	·	\$21,938
Highlands	12	•	\$20,775
Indiana Regional	366	•	\$20,321
Jameson Memorial	555	⊙	\$20,455
Jefferson	307	⊙	\$37,564
Kane Community	71	⊙	\$19,629
Latrobe Area	497	0	\$25,879
Magee Womens/UPMC	92	⊙	\$62,770
Meadville	337	⊙	\$27,025
Millcreek Community	66	•	\$17,239
Monongahela Valley	375	0	\$29,105

Septicemia

An infection in the bloodstream sometimes referred to as blood poisoning. Also includes patients in which septicemia progresses to a severe lifethreatening infection know as sepsis. Sepsis occurs when there is a system-wide inflammation as the body responds to the severe infection, resulting in further illness and injury.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Septicemia to avoid counting readmissions that may have been planned.

Septicemia

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Nason	4	NR	NR
Ohio Valley General	9	0	\$48,949
Penn Highlands/Brookville	12	•	\$9,503
Penn Highlands/Clearfield	88	0	\$16,356
Penn Highlands/DuBois	314	0	\$18,834
Penn Highlands/Elk	79	0	\$14,755
Punxsutawney Area	13	·	\$14,241
Saint Vincent	539	0	\$36,482
Sharon Regional	219	0	\$29,155
Somerset	252	·	\$23,743
Southwest Regional MC	53	· ·	\$16,246
St Clair Memorial	549	· ·	\$29,587
Titusville Area	82	·	\$8,880
Tyrone	2	NR	NR
Uniontown	287	•	\$17,433
UPMC Altoona	603	•	\$33,743
UPMC Bedford	48	•	\$16,653
UPMC East	293	0	\$50,569
UPMC Hamot	901	0	\$59,278
UPMC Horizon	189	0	\$28,828
UPMC McKeesport	430	0	\$47,523
UPMC Mercy	552	0	\$52,539
UPMC Northwest	249	0	\$27,603
UPMC Passavant	353	0	\$52,774
UPMC Presby Shadyside	1,247	•	\$96,210
UPMC St Margaret	293	0	\$60,180
Warren General	146	0	\$24,588
Washington	570	0	\$22,572
West Penn	134	0	\$54,069
Windber	106	0	\$16,007

Septicemia

An infection in the bloodstream sometimes referred to as blood poisoning. Also includes patients in which septicemia progresses to a severe lifethreatening infection know as sepsis. Sepsis occurs when there is a system-wide inflammation as the body responds to the severe infection, resulting in further illness and injury.

Understanding the Symbols

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Septicemia to avoid counting readmissions that may have been planned.

Stroke

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	21,989	3.7%	12.9%	\$43,306
Western Pennsylvania	7,284	4.2%	12.5%	\$33,630
ACMH	83	•	0	\$19,437
Allegheny General	580	⊙	0	\$45,330
Allegheny Valley	98	·	0	\$28,530
Bradford Regional	9	·	0	\$14,603
Butler Memorial	233	0	0	\$31,905
Canonsburg	27	•	0	\$19,673
Charles Cole Memorial	12	•	0	\$19,091
Clarion	28	•	0	\$11,499
Conemaugh Memorial	369	•	0	\$18,017
Conemaugh Meyersdale	8	·	0	\$11,434
Conemaugh Miners	2	NR	NR	NR
Corry Memorial	4	NR	NR	NR
Ellwood City	20	·	0	\$13,092
Excela Hlth Westmoreland	162	·	0	\$19,688
Forbes	287	·	0	\$26,388
Frick	31	·	•	\$18,262
Grove City	22	·	0	\$19,858
Heritage Valley Beaver	195	•	0	\$14,154
Heritage Valley Sewickley	120	•	0	\$14,913
Highlands	2	NR	NR	NR
Indiana Regional	111	•	0	\$17,835
Jameson Memorial	98	•	0	\$15,715
Jefferson	216	·	0	\$27,917
Kane Community	12	⊙	0	\$16,469
Latrobe Area	86	·	0	\$20,220
Magee Womens/UPMC	20	·	0	\$37,131
Meadville	89	·	0	\$21,205
Millcreek Community	24	0	0	\$15,235
Monongahela Valley	92	0	0	\$23,403

Stroke

An ischemic stroke occurs when there is an obstruction (blockage) in a blood vessel in the brain or neck causing damage or death to an area of the brain. Not included are patients who are treated with a balloon (angioplasty)/stent procedure or other surgery to remove the obstruction responsible for the stroke, or patients admitted with a rupture (break) in a blood vessel in the brain (hemorrhagic stroke) unless the hemorrhage occurs after the ischemic stroke but during the hospitalization.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Stroke

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Nason	16	0	0	\$12,192
Ohio Valley General	23	0	0	\$28,047
Penn Highlands/Brookville	11	·	0	\$10,818
Penn Highlands/Clearfield	15	0	0	\$11,338
Penn Highlands/DuBois	140	·	0	\$17,637
Penn Highlands/Elk	28	0	0	\$13,218
Punxsutawney Area	11	0	0	\$10,948
Saint Vincent	302	0	0	\$37,169
Sharon Regional	90	•	0	\$23,133
Somerset	32	0	0	\$21,251
Southwest Regional MC	1	NR	NR	NR
St Clair Memorial	244	•	0	\$21,378
Titusville Area	13	0	0	\$10,206
Tyrone	9	0	0	\$19,490
Uniontown	114	•	0	\$11,884
UPMC Altoona	369	·	0	\$25,405
UPMC Bedford	18	•	0	\$12,231
UPMC East	133	·	0	\$33,011
UPMC Hamot	388	·	0	\$42,492
UPMC Horizon	82	·	0	\$23,954
UPMC McKeesport	95	·	0	\$31,609
UPMC Mercy	304	·	0	\$43,129
UPMC Northwest	121	0	0	\$19,417
UPMC Passavant	233	0	0	\$33,796
UPMC Presby Shadyside	997	0	0	\$68,243
UPMC St Margaret	186	·	0	\$37,951
Warren General	25	·	0	\$18,503
Washington	191	•	0	\$18,432
West Penn	45	·	0	\$35,070
Windber	8	·	0	\$20,748

Stroke

An ischemic stroke occurs when there is an obstruction (blockage) in a blood vessel in the brain or neck causing damage or death to an area of the brain. Not included are patients who are treated with a balloon (angioplasty)/stent procedure or other surgery to remove the obstruction responsible for the stroke, or patients admitted with a rupture (break) in a blood vessel in the brain (hemorrhagic stroke) unless the hemorrhage occurs after the ischemic stroke but during the hospitalization.

Understanding the Symbols

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.