## **Abnormal Heartbeat**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	29,177	0.9%	14.7%	\$41,292
Central & Northeastern PA	7,449	1.1%	13.5%	\$31,630
Barnes-Kasson County	10	•	0	\$14,569
Berwick	30	0	0	\$65,738
Bucktail	0	NR	NR	NR
Carlisle Regional	80	0	0	\$36,630
Chambersburg	325	•	0	\$26,737
Endless Mountains	6	•	NR	\$14,024
Ephrata Community	95	0	0	\$33,581
Evangelical Community	99	•	0	\$21,193
Fulton County	20	0	0	\$29,231
Geisinger Bloomsburg	16	0	0	\$37,060
Geisinger Community	265	0	0	\$42,683
Geisinger Danville	391	0	0	\$38,322
Geisinger Lewistown	141	•	0	\$17,111
Geisinger Wyoming Valley	260	•	0	\$56,695
Gettysburg	133	•	0	\$25,048
Good Samaritan Lebanon	134	•	0	\$28,592
Guthrie Towanda Memorial	22	•	0	\$31,058
Hanover	168	·	· ·	\$22,359
Heart of Lancaster	41	·	0	\$39,710
Holy Spirit	293	·	0	\$27,255
J C Blair Memorial	35	•	•	\$13,280

# Abnormal Heartbeat

Includes abnormalities in the heart rate (how fast or slow the heart beats) and/or the heart rhythm (how regular/steady the heart beats). Common examples include tachycardia (too fast), bradycardia (too slow) and atrial fibrillation (too fast and irregular).

**Understanding the Symbols** 

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Abnormal Heartbeat**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	16	0	0	\$17,180
Lancaster General	557	0	0	\$31,993
Lancaster Regional	75	0	0	\$45,321
Lehigh Valley Hazleton	130	0	0	\$28,453
Lock Haven	14	0	· ·	\$52,994
Memorial York	101	0	0	\$27,094
Milton S Hershey	283	·	•	\$29,731
Moses Taylor	86	·	· ·	\$47,103
Mount Nittany	260	0	0	\$24,562
Muncy Valley	11	·	· ·	\$13,445
Pinnacle Health	740	0	0	\$20,408
Pocono	254	0	0	\$34,857
Regional Scranton	313	0	0	\$43,534
Robert Packer	530	0	0	\$21,443
Soldiers & Sailors	42	0	0	\$19,333
Sunbury Community	22	·	· ·	\$38,085
Troy Community	7	0	0	\$14,241
Tyler Memorial	9	0	· ·	\$32,577
Wayne Memorial	74	0	0	\$22,270
Waynesboro	44	0	0	\$25,315
Wilkes-Barre General	436	•	·	\$64,839
Williamsport Regional	281	•	·	\$25,137
York	600	0	0	\$23,212

# **Abnormal Heartbeat**

Includes abnormalities in the heart rate (how fast or slow the heart beats) and/or the heart rhythm (how regular/steady the heart beats). Common examples include tachycardia (too fast), bradycardia (too slow) and atrial fibrillation (too fast and irregular).

**Understanding the Symbols** 

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Chest Pain**

Hospital	Total Number of Cases	Readmissions (for any reason)	Average Hospital Charge
Statewide	5,305	15.2%	\$22,932
Central & Northeastern PA	1,286	13.5%	\$17,052
Barnes-Kasson County	11	0	\$6,323
Berwick	4	NR	NR
Bucktail	0	NR	NR
Carlisle Regional	14	0	\$26,527
Chambersburg	12	0	\$16,509
Endless Mountains	8	·	\$5,505
Ephrata Community	12	0	\$22,612
Evangelical Community	4	NR	NR
Fulton County	3	NR	NR
Geisinger Bloomsburg	12	0	\$12,277
Geisinger Community	147	0	\$19,776
Geisinger Danville	81	0	\$22,720
Geisinger Lewistown	31	0	\$12,986
Geisinger Wyoming Valley	61	0	\$24,018
Gettysburg	20	0	\$15,895
Good Samaritan Lebanon	11	0	\$14,183
Guthrie Towanda Memorial	2	NR	NR
Hanover	17	0	\$13,451
Heart of Lancaster	0	NR	NR
Holy Spirit	24	0	\$17,793
J C Blair Memorial	2	NR	NR

### **Chest Pain**

Pain in the chest that is usually not related to the heart (non-cardiac chest pain). Common causes for this type of chest pain include gastric reflux ("heartburn"), pleurisy (inflammation of the membrane around the lungs) and problems with the ribs and muscles of the chest.

**Understanding the Symbols** 

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Mortality ratings were not reported for Chest Pain because the number of mortalities statewide was less than 10.

### **Chest Pain**

Hospital	Total Number of Cases	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	4	NR	NR
Lancaster General	30	0	\$17,088
Lancaster Regional	9	0	\$31,023
Lehigh Valley Hazleton	44	0	\$17,954
Lock Haven	5	NR	\$36,684
Memorial York	34	0	\$15,163
Milton S Hershey	26	0	\$16,477
Moses Taylor	23	0	\$23,494
Mount Nittany	51	0	\$16,863
Muncy Valley	1	NR	NR
Pinnacle Health	135	0	\$10,205
Pocono	27	0	\$21,303
Regional Scranton	54	0	\$17,550
Robert Packer	139	0	\$12,996
Soldiers & Sailors	0	NR	NR
Sunbury Community	1	NR	NR
Troy Community	0	NR	NR
Tyler Memorial	0	NR	NR
Wayne Memorial	12	0	\$12,844
Waynesboro	8	0	\$12,403
Wilkes-Barre General	78	0	\$24,166
Williamsport Regional	24	0	\$14,656
York	105	0	\$14,384

### **Chest Pain**

Pain in the chest that is usually not related to the heart (non-cardiac chest pain). Common causes for this type of chest pain include gastric reflux ("heartburn"), pleurisy (inflammation of the membrane around the lungs) and problems with the ribs and muscles of the chest.

**Understanding the Symbols** 

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Mortality ratings were not reported for Chest Pain because the number of mortalities statewide was less than 10.

# **Chronic Obstructive Pulmonary Disease (COPD)**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	20,245	0.6%	20.0%	\$28,230
Central & Northeastern PA	5,084	0.5%	18.3%	\$23,451
Barnes-Kasson County	43	0	0	\$10,063
Berwick	62	0	0	\$40,625
Bucktail	0	NR	NR	NR
Carlisle Regional	64	0	0	\$22,081
Chambersburg	110	•	0	\$15,277
Endless Mountains	57	•	0	\$8,386
Ephrata Community	119	0	0	\$30,407
Evangelical Community	60	·	0	\$15,137
Fulton County	37	0	0	\$18,225
Geisinger Bloomsburg	36	0	0	\$24,851
Geisinger Community	190	•	0	\$33,267
Geisinger Danville	207	0	0	\$33,407
Geisinger Lewistown	122	·	0	\$15,726
Geisinger Wyoming Valley	156	·	0	\$35,259
Gettysburg	59	•	0	\$16,584
Good Samaritan Lebanon	171	0	0	\$20,572
Guthrie Towanda Memorial	36	0	0	\$19,894
Hanover	123	0	0	\$25,264
Heart of Lancaster	24	0	0	\$22,529
Holy Spirit	141	•	0	\$24,534
J C Blair Memorial	62	0	0	\$7,919

### COPD

Chronic damage, inflammation and narrowing of the airways in the lungs. Common COPD diseases include emphysema and chronic obstructive bronchitis.

### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Chronic Obstructive Pulmonary Disease (COPD)**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	50	0	0	\$12,841
Lancaster General	252	0	0	\$22,671
Lancaster Regional	62	0	0	\$35,960
Lehigh Valley Hazleton	93	0	0	\$23,221
Lock Haven	46	·	0	\$43,304
Memorial York	113	·	0	\$16,584
Milton S Hershey	78	·	0	\$23,812
Moses Taylor	101	·	0	\$29,725
Mount Nittany	186	·	0	\$24,018
Muncy Valley	31	·	0	\$13,879
Pinnacle Health	403	·	0	\$14,612
Pocono	262	0	•	\$24,308
Regional Scranton	145	·	0	\$35,273
Robert Packer	201	·	0	\$20,177
Soldiers & Sailors	87	·	0	\$15,819
Sunbury Community	45	·	0	\$33,578
Troy Community	50	·	0	\$15,813
Tyler Memorial	32	·	0	\$25,021
Wayne Memorial	65	·	0	\$15,523
Waynesboro	52	·	0	\$15,870
Wilkes-Barre General	337	·	0	\$39,182
Williamsport Regional	140	·	0	\$15,198
York	374	•	0	\$15,999

### **COPD**

Chronic damage, inflammation and narrowing of the airways in the lungs. Common COPD diseases include emphysema and chronic obstructive bronchitis.

### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Colorectal Procedures**

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Statewide	8,934	1.7%	\$87,314
Central & Northeastern PA	2,379	2.1%	\$67,042
Barnes-Kasson County	0	NR	NR
Berwick	10	0	\$161,345
Bucktail	0	NR	NR
Carlisle Regional	27	0	\$92,306
Chambersburg	64	0	\$44,190
Endless Mountains	0	NR	NR
Ephrata Community	21	0	\$54,866
Evangelical Community	34	0	\$36,007
Fulton County	0	NR	NR
Geisinger Bloomsburg	5	0	NR
Geisinger Community	88	0	\$81,539
Geisinger Danville	192	•	\$108,443
Geisinger Lewistown	31	0	\$34,633
Geisinger Wyoming Valley	89	0	\$117,695
Gettysburg	36	0	\$60,375
Good Samaritan Lebanon	60	0	\$61,846
Guthrie Towanda Memorial	4	NR	NR
Hanover	41	0	\$36,957
Heart of Lancaster	9	0	\$85,720
Holy Spirit	60	0	\$51,806
J C Blair Memorial	7	0	\$40,529

# **Colorectal Procedures**

Surgical procedure performed on the colon (large intestine) and rectum (last section of the large intestine). Reasons for colorectal procedures include cancer and diverticulitis (severe inflammation of large intestine). Common procedures include removal of the rectum or part or all of the large intestine. Does not include patients with abdominal trauma.

#### **Understanding the Symbols**

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Colorectal Procedures to avoid counting readmissions that may have been planned.

### **Colorectal Procedures**

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Jersey Shore	7	0	\$32,317
Lancaster General	234	0	\$51,487
Lancaster Regional	28	0	\$94,948
Lehigh Valley Hazleton	41	0	\$68,420
Lock Haven	2	NR	NR
Memorial York	24	0	\$48,588
Milton S Hershey	248	0	\$57,368
Moses Taylor	33	0	\$105,166
Mount Nittany	44	0	\$63,078
Muncy Valley	0	NR	NR
Pinnacle Health	254	0	\$42,301
Pocono	64	0	\$66,823
Regional Scranton	99	•	\$101,316
Robert Packer	94	0	\$57,339
Soldiers & Sailors	10	0	\$36,383
Sunbury Community	4	NR	NR
Troy Community	4	NR	NR
Tyler Memorial	10	0	\$100,328
Wayne Memorial	29	0	\$42,075
Waynesboro	11	0	\$38,716
Wilkes-Barre General	123	0	\$105,526
Williamsport Regional	54	0	\$59,528
York	184	0	\$58,547

# **Colorectal Procedures**

Surgical procedure performed on the colon (large intestine) and rectum (last section of the large intestine). Reasons for colorectal procedures include cancer and diverticulitis (severe inflammation of large intestine). Common procedures include removal of the rectum or part or all of the large intestine. Does not include patients with abdominal trauma.

#### **Understanding the Symbols**

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Colorectal Procedures to avoid counting readmissions that may have been planned.

# **Congestive Heart Failure (CHF)**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge	
Statewide	31,590	2.6%	23.5%	\$37,603	Inability of
Central & Northeastern PA	7,858	3.0%	21.6%	\$27,238	enough blo
Barnes-Kasson County	38	•	0	\$10,143	swelling of
Berwick	27	0	0	\$46,403	build-up in
Bucktail	2	NR	NR	NR	failure inclu
Carlisle Regional	89	•	0	\$24,842	(e.g., coror
Chambersburg	274	·	0	\$21,274	and long-st
Endless Mountains	42	•	0	\$7,951	pressure).
Ephrata Community	139	·	0	\$33,792	Understan
Evangelical Community	86	0	0	\$17,285	The symbo
Fulton County	54	·	0	\$22,720	report repr
Geisinger Bloomsburg	40	•	0	\$23,781	actual rate readmissio
Geisinger Community	249	·	0	\$33,114	rate, which
Geisinger Danville	544	·	0	\$40,963	patients (se
Geisinger Lewistown	150	·	0	\$19,744	High Risk P the Report
Geisinger Wyoming Valley	330	·	0	\$38,271	O Rate w
Gettysburg	101	·	0	\$19,680	lower
Good Samaritan Lebanon	157	0	0	\$21,526	signific
Guthrie Towanda Memorial	20	0	0	\$15,567	than e
Hanover	193	•	0	\$20,694	Rate w
Heart of Lancaster	39	•	0	\$28,970	NR Not re
Holy Spirit	320	•	0	\$27,592	cases
J C Blair Memorial	62	•	0	\$10,086	

### **CHF**

Inability of the heart to pump enough blood to meet the needs of the body leading to swelling of the legs and shortness of breath from fluid build-up in the lungs.

Common causes of heart failure include heart disease (e.g., coronary artery disease and heart valve problems) and long-standing hypertension (high blood pressure).

### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Congestive Heart Failure (CHF)**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge	CHF
Jersey Shore	35	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	\$17,100	
Lancaster General	510	·	· ·	\$26,593	Inability of the hea
Lancaster Regional	85	0	0	\$37,725	needs of the body swelling of the legs
Lehigh Valley Hazleton	124	0	0	\$27,498	shortness of breatl build-up in the lun
Lock Haven	62	0	0	\$47,332	Common causes of failure include hea
Memorial York	102	0	0	\$21,901	(e.g., coronary arte
Milton S Hershey	411	0	0	\$28,432	and long-standing
Moses Taylor	94	0	0	\$33,615	hypertension (high pressure).
Mount Nittany	233	0	0	\$26,414	Understanding the
Muncy Valley	19	0	0	\$16,766	The symbols displa
Pinnacle Health	685	·	0	\$20,362	report represent a comparison of a ho
Pocono	326	·	0	\$25,772	actual rate of mort
Regional Scranton	429	·	0	\$36,265	rate, which takes in
Robert Packer	294	•	0	\$24,056	varying illness leve patients (see Accord
Soldiers & Sailors	59	0	0	\$20,198	High Risk Patients the Report).
Sunbury Community	20	0	0	\$32,535	O Rate was signi
Troy Community	27	0	0	\$12,300	lower than ex
Tyler Memorial	23	•	0	\$20,330	Rate was not significantly diagrams.
Wayne Memorial	86	0	0	\$14,432	than expected
Waynesboro	70	0	0	\$21,071	Rate was signi higher than ex
Wilkes-Barre General	297	0	0	\$41,945	NR Not reported.
Williamsport Regional	226	0	0	\$19,276	cases after exc
York	684	•	0	\$21,148	

eart to pump meet the y leading to gs and th from fluid ngs. of heart art disease tery disease roblems) gh blood

### ne Symbols

layed in this hospital's rtality or expected into account els among ounting for in About

- nificantly xpected.
- different
- nificantly expected.
- . Too few xclusions.

## **Diabetes - Medical Management**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	12,404	0.5%	20.5%	\$28,748
Central & Northeastern PA	2,985	0.7%	21.0%	\$20,570
Barnes-Kasson County	11	•	0	\$8,166
Berwick	9	•	0	\$31,784
Bucktail	2	NR	NR	NR
Carlisle Regional	33	0	0	\$22,259
Chambersburg	119	·	0	\$16,175
Endless Mountains	3	NR	NR	NR
Ephrata Community	59	•	0	\$24,811
Evangelical Community	44	·	0	\$14,697
Fulton County	6	·	NR	\$19,238
Geisinger Bloomsburg	25	·	0	\$20,814
Geisinger Community	102	·	•	\$30,431
Geisinger Danville	159	·	0	\$30,332
Geisinger Lewistown	58	•	0	\$15,764
Geisinger Wyoming Valley	131	0	0	\$32,283
Gettysburg	44	·	0	\$16,158
Good Samaritan Lebanon	67	0	0	\$19,464
Guthrie Towanda Memorial	10	0	0	\$14,573
Hanover	59	·	0	\$15,371
Heart of Lancaster	24	·	0	\$18,166
Holy Spirit	86	·	0	\$23,137
J C Blair Memorial	34	0	•	\$8,098

# Diabetes - Medical Management

The body is unable to make enough insulin or it does not use the insulin properly. Diabetes can lead to acute complications such as a coma from too much or too little glucose (blood sugar) and long-term complications such as kidney disease and damage to blood vessels and nerves.

### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Diabetes - Medical Management**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	4	NR	NR	NR
Lancaster General	215	0	0	\$20,314
Lancaster Regional	35	•	0	\$24,377
Lehigh Valley Hazleton	48	•	0	\$20,990
Lock Haven	28	•	0	\$34,579
Memorial York	62	•	0	\$15,764
Milton S Hershey	175	•	0	\$21,752
Moses Taylor	46	•	0	\$38,768
Mount Nittany	74	•	0	\$19,616
Muncy Valley	6	•	NR	\$19,547
Pinnacle Health	335	·	0	\$14,798
Pocono	123	0	0	\$22,010
Regional Scranton	49	0	0	\$27,645
Robert Packer	116	0	0	\$19,558
Soldiers & Sailors	20	•	0	\$15,798
Sunbury Community	13	•	0	\$20,421
Troy Community	4	NR	NR	NR
Tyler Memorial	5	•	0	\$23,328
Wayne Memorial	35	•	0	\$12,516
Waynesboro	29	•	0	\$13,925
Wilkes-Barre General	137	•	0	\$27,087
Williamsport Regional	89	0	0	\$14,686
York	252	•	0	\$15,924

# Diabetes - Medical Management

The body is unable to make enough insulin or it does not use the insulin properly. Diabetes can lead to acute complications such as a coma from too much or too little glucose (blood sugar) and long-term complications such as kidney disease and damage to blood vessels and nerves.

### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Gallbladder Removal - Laparoscopic**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge	
Statewide	7,737	0.2%	7.2%	\$49,872	
Central & Northeastern PA	1,938	0.2%	8.0%	\$43,954	
Barnes-Kasson County	0	NR	NR	NR	
Berwick	9	0	0	\$96,554	
Bucktail	0	NR	NR	NR	
Carlisle Regional	34	·	0	\$60,020	
Chambersburg	83	·	0	\$30,719	
Endless Mountains	1	NR	NR	NR	
Ephrata Community	28	·	0	\$39,461	
Evangelical Community	17	·	0	\$31,200	
Fulton County	2	NR	NR	NR	
Geisinger Bloomsburg	11	·	0	\$31,920	1
Geisinger Community	95	·	0	\$54,513	
Geisinger Danville	130	·	0	\$75,781	
Geisinger Lewistown	38	0	0	\$27,864	
Geisinger Wyoming Valley	57	0	0	\$62,704	1
Gettysburg	13	·	0	\$30,508	
Good Samaritan Lebanon	69	·	0	\$40,352	1
Guthrie Towanda Memorial	2	NR	NR	NR	1
Hanover	27	·	0	\$24,045	1
Heart of Lancaster	15	·	0	\$54,376	
Holy Spirit	50	·	0	\$33,491	1
J C Blair Memorial	7	0	0	\$26,067	

## Gallbladder Removal – Laparoscopic

Removal of the gallbladder using several small incisions and a laparoscope (small camera on the end of an instrument) inserted into the abdomen. This type of procedure is sometimes referred to as "minimally invasive" surgery. Common reasons for laparoscopic gallbladder removal include cholelithiasis (stones in the gallbladder) and cholecystitis (inflammation of the gallbladder).

#### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Gallbladder Removal - Laparoscopic**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge	
Jersey Shore	10	0	0	\$24,475	R
Lancaster General	165	0	0	\$34,594	u
Lancaster Regional	21	0	0	\$62,348	c
Lehigh Valley Hazleton	77	·	0	\$41,772	a
Lock Haven	13	·	0	\$97,100	p r
Memorial York	48	·	0	\$29,648	ir
Milton S Hershey	41	·	0	\$42,736	g
Moses Taylor	70	·	0	\$79,808	g
Mount Nittany	78	·	0	\$38,274	(i
Muncy Valley	1	NR	NR	NR	١ ا ر
Pinnacle Health	155	·	0	\$22,520	Т
Pocono	89	·	0	\$37,819	r
Regional Scranton	59	·	0	\$64,868	a re
Robert Packer	52	·	0	\$35,129	ra
Soldiers & Sailors	9	·	0	\$27,198	v p
Sunbury Community	5	·	NR	\$51,593	t t
Troy Community	2	NR	NR	NR	
Tyler Memorial	6	·	NR	\$80,716	
Wayne Memorial	47	·	0	\$29,970	
Waynesboro	18	·	0	\$35,011	
Wilkes-Barre General	97	·	0	\$65,348	
Williamsport Regional	48	·	0	\$42,757	
York	139	·	0	\$29,212	

## Gallbladder Removal – Laparoscopic

Removal of the gallbladder using several small incisions and a laparoscope (small camera on the end of an instrument) inserted into the abdomen. This type of procedure is sometimes referred to as "minimally invasive" surgery. Common reasons for laparoscopic gallbladder removal include cholelithiasis (stones in the gallbladder) and cholecystitis (inflammation of the gallbladder).

#### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Gallbladder Removal – Open**

Hospital	Total Number of Cases	Readmissions (for any reason)	Average Hospital Charge
Statewide	1,028	8.7%	\$78,939
Central & Northeastern PA	311	8.3%	\$60,800
Barnes-Kasson County	0	NR	NR
Berwick	0	NR	NR
Bucktail	0	NR	NR
Carlisle Regional	1	NR	NR
Chambersburg	20	0	\$36,763
Endless Mountains	1	NR	NR
Ephrata Community	5	0	NR
Evangelical Community	14	0	\$45,662
Fulton County	0	NR	NR
Geisinger Bloomsburg	2	NR	NR
Geisinger Community	7	0	\$99,249
Geisinger Danville	41	0	\$116,807
Geisinger Lewistown	1	NR	NR
Geisinger Wyoming Valley	26	0	\$81,078
Gettysburg	1	NR	NR
Good Samaritan Lebanon	17	0	\$60,063
Guthrie Towanda Memorial	2	NR	NR
Hanover	4	NR	NR
Heart of Lancaster	0	NR	NR
Holy Spirit	5	NR	NR
J C Blair Memorial	2	NR	NR

## Gallbladder Removal – Open

Removal of the gallbladder using one large incision rather than several small incisions as is used in laparoscopic gallbladder removal. This type of open procedure is sometimes referred to as "traditional" gallbladder removal. Common reasons for open gallbladder removal include cholelithiasis (stones in the gallbladder), cholecystitis (inflammation of the gallbladder) and cancer.

### **Understanding the Symbols**

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Mortality ratings were not reported for Gallbladder Removal – Open because the number of mortalities statewide was less than 10.

## **Gallbladder Removal – Open**

Hospital	Total Number of Cases	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	1	NR	NR
Lancaster General	31	0	\$45,477
Lancaster Regional	2	NR	NR
Lehigh Valley Hazleton	5	0	\$51,854
Lock Haven	1	NR	NR
Memorial York	0	NR	NR
Milton S Hershey	17	0	\$53,154
Moses Taylor	3	NR	NR
Mount Nittany	3	NR	NR
Muncy Valley	0	NR	NR
Pinnacle Health	20	·	\$27,153
Pocono	9	0	\$56,056
Regional Scranton	7	0	\$112,068
Robert Packer	10	0	\$41,287
Soldiers & Sailors	0	NR	NR
Sunbury Community	0	NR	NR
Troy Community	2	NR	NR
Tyler Memorial	2	NR	NR
Wayne Memorial	3	NR	NR
Waynesboro	2	NR	NR
Wilkes-Barre General	13	0	\$75,894
Williamsport Regional	5	NR	\$59,495
York	26	0	\$34,167

## Gallbladder Removal – Open

Removal of the gallbladder using one large incision rather than several small incisions as is used in laparoscopic gallbladder removal. This type of open procedure is sometimes referred to as "traditional" gallbladder removal. Common reasons for open gallbladder removal include cholelithiasis (stones in the gallbladder), cholecystitis (inflammation of the gallbladder) and cancer.

### **Understanding the Symbols**

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Mortality ratings were not reported for Gallbladder Removal – Open because the number of mortalities statewide was less than 10.

# **Heart Attack - Angioplasty/Stent**

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Statewide	9,875	1.4%	\$88,832
Central & Northeastern PA	2,637	1.1%	\$70,127
Barnes-Kasson County	0	NR	NR
Berwick	0	NR	NR
Bucktail	0	NR	NR
Carlisle Regional	0	NR	NR
Chambersburg	132	0	\$59,061
Endless Mountains	0	NR	NR
Ephrata Community	0	NR	NR
Evangelical Community	38	0	\$58,514
Fulton County	0	NR	NR
Geisinger Bloomsburg	0	NR	NR
Geisinger Community	104	0	\$70,191
Geisinger Danville	222	0	\$91,542
Geisinger Lewistown	0	NR	NR
Geisinger Wyoming Valley	107	0	\$121,118
Gettysburg	0	NR	NR
Good Samaritan Lebanon	88	0	\$65,389
Guthrie Towanda Memorial	0	NR	NR
Hanover	80	0	\$53,297
Heart of Lancaster	0	NR	NR
Holy Spirit	69	0	\$56,556
J C Blair Memorial	0	NR	NR

# Heart Attack – Angioplasty/Stent

Procedures are used to open narrowed or blocked coronary (heart) arteries to restore blood flow to the heart muscle by inserting a catheter (thin tube) through the skin of the upper thigh or arm. An angioplasty is performed by inflating a small balloon at the end of the catheter to widen the narrowed or blocked area in the artery. Angioplasty procedures are often combined with the placement of a stent (permanent metallic mesh tube) to prevent the artery from narrowing again. Only patients who had a myocardial infarction (heart attack) are included.

#### **Understanding the Symbols**

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Heart Attack – Angioplasty/Stent to avoid counting readmissions that may have been planned.

# **Heart Attack - Angioplasty/Stent**

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Jersey Shore	0	NR	NR
Lancaster General	334	0	\$60,296
Lancaster Regional	26	0	\$101,738
Lehigh Valley Hazleton	0	NR	NR
Lock Haven	0	NR	NR
Memorial York	59	0	\$62,214
Milton S Hershey	162	0	\$55,270
Moses Taylor	0	NR	NR
Mount Nittany	56	0	\$66,985
Muncy Valley	0	NR	NR
Pinnacle Health	182	0	\$65,186
Pocono	130	0	\$67,416
Regional Scranton	135	0	\$95,866
Robert Packer	205	0	\$35,698
Soldiers & Sailors	0	NR	NR
Sunbury Community	0	NR	NR
Troy Community	0	NR	NR
Tyler Memorial	0	NR	NR
Wayne Memorial	0	NR	NR
Waynesboro	0	NR	NR
Wilkes-Barre General	106	· ·	\$138,716
Williamsport Regional	156	· ·	\$75,704
York	246	0	\$59,120

# Heart Attack – Angioplasty/Stent

Procedures are used to open narrowed or blocked coronary (heart) arteries to restore blood flow to the heart muscle by inserting a catheter (thin tube) through the skin of the upper thigh or arm. An angioplasty is performed by inflating a small balloon at the end of the catheter to widen the narrowed or blocked area in the artery. Angioplasty procedures are often combined with the placement of a stent (permanent metallic mesh tube) to prevent the artery from narrowing again. Only patients who had a myocardial infarction (heart attack) are included.

#### **Understanding the Symbols**

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Heart Attack – Angioplasty/Stent to avoid counting readmissions that may have been planned.

# **Heart Attack - Medical Management**

Hospital	Total Number of Cases	Transfer to Acute Care	Mortality	Average Hospital Charge
Statewide	8,444	15.7%	7.5%	\$40,376
Central & Northeastern PA	2,667	12.8%	6.9%	\$31,859
Barnes-Kasson County	0	NR	NR	NR
Berwick	25	17.2%	0	\$63,368
Bucktail	0	NR	NR	NR
Carlisle Regional	29	48.0%	0	\$27,081
Chambersburg*	177	16.7%	0	\$26,141
Endless Mountains	0	NR	NR	NR
Ephrata Community	14	67.4%	0	\$28,005
Evangelical Community*	66	22.2%	0	\$18,544
Fulton County	7	0.0	0	\$21,326
Geisinger Bloomsburg	5	50.0%	0	\$22,121
Geisinger Community*	91	0.0%	•	\$42,812
Geisinger Danville*	201	0.0%	0	\$46,696
Geisinger Lewistown	29	38.6%	0	\$18,759
Geisinger Wyoming Valley*	59	1.8%	0	\$46,429
Gettysburg	17	68.9%	0	\$20,327
Good Samaritan Lebanon*	64	7.8%	•	\$22,815
Guthrie Towanda Memorial	4	NR	NR	NR
Hanover*	64	31.3%	0	\$22,176
Heart of Lancaster	5	73.3%	0	NR
Holy Spirit*	73	0.0%	0	\$32,174
J C Blair Memorial	9	52.9%	0	\$7,984

## Heart Attack – Medical Management

Occurs when there is blockage or obstruction in a blood vessel (coronary artery) causing damage or death to an area of the heart (myocardial infarction). Patients who are treated with a balloon (angioplasty)/stent procedure or open heart surgery are not included.

**Understanding the Symbols** 

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Heart Attack – Medical Management to avoid counting readmissions that may have been planned.

<sup>\*</sup> Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

## **Heart Attack - Medical Management**

Hospital	Total Number of Cases	Transfer to Acute Care	Mortality	Average Hospital Charge
Jersey Shore	1	NR	NR	NR
Lancaster General*	271	0.4%	0	\$30,693
Lancaster Regional*	27	3.8%	·	\$39,372
Lehigh Valley Hazleton	36	41.4%	·	\$26,708
Lock Haven	9	30.8%	0	\$57,577
Memorial York*	30	26.3%	0	\$29,088
Milton S Hershey*	135	0.0%	0	\$30,196
Moses Taylor	16	42.9%	0	\$46,904
Mount Nittany*	85	19.4%	0	\$29,731
Muncy Valley	7	12.5%	0	\$12,498
Pinnacle Health*	279	1.1%	0	\$32,124
Pocono*	101	5.2%	·	\$37,628
Regional Scranton*	84	6.3%	·	\$43,536
Robert Packer*	173	3.4%	·	\$26,370
Soldiers & Sailors	23	21.7%	•	\$24,318
Sunbury Community	3	NR	NR	NR
Troy Community	0	NR	NR	NR
Tyler Memorial	0	NR	NR	NR
Wayne Memorial	11	59.1%	0	\$15,692
Waynesboro	21	54.5%	0	\$25,070
Wilkes-Barre General*	104	4.0%	0	\$46,329
Williamsport Regional*	186	2.2%	0	\$23,386
York*	126	0.0%	0	\$25,335

# Heart Attack – Medical Management

Occurs when there is blockage or obstruction in a blood vessel (coronary artery) causing damage or death to an area of the heart (myocardial infarction). Patients who are treated with a balloon (angioplasty)/stent procedure or open heart surgery are not included.

**Understanding the Symbols** 

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Heart Attack – Medical Management to avoid counting readmissions that may have been planned.

<sup>\*</sup> Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

# **Hypotension and Fainting**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	6,219	0.4%	13.4%	\$26,208
Central & Northeastern PA	1,576	0.3%	12.2%	\$20,258
Barnes-Kasson County	8	0	0	\$6,387
Berwick	6	0	0	\$40,220
Bucktail	0	NR	NR	NR
Carlisle Regional	13	0	0	\$20,514
Chambersburg	25	0	0	\$18,652
Endless Mountains	3	NR	NR	NR
Ephrata Community	31	0	0	\$23,896
Evangelical Community	13	0	0	\$13,499
Fulton County	2	NR	NR	NR
Geisinger Bloomsburg	17	0	0	\$18,133
Geisinger Community	97	0	0	\$30,711
Geisinger Danville	96	0	0	\$29,177
Geisinger Lewistown	27	0	0	\$11,500
Geisinger Wyoming Valley	67	0	0	\$29,024
Gettysburg	26	0	0	\$15,792
Good Samaritan Lebanon	14	0	0	\$16,469
Guthrie Towanda Memorial	0	NR	NR	NR
Hanover	18	·	0	\$16,875
Heart of Lancaster	9	·	0	\$18,782
Holy Spirit	25	·	0	\$19,635
J C Blair Memorial	16	0	0	\$7,257

# Hypotension and Fainting

Hypotension is an abnormally low blood pressure with effects ranging from dizziness to fainting. Dehydration is an example of a condition that can cause hypotension. Fainting (syncope) is a temporary loss of consciousness. Syncope may also be referred to as "passing out" or "blacking out."

**Understanding the Symbols** 

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Hypotension and Fainting**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	3	NR	NR	NR
Lancaster General	85	0	0	\$19,533
Lancaster Regional	7	•	0	\$26,467
Lehigh Valley Hazleton	45	•	0	\$21,313
Lock Haven	4	NR	NR	NR
Memorial York	38	•	0	\$14,205
Milton S Hershey	65	·	0	\$18,954
Moses Taylor	30	•	0	\$35,684
Mount Nittany	63	•	0	\$20,033
Muncy Valley	3	NR	NR	NR
Pinnacle Health	166	·	0	\$11,638
Pocono	73	0	0	\$25,106
Regional Scranton	58	0	0	\$24,161
Robert Packer	64	0	0	\$16,479
Soldiers & Sailors	5	•	0	\$9,984
Sunbury Community	5	0	NR	\$23,078
Troy Community	0	NR	NR	NR
Tyler Memorial	2	NR	NR	NR
Wayne Memorial	13	•	0	\$14,516
Waynesboro	8	•	0	\$12,266
Wilkes-Barre General	113	0	0	\$28,077
Williamsport Regional	38	•	0	\$10,033
York	175	0	0	\$14,668

# Hypotension and Fainting

Hypotension is an abnormally low blood pressure with effects ranging from dizziness to fainting. Dehydration is an example of a condition that can cause hypotension. Fainting (syncope) is a temporary loss of consciousness. Syncope may also be referred to as "passing out" or "blacking out."

**Understanding the Symbols** 

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Kidney and Urinary Tract Infections**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	14,908	0.4%	15.9%	\$24,501
Central & Northeastern PA	3,559	0.6%	13.3%	\$19,225
Barnes-Kasson County	16	0	0	\$8,909
Berwick	29	0	0	\$33,547
Bucktail	2	NR	NR	NR
Carlisle Regional	28	0	0	\$21,625
Chambersburg	106	0	0	\$15,670
Endless Mountains	28	0	0	\$6,813
Ephrata Community	64	0	0	\$21,361
Evangelical Community	20	0	0	\$11,608
Fulton County	37	0	0	\$14,462
Geisinger Bloomsburg	18	0	0	\$15,458
Geisinger Community	122	·	0	\$27,533
Geisinger Danville	136	0	0	\$27,302
Geisinger Lewistown	80	0	0	\$13,183
Geisinger Wyoming Valley	146	·	0	\$29,665
Gettysburg	56	·	0	\$16,187
Good Samaritan Lebanon	82	·	0	\$16,821
Guthrie Towanda Memorial	24	·	0	\$14,002
Hanover	84	·	· ·	\$14,296
Heart of Lancaster	54	·	0	\$19,131
Holy Spirit	108	·	0	\$19,836
J C Blair Memorial	33	•	0	\$8,092

### Kidney and Urinary Tract Infections

Infections of the urinary tract, which includes the kidneys (pyelonephritis) and bladder (cystitis). These infections can be acute or chronic.

**Understanding the Symbols** 

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Kidney and Urinary Tract Infections**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	30	0	0	\$11,617
Lancaster General	272	0	0	\$18,881
Lancaster Regional	33	0	0	\$24,924
Lehigh Valley Hazleton	108	0	0	\$16,798
Lock Haven	15	•	0	\$29,721
Memorial York	68	·	0	\$13,786
Milton S Hershey	107	·	0	\$21,015
Moses Taylor	67	•	0	\$30,672
Mount Nittany	163	·	0	\$19,356
Muncy Valley	25	•	0	\$11,899
Pinnacle Health	328	·	0	\$12,402
Pocono	131	0	0	\$20,869
Regional Scranton	146	·	0	\$28,682
Robert Packer	96	•	0	\$17,985
Soldiers & Sailors	32	·	0	\$11,483
Sunbury Community	8	•	0	\$19,730
Troy Community	30	·	0	\$10,754
Tyler Memorial	15	0	0	\$16,474
Wayne Memorial	56	0	0	\$13,778
Waynesboro	30	•	0	\$13,274
Wilkes-Barre General	195	•	0	\$31,141
Williamsport Regional	69	•	0	\$12,422
York	262	0	0	\$14,300

### Kidney and Urinary Tract Infections

Infections of the urinary tract, which includes the kidneys (pyelonephritis) and bladder (cystitis). These infections can be acute or chronic.

**Understanding the Symbols** 

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Kidney Failure – Acute**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	18,532	2.6%	20.1%	\$32,145
Central & Northeastern PA	4,885	2.6%	19.0%	\$24,373
Barnes-Kasson County	6	0	0	\$12,038
Berwick	5	0	NR	\$44,461
Bucktail	0	NR	NR	NR
Carlisle Regional	82	0	0	\$23,428
Chambersburg	271	0	0	\$19,250
Endless Mountains	8	·	NR	\$6,076
Ephrata Community	66	·	0	\$27,398
Evangelical Community	93	·	0	\$15,623
Fulton County	8	·	0	\$19,234
Geisinger Bloomsburg	33	0	0	\$21,365
Geisinger Community	148	·	0	\$32,760
Geisinger Danville	372	·	0	\$35,711
Geisinger Lewistown	62	·	0	\$20,250
Geisinger Wyoming Valley	204	·	0	\$35,618
Gettysburg	121	·	0	\$17,160
Good Samaritan Lebanon	95	·	0	\$20,527
Guthrie Towanda Memorial	8	•	0	\$19,123
Hanover	109	0	0	\$18,077
Heart of Lancaster	41	0	0	\$25,118
Holy Spirit	138	0	0	\$25,453
J C Blair Memorial	20	0	0	\$7,863

# Kidney Failure – Acute

A sudden and rapid loss of kidney function resulting in a build-up of waste products that are normally filtered by the kidneys and removed from the body through urine. Because these waste products are toxic, acute kidney failure can be lifethreatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

#### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Kidney Failure – Acute**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	3	NR	NR	NR
Lancaster General	396	0	0	\$20,699
Lancaster Regional	37	0	0	\$32,710
Lehigh Valley Hazleton	120	0	0	\$24,293
Lock Haven	37	•	0	\$41,752
Memorial York	82	0	0	\$19,940
Milton S Hershey	217	0	0	\$26,965
Moses Taylor	110	0	0	\$35,453
Mount Nittany	195	·	0	\$21,922
Muncy Valley	2	NR	NR	NR
Pinnacle Health	454	·	0	\$16,934
Pocono	134	0	0	\$31,677
Regional Scranton	161	0	0	\$32,624
Robert Packer	133	0	0	\$22,784
Soldiers & Sailors	42	0	0	\$17,406
Sunbury Community	26	·	0	\$29,372
Troy Community	6	·	0	\$15,637
Tyler Memorial	4	NR	NR	NR
Wayne Memorial	39	0	0	\$15,329
Waynesboro	52	•	0	\$15,320
Wilkes-Barre General	182	0	0	\$39,652
Williamsport Regional	143	0	0	\$19,906
York	420	0	0	\$18,188

# Kidney Failure – Acute

A sudden and rapid loss of kidney function resulting in a build-up of waste products that are normally filtered by the kidneys and removed from the body through urine. Because these waste products are toxic, acute kidney failure can be lifethreatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

#### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Pneumonia – Aspiration**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	5,436	5.6%	21.6%	\$44,143
Central & Northeastern PA	1,090	7.0%	16.9%	\$32,846
Barnes-Kasson County	1	NR	NR	NR
Berwick	7	0	NR	NR
Bucktail	0	NR	NR	NR
Carlisle Regional	14	0	0	\$40,125
Chambersburg	33	·	0	\$21,291
Endless Mountains	0	NR	NR	NR
Ephrata Community	19	0	0	\$33,463
Evangelical Community	12	·	0	\$19,387
Fulton County	10	0	0	\$20,114
Geisinger Bloomsburg	2	NR	NR	NR
Geisinger Community	28	·	0	\$45,800
Geisinger Danville	29	0	0	\$51,774
Geisinger Lewistown	28	0	0	\$29,472
Geisinger Wyoming Valley	43	·	0	\$47,444
Gettysburg	26	·	0	\$22,595
Good Samaritan Lebanon	50	0	0	\$27,945
Guthrie Towanda Memorial	2	NR	NR	NR
Hanover	48	•	0	\$24,609
Heart of Lancaster	8	•	0	\$27,511
Holy Spirit	41	•	0	\$34,590
J C Blair Memorial	5	0	NR	\$8,754

# Pneumonia – Aspiration

Caused by inhaling food, drink, mucus or vomit into the lungs leading to inflammation and/or infection. Common causes of aspiration pneumonia include coma, problems with swallowing and decreased mental alertness from medication or alcohol.

**Understanding the Symbols** 

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

# **Pneumonia – Aspiration**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	1	NR	NR	NR
Lancaster General	123	·	0	\$30,157
Lancaster Regional	10	·	0	\$47,832
Lehigh Valley Hazleton	33	·	0	\$33,466
Lock Haven	8	·	0	\$51,579
Memorial York	7	·	0	\$43,985
Milton S Hershey	27	·	0	\$39,937
Moses Taylor	20	·	0	\$52,480
Mount Nittany	62	·	0	\$35,192
Muncy Valley	0	NR	NR	NR
Pinnacle Health	68	·	0	\$20,239
Pocono	67	·	0	\$36,604
Regional Scranton	34	·	0	\$50,852
Robert Packer	56	·	0	\$26,438
Soldiers & Sailors	12	·	0	\$22,828
Sunbury Community	15	·	0	\$44,220
Troy Community	6	·	0	\$15,278
Tyler Memorial	1	NR	NR	NR
Wayne Memorial	14	·	0	\$19,888
Waynesboro	12	•	0	\$20,749
Wilkes-Barre General	33	·	0	\$55,151
Williamsport Regional	29	•	0	\$24,652
York	46	0	•	\$22,860

# Pneumonia – Aspiration

Caused by inhaling food, drink, mucus or vomit into the lungs leading to inflammation and/or infection. Common causes of aspiration pneumonia include coma, problems with swallowing and decreased mental alertness from medication or alcohol.

**Understanding the Symbols** 

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Pneumonia - Infectious**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	25,043	2.2%	16.0%	\$32,096
Central & Northeastern PA	6,845	2.1%	15.2%	\$27,133
Barnes-Kasson County	34	•	0	\$13,681
Berwick	54	0	0	\$48,633
Bucktail	8	0	0	\$11,729
Carlisle Regional	105	•	0	\$31,342
Chambersburg	193	·	0	\$18,119
Endless Mountains	30	·	0	\$7,727
Ephrata Community	148	0	0	\$31,156
Evangelical Community	64	•	0	\$16,138
Fulton County	34	0	0	\$21,179
Geisinger Bloomsburg	44	0	0	\$30,112
Geisinger Community	288	0	0	\$37,982
Geisinger Danville	238	0	0	\$38,636
Geisinger Lewistown	172	•	0	\$16,879
Geisinger Wyoming Valley	315	·	0	\$39,189
Gettysburg	61	·	0	\$20,904
Good Samaritan Lebanon	261	0	0	\$24,339
Guthrie Towanda Memorial	92	•	0	\$17,827
Hanover	141	•	· ·	\$22,895
Heart of Lancaster	62	·	· ·	\$28,468
Holy Spirit	299	·	· ·	\$28,382
J C Blair Memorial	87	0	0	\$8,700

# Pneumonia – Infectious

An infection in one or both lungs caused by bacteria or viruses.

#### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Pneumonia - Infectious**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	64	0	0	\$15,812
Lancaster General	421	•	0	\$24,334
Lancaster Regional	75	0	0	\$40,655
Lehigh Valley Hazleton	222	0	0	\$25,463
Lock Haven	40	•	0	\$46,532
Memorial York	81	0	0	\$21,500
Milton S Hershey	198	·	0	\$27,514
Moses Taylor	150	·	0	\$38,105
Mount Nittany	223	0	0	\$25,428
Muncy Valley	36	•	0	\$19,590
Pinnacle Health	476	·	0	\$18,130
Pocono	306	0	•	\$27,908
Regional Scranton	283	0	0	\$36,800
Robert Packer	243	0	0	\$21,829
Soldiers & Sailors	118	•	0	\$20,115
Sunbury Community	53	0	0	\$35,834
Troy Community	55	0	0	\$14,473
Tyler Memorial	70	·	0	\$24,351
Wayne Memorial	126	0	0	\$16,497
Waynesboro	69	•	0	\$16,163
Wilkes-Barre General	387	·	0	\$45,741
Williamsport Regional	165	·	0	\$18,810
York	254	0	0	\$17,899

# Pneumonia – Infectious

An infection in one or both lungs caused by bacteria or viruses.

**Understanding the Symbols** 

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Septicemia**

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Statewide	46,139	10.2%	\$53,558
Central & Northeastern PA	14,952	9.3%	\$38,621
Barnes-Kasson County	6	0	\$21,247
Berwick	82	0	\$56,886
Bucktail	0	NR	NR
Carlisle Regional	176	•	\$39,355
Chambersburg	849	0	\$28,089
Endless Mountains	1	NR	NR
Ephrata Community	267	0	\$39,527
Evangelical Community	391	•	\$20,961
Fulton County	9	•	\$23,206
Geisinger Bloomsburg	117	0	\$32,469
Geisinger Community	358	•	\$61,023
Geisinger Danville	1,297	•	\$59,865
Geisinger Lewistown	124	0	\$30,198
Geisinger Wyoming Valley	550	•	\$60,483
Gettysburg	411	0	\$27,121
Good Samaritan Lebanon	233	•	\$36,544
Guthrie Towanda Memorial	34	•	\$26,665
Hanover	334	•	\$25,751
Heart of Lancaster	43	•	\$53,208
Holy Spirit	569	•	\$40,234
J C Blair Memorial	68	0	\$12,378

## **Septicemia**

An infection in the bloodstream sometimes referred to as blood poisoning. Also includes patients in which septicemia progresses to a severe lifethreatening infection know as sepsis. Sepsis occurs when there is a system-wide inflammation as the body responds to the severe infection, resulting in further illness and injury.

### **Understanding the Symbols**

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Septicemia to avoid counting readmissions that may have been planned.

## **Septicemia**

Hospital	Total Number of Cases	Mortality	Average Hospital Charge
Jersey Shore	13	0	\$19,002
Lancaster General	994	0	\$37,423
Lancaster Regional	47	0	\$58,908
Lehigh Valley Hazleton	297	0	\$35,928
Lock Haven	98	0	\$52,763
Memorial York	217	0	\$26,434
Milton S Hershey	1,310	0	\$41,931
Moses Taylor	301	0	\$57,883
Mount Nittany	552	0	\$38,665
Muncy Valley	6	0	\$10,407
Pinnacle Health	1,252	0	\$27,521
Pocono	374	•	\$45,436
Regional Scranton	331	0	\$53,973
Robert Packer	326	•	\$39,563
Soldiers & Sailors	84	0	\$23,664
Sunbury Community	29	0	\$38,481
Troy Community	8	0	\$14,637
Tyler Memorial	20	0	\$26,419
Wayne Memorial	78	0	\$23,109
Waynesboro	318	0	\$24,181
Wilkes-Barre General	318	•	\$60,351
Williamsport Regional	447	0	\$26,715
York	1,613	0	\$28,789

## **Septicemia**

An infection in the bloodstream sometimes referred to as blood poisoning. Also includes patients in which septicemia progresses to a severe lifethreatening infection know as sepsis. Sepsis occurs when there is a system-wide inflammation as the body responds to the severe infection, resulting in further illness and injury.

### **Understanding the Symbols**

The symbols displayed in this report represent a comparison of a hospital's actual rate of mortality or readmission to its expected rate, which takes into account varying illness levels among patients (see Accounting for High Risk Patients in About the Report).

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

Readmission ratings were not reported for Septicemia to avoid counting readmissions that may have been planned.

## **Stroke**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Statewide	16,443	3.6%	12.9%	\$44,679
Central & Northeastern PA	4,416	3.8%	11.6%	\$32,499
Barnes-Kasson County	6	0	0	\$18,870
Berwick	16	•	0	\$54,458
Bucktail	0	NR	NR	NR
Carlisle Regional	46	0	0	\$30,109
Chambersburg	184	0	0	\$29,063
Endless Mountains	10	0	0	\$8,347
Ephrata Community	77	0	0	\$32,281
Evangelical Community	101	0	0	\$22,331
Fulton County	7	·	0	\$30,757
Geisinger Bloomsburg	11	0	0	\$27,415
Geisinger Community	217	0	0	\$42,467
Geisinger Danville	338	0	0	\$48,342
Geisinger Lewistown	65	0	0	\$18,387
Geisinger Wyoming Valley	187	•	0	\$46,707
Gettysburg	69	•	0	\$23,575
Good Samaritan Lebanon	82	·	0	\$23,360
Guthrie Towanda Memorial	2	NR	NR	NR
Hanover	94	·	0	\$24,054
Heart of Lancaster	31	·	0	\$32,238
Holy Spirit	142	•	0	\$30,971
J C Blair Memorial	8	0	0	\$10,622

### **Stroke**

An ischemic stroke occurs when there is an obstruction (blockage) in a blood vessel in the brain or neck causing damage or death to an area of the brain. Not included are patients who are treated with a balloon (angioplasty)/stent procedure or other surgery to remove the obstruction responsible for the stroke, or patients admitted with a rupture (break) in a blood vessel in the brain (hemorrhagic stroke) unless the hemorrhage occurs after the ischemic stroke but during the hospitalization.

#### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.

## **Stroke**

Hospital	Total Number of Cases	Mortality	Readmissions (for any reason)	Average Hospital Charge
Jersey Shore	4	NR	NR	NR
Lancaster General	416	0	0	\$24,271
Lancaster Regional	35	0	0	\$33,441
Lehigh Valley Hazleton	38	·	0	\$34,154
Lock Haven	14	0	0	\$47,680
Memorial York	68	0	0	\$23,716
Milton S Hershey	317	0	0	\$42,937
Moses Taylor	116	0	0	\$51,571
Mount Nittany	116	0	0	\$30,045
Muncy Valley	2	NR	NR	NR
Pinnacle Health	424	0	0	\$22,583
Pocono	185	0	0	\$36,476
Regional Scranton	87	0	0	\$40,257
Robert Packer	114	•	0	\$29,229
Soldiers & Sailors	24	0	0	\$17,808
Sunbury Community	6	0	0	\$27,602
Troy Community	5	0	NR	\$18,233
Tyler Memorial	7	0	NR	\$22,311
Wayne Memorial	37	•	0	\$20,197
Waynesboro	38	•	0	\$23,895
Wilkes-Barre General	164	•	0	\$47,609
Williamsport Regional	134	•	0	\$17,527
York	372	0	0	\$24,145

### Stroke

An ischemic stroke occurs when there is an obstruction (blockage) in a blood vessel in the brain or neck causing damage or death to an area of the brain. Not included are patients who are treated with a balloon (angioplasty)/stent procedure or other surgery to remove the obstruction responsible for the stroke, or patients admitted with a rupture (break) in a blood vessel in the brain (hemorrhagic stroke) unless the hemorrhage occurs after the ischemic stroke but during the hospitalization.

### **Understanding the Symbols**

- O Rate was significantly lower than expected.
- Rate was not significantly different than expected.
- Rate was significantly higher than expected.
- NR Not reported. Too few cases after exclusions.