




**Western
Pennsylvania**

HOSPITAL PERFORMANCE REPORT

31 Common Medical Procedures and Treatments • FFY 2008



**Pennsylvania Health Care Cost Containment Council
September 2009**

**Counties included
in this Report:**

Allegheny
Armstrong
Beaver
Bedford
Blair
Butler
Cambria
Cameron
Clarion
Clearfield
Crawford
Elk
Erie
Fayette
Forest
Greene
Indiana
Jefferson
Lawrence
McKean
Mercer
Potter
Somerset
Venango
Warren
Washington
Westmoreland

Table of Contents

Key Findings..... 1

Understanding this Report..... 3

Descriptions 8

Diagnoses

Abnormal Heartbeat 10

Blood Clot in Extremities 12

Blood Clot in Lung 14

Chronic Obstructive Pulmonary Disease (COPD) 16

Congestive Heart Failure (CHF)..... 18

Diabetes with Amputation 20

Diabetes – Medical Management..... 22

Heart Attack – Medical Management 24

Intestinal Obstruction 26

Kidney Failure – Acute 28

Kidney and Urinary Tract Infections 30

Pneumonia – Aspiration 32

Pneumonia – Infectious 34

Respiratory Failure with Mechanical Ventilation 36

Respiratory Failure without Mechanical Ventilation..... 38

Septicemia..... 40

Stomach and Intestinal Bleeding 42

Stroke – Hemorrhagic 44

Stroke – Non-Hemorrhagic..... 46

Procedures

Abdominal Aortic Aneurysm Repair – Endovascular 48

Abdominal Aortic Aneurysm Repair – Open..... 50

Colorectal Procedures 52

Gallbladder Removal – Laparoscopic..... 54

Gallbladder Removal – Open 56

Heart Attack – Angioplasty/Stent..... 58

Hip Fracture – Surgical Repair..... 60

Hysterectomy – Abdominal 62

Hysterectomy – Vaginal..... 64

Prostatectomy – Radical..... 66

Prostatectomy – Transurethral..... 68

Removal of Blockage of Neck Vessels..... 70

The following hospitals have commented on this report:

- Allegheny General
- Nason
- Uniontown
- Western Pennsylvania
- Windber

Copies of their comments are available on the [PHC4 Web site](#) or by request.

Key Findings


Mortality Rates

- The overall mortality rate for the 20 conditions consistently reported in 2002 through 2008 showed a statistically significant decrease, from 5.1% in 2002 to 4.2% in 2008.
- Patient mortality rates showed a statistically significant decrease in 14 of these 20 conditions between 2002 and 2008. The largest statistically significant decline was in Stroke - Hemorrhagic, where the mortality rate decreased from 33.7% in 2002 to 26.2% in 2008.
- Among the conditions reported in 2008, Respiratory Failure with Mechanical Ventilation had the highest mortality rate at 29.5%. Hysterectomy - Abdominal had the lowest rate at 0.1%.

Readmissions for Any Reason

- There were 57,852 readmissions for any reason in 2008 (for the 21 categories for which readmission ratings were reported). These readmissions amounted to approximately \$2.5 billion in charges and 350,000 hospital days.
- Eight of the conditions had readmission rates for any reason that exceeded the overall rate of 18.9% (based on all 21 conditions for which readmissions were reported in 2008).

**Rates of Readmission for Any Reason:
Conditions Exceeding the 2008 Average Rate***




* The overall rate for the 21 conditions for which readmissions for any reason were reported in 2008 was 18.9%.

- The overall readmission rate for the 15 conditions reported consistently in 2002 through 2008 showed a statistically significant increase from 18.3% in 2002 to 19.1% in 2008. However, it is important to note this rate reached a plateau in recent years: the 2008 rate was not significantly different from the 2004 rate of 19.0%. The largest significant increase over this time period was in Diabetes - Medical Management, where the readmission rate increased from 19.4% in 2002 to 21.3% in 2008.
- Among the conditions reported in 2008, Respiratory Failure with Mechanical Ventilation had the highest readmission rate at 27.6%. Hysterectomy - Vaginal had the lowest rate at 3.0%.

Readmissions for Complication or Infection

- There were 22,094 readmissions for complication or infection in 2008 (for the 21 categories for which these rates were reported in 2008). These readmissions amounted to approximately \$1.1 billion in charges and 157,000 hospital days.
- Nine of the conditions had readmission rates for complication or infection that exceeded the overall rate of 7.2% (based on all 21 conditions for which these rates were reported in 2008).

**Rates of Readmission for Complication or Infection:
Conditions Exceeding the 2008 Average Rate***



* The overall rate for the 21 conditions for which readmissions for complication or infection were reported in 2008 was 7.2%.

- The condition with the highest readmission rate for complication or infection in 2008 was Pneumonia - Aspiration (17.3%). The condition with the lowest rate was Hysterectomy - Vaginal (2.1%).

Length of Stay

- There was wide variation in length of stay among hospitals in 2008. The condition with the most variation was Diabetes with Amputation, where hospitals' average length of stay ranged from 4.1 to 16.1 days after taking patient risk factors into account.
- The average length of stay showed a statistically significant decrease in 17 of the 24 conditions for which length of stay was consistently reported between 2002 and 2008. The largest decline was in Prostatectomy - Radical, where the average length of stay decreased from 3.3 days in 2002 to 2.3 days in 2008. The average length of stay also increased significantly in two conditions during this time period. The largest increase was in Gallbladder Removal - Laparoscopic, where the average length of stay increased from 3.2 days in 2002 to 3.6 days in 2008.

Understanding this Report

PHC4

Foreword

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and the Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payors, and policymakers can make more informed decisions about the delivery of health care. This *Hospital Performance Report* is one of a series of public reports designed to achieve this goal. Information about additional treatment and surgical categories is posted on the PHC4 Web site at www.phc4.org.

What is the purpose of the report?

Before we make a major purchase, we usually gather as much information as we can about the available product or service. By comparing what we learn about the quality of the product as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. It should be the same with health care services. Unfortunately, the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's *Hospital Performance Report* can help to fill the information vacuum and assist consumers and purchasers in making more informed health care decisions. This report can also serve as an aid to providers in highlighting additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

About this report

- This report includes 31 conditions based on ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) codes, which specify the clinical reason(s) for a patient's hospitalization. Of the 31

code-based conditions, there are 19 diagnoses and 12 procedures. Descriptions of these conditions are on pages 8 and 9.

- This report covers inpatient hospital discharges during Federal Fiscal Year (FFY) 2008, which includes data from October 1, 2007 through September 30, 2008.



- This report is divided into three regional versions and is hospital-specific.
- All Pennsylvania general acute care and most specialty general acute care hospitals, regardless of size, are included.
- The hospital names have been shortened in many cases for formatting purposes. Hospital names may be different today than during the time period covered in this report due to mergers and name changes. A list of changes can be found on the PHC4 Web site at www.phc4.org.

Where does the data come from?

The data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals submit data indicating, in simple terms, “how sick the patient was” or, in technical jargon, a “severity score.” The data is then risk-adjusted.

Accounting for high-risk patients

Even though two patients may be admitted to the hospital with the same illness, there may be differences in the seriousness of their conditions. In order to report fair comparisons among hospitals, PHC4 uses a complex mathematical formula to “risk-adjust” the mortality, length of stay and readmission data, meaning that hospitals receive “extra credit” for treating patients that are more seriously ill or at a greater risk than others. Risk-adjusting the data is important because sicker patients may be more likely to die, stay in the hospital longer, or be readmitted.

A sophisticated patient risk classification system called Atlas Outcomes™ is used to collect clinical information about hospital patients and to predict each patient’s probability of mortality and expected length of

stay. Atlas Outcomes™ is a clinical information system developed by MediQual™ services, a business of CareFusion Corporation. This system uses electronically available admit/discharge/transfer and laboratory data to calculate risk for patients in this report. PHC4 also independently adjusts for other relevant patient risk factors, such as poverty level, the presence of cancer, diabetes, etc.

A comprehensive description of the risk-adjustment techniques used for this report can be found in the Technical Notes on PHC4’s Web site at www.phc4.org.

What is measured in the report and why is it important?

PHC4’s mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not an exact science. There may be a number of ways to define quality; however, for the purposes of this report, six measures are suggested. With the exception of volume of cases, each of these measures has been adjusted for patient risk. (For more information, see the previous section titled, Accounting for high-risk patients.)

- **Volume of Cases** – For each hospital, the number of cases for each condition, after exclusions, is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that, in at least some areas, the volume of cases treated by a physician or hospital can be a factor in the success of the treatment. The number of cases represents separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Outcome data are not reported for hospitals that had fewer than five cases evaluated for a measure; such low volume cannot be considered meaningful and, as such, the outcome data are not displayed. Not Reported (NR) appears in the table when this occurs.



Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.

- **Risk-Adjusted Mortality** – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. To determine the mortality rating, PHC4 compares the number of patients one could reasonably expect to die in a given hospital in a given condition with the actual number of deaths.
- **Risk-Adjusted Length of Stay** – The length of time a patient stays in the hospital can reflect how successful the hospital is in providing treatment and has an impact on the resources used in delivering treatment.
- **Risk-Adjusted Length of Stay Outliers** – Length of stay “outliers” are abnormally short or long hospitalizations – those individual hospitalizations where the difference between the actual and expected length of stay was in the top (long length of stay outliers) or bottom (short length of stay outliers) 5% of all state-wide hospitalizations. They are the hospitalizations where the difference between the actual and expected length of stay was above or below the normal range for all hospitalizations in the state. For any one hospital, the outlier rate is the number of outliers divided by the total number of hospitalizations. Length of stay may be an important quality of care indicator; however, many factors affect length of stay, some of which are beyond the hospital’s control. Abnormally short or long hospital stays may result from factors, such as payor expectations, complications, clinical treatment advancements, or avoidable admissions due to inadequate health and social support in the community. Reported ratings should be interpreted cautiously and do not necessarily indicate high or low quality care.
- **Risk-Adjusted Readmissions** – A readmission is defined as a subsequent acute care hospitalization, for any reason in any Pennsylvania hospital, where the admit date is within 30 days of the discharge date of the original hospitalization. To determine the risk-adjusted readmission rating, PHC4 compares the number of patients one could reasonably expect to be readmitted in a given hospital in a given condition with the actual number of readmissions. The methodology was designed to limit planned readmissions; however, some may still be included. While some re-hospitalizations can be expected, high quality care may lessen the need for subsequent hospitalizations.
- **Risk-Adjusted Readmissions for Complication/ Infection** – The risk-adjusted readmission rating (discussed above) takes into consideration all subsequent hospitalizations within 30 days of the discharge date of the original hospitalization. However, this measure includes only readmissions with a principal diagnosis of a complication/infection (see the Technical Notes on the PHC4 Web site, www.phc4.org, for a detailed description).

Other data issues

- **Do Not Resuscitate Cases** – The mortality analysis includes Do Not Resuscitate (DNR) cases. Since DNR is defined and utilized differently across Pennsylvania hospitals, such records are retained in the analysis to avoid potential biases in mortality ratings.

- Not all data is reported for all measures. For example, readmission rates are not reported for Heart Attack – Medical Management because subsequent admissions are often planned.

Hospital charges

This report also includes the average hospital charge for each of the 31 code-based conditions. While charges are what the hospital reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for inpatient services, and the amount they receive in Net Patient Revenue (NPR). Pennsylvania hospitals received, on average statewide, \$.26 in NPR for every dollar that they charged in Fiscal Year 2008 (for most hospitals 7/1/2007 through 6/30/2008).

Within the geographic area covered in this report, hospitals received, on average, \$.29 in NPR for every dollar charged. Broken down even further, hospitals within Southwestern Pennsylvania received, on average, \$.28 in NPR for every dollar charged, Northwestern Pennsylvania hospitals received an average of \$.31 on the dollar, and hospitals in the Southern Allegheny regions (Somerset, Johnstown, Altoona areas) received an average of \$.42 on the dollar.

These regional figures are aggregate only and cannot be applied to individual hospitals or individual average charges for conditions to calculate actual payment figures. This is due to substantial variation in hospital charges from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payors, and even individual patients.

Hospitals not included

Hospitals are required under Pennsylvania law (Act 89 of 1986 as reenacted and amended as Act 3 of 2009) to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing Uniform Billing (UB) data or patient severity scores in excess of or equal to 10% of all records for which severity scores are to be reported are excluded from this report. These hospitals are listed below. Although hospitalization data specific to these hospitals is not shown in this report, these records have been included in the overall analysis for the measures included in this report (unless noted otherwise), and thus are reflected in the statewide and regional totals.

Hospital not included:

- Brookville

Understanding the Symbols

Symbols representing ratings for risk-adjusted mortality, readmissions, and length of stay outliers are displayed in the report. These symbols reflect a comparison of a hospital's actual rate and what is expected.

- Significantly higher than expected.
- ◉ Not significantly different than expected.
- Significantly lower than expected.



How to use this report

- **Patients/Consumers** can use this report as an aid in making decisions about where to seek treatment for the conditions detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- **Group Benefits Purchasers/Insurers** can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.
- **Health Care Providers** can use this report as an aid in identifying opportunities for quality improvement and cost containment.
- **Policymakers/Public Officials** can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.
- **All of the previously mentioned groups** can use this information to raise important questions about why differences exist in the quality and efficiency of care.

This report can be used as a tool. It should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in specific treatment categories. The measurement of quality is highly complex, and the information used to capture such measures is limited. A hospital death is frequently an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right, and the patient can still die. However, the statistical methods used eliminate many of the clinical and medical differences among the patients in different hospitals, thereby allowing us to explore the real differences in the measures presented in this report. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.

Abnormal Heartbeat: Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects, or heart valve disorders.

Blood Clot in Extremities: Inflammation of a blood vessel with the formation of a thrombus (blood clot) in a deep or superficial vein involving the legs, arms, and other parts of the body. Includes deep vein thrombosis (DVT).

Blood Clot in Lung: The formation of a thrombus (blood clot) and/or infarction (damage or death) of the lung tissue. Often called pulmonary embolism or pulmonary infarct.

Chronic Obstructive Pulmonary Disease (COPD): Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma, or emphysema.

Congestive Heart Failure (CHF): Heart failure occurs when the heart loses its ability to pump enough blood through the body. Heart failure usually worsens over time as the heart gradually loses its pumping ability and works less efficiently, resulting in high blood pressure and fluid collection in the lungs.

Diabetes with Amputation: Includes patients who have diabetes and undergo an amputation of the arm, leg, or toe.

Diabetes – Medical Management: Includes patients hospitalized for control of blood sugar. Conditions include coma, high blood sugar crisis, and fluid imbalances. Kidney, eye, nerve, or blood vessel damage related to diabetes are included.

Heart Attack – Medical Management:

A heart attack (myocardial infarction) occurs when there is blockage or obstruction in the blood vessels that supply oxygen to the heart muscle causing an infarction (damage or death) to an area of the heart. Included are heart attack patients who were treated without a balloon (angioplasty) procedure or open heart surgery.

Intestinal Obstruction: Partial or complete blockage of the intestine often caused by scar tissue, tumors, twisting and kinking, or decreased blood supply that prevents the contents in the intestine from passing beyond the blockage.

Kidney Failure – Acute: A sudden and rapid loss of kidney function resulting in a build up of waste products that are normally removed from the body through urine. Because these waste products are toxic, acute kidney failure can be life threatening. Acute kidney failure may be caused by trauma, surgery, dehydration, medication or other conditions.

Kidney and Urinary Tract Infections: Acute and chronic infections of the kidney and urinary tract. Does not include urinary stone or urinary symptoms, such as frequency, bleeding, or pain.

Pneumonia – Aspiration: Inflammation of the lungs and bronchial tubes caused by inhaling foreign material, such as food, drink, vomit, or secretions from the mouth into the lungs. Does not include infectious pneumonia.

Pneumonia – Infectious: Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy, an inflammation of the membrane surrounding the lungs.

Respiratory Failure with Mechanical

Ventilation: Failure of the lungs to support the exchange of essential gases (oxygen and carbon dioxide), making the use of mechanical ventilation necessary. A mechanical ventilator (“breathing machine”) delivers oxygen through a tube placed in the mouth or nose into the trachea (windpipe). The breathing machine can be set to help or completely control breathing.

Respiratory Failure without Mechanical

Ventilation: Inability of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) without the need for mechanical ventilation.

Stomach and Intestinal Bleeding:

Bleeding from ulcers or areas of inflammation in the stomach, small or large intestine, rectum, or esophagus (muscular tube that connects the mouth to the stomach).

Septicemia: Also known as blood poisoning, is a system-wide infection of the patient’s blood. Does not include post-operative or post-injury infections.

Stroke – Hemorrhagic: Stroke is a cardiovascular disease that affects the blood vessels supplying blood to the brain. In hemorrhagic strokes, a blood vessel in the brain breaks or ruptures and causes bleeding (hemorrhage) within or around the brain.

Stroke – Non-hemorrhagic: In ischemic (non-hemorrhagic) strokes, a blood clot blocks a blood vessel in the brain or an artery leading to the brain. This is the most common type of stroke. Transient ischemic attack (temporary stroke symptoms) is not included.

Code-based Procedure Descriptions

Abdominal Aortic Aneurysm Repair

– Endovascular (EVAR): An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This procedure repairs the aneurysm in a minimally invasive manner. A covered stent (mesh tube) or 'endograft' is inserted through small incisions in the groin and advanced through the blood vessels to the weakened or bulging area of the abdominal aorta using X rays to guide the placement. This endograft reinforces the weakened area of the aorta and prevents rupture of the aneurysm.

Abdominal Aortic Aneurysm Repair

– Open: An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This 'open' procedure is performed through an incision in the abdomen. A synthetic graft is sutured (sewn) into the aorta to replace the weakened section.

Colorectal Procedures: The majority of colorectal procedures are performed in relation to the presence of cancer or diverticulitis (inflammation of part of the lower digestive tract). Does not include patients with abdominal trauma.

Gallbladder Removal – Laparoscopic:

Cholecystectomy is the operation for removal of the gallbladder. Included are patients who underwent this type of surgery carried out with a laparoscope (microscopic camera) through three or four small incisions.

Gallbladder Removal – Open: Traditional gallbladder removal surgery that is carried out through an incision in the right side of the upper abdomen.

Heart Attack – Angioplasty/Stent:

Treatment (called percutaneous transluminal coronary angioplasty or PTCA) of a heart attack using special balloons to open up obstructed arteries and increase blood flow to the heart. Often, a stent (a mesh tube) is inserted in the blocked or narrowed artery to open it wider and prevent re-narrowing or recurring blockage. Does not include coronary artery bypass graft surgery (CABG).

Hip Fracture – Surgical Repair:

Fracture ("broken bone") of the hip involves the top portion of the femur (thigh bone). Surgical repair includes inserting a pin, rod or screw into the bone to hold the fracture together for healing or may also include a partial or total hip joint replacement.

Hysterectomy – Abdominal: An operation to remove the uterus (womb), either the upper part of the uterus only or the entire uterus and cervix. An abdominal hysterectomy can be performed either through a large incision into the abdomen or through a smaller abdominal incision with the assistance of an instrument called a laparoscope (a thin tube with a very small light and camera so the doctor can see into the abdomen).

Hysterectomy – Vaginal: An operation to remove the uterus (womb) through the vagina. A vaginal hysterectomy is performed either with or without the assistance of an instrument called a laparoscope (a thin tube with a very small light and camera so the doctor can see



into the abdomen), which is inserted into the abdomen through small incisions.

Prostatectomy – Radical: Radical prostatectomy is the surgical removal of the entire prostate. This type of surgery is usually performed when localized cancer is present.

Prostatectomy – Transurethral: This type of surgery involves the surgical removal of part of the prostate gland and is usually done to relieve urinary symptoms caused by benign (non cancerous) enlargement of the prostate.

Removal of Blockage of Neck Vessels:

This procedure, also known as a carotid endarterectomy, is performed to prevent strokes. It involves removal of blockages, complete or partial, in the two arteries (carotid arteries) that supply the brain with blood and oxygen.

Information about additional treatment and surgical categories is posted on the Web site at www.phc4.org

Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	156	○	3.8	4.5	○	6.5	○	○	○	\$14,084
Allegheny General	630	○	3.5	5.9	○	4.5	○	○	●	\$26,032
Alle-Kiski	315	○	3.3	5.1	○	1.0	○	○	○	\$18,827
Altoona Regional	591	●	3.2	5.0	○	3.5	○	○	○	\$17,681
Bradford Regional	74	○	3.5	1.4	○	4.1	○	○	○	\$13,446
Butler Memorial	365	○	3.0	5.8	○	1.9	○	○	○	\$17,827
Canonsburg General	111	○	3.8	5.4	○	7.2	○	○	○	\$24,103
Charles Cole Memorial	30	○	3.0	0.0	○	3.3	○	○	●	\$11,552
Clarion	92	○	2.4	9.9	●	0.0	○	○	○	\$9,918
Clearfield	147	○	3.5	4.1	○	5.5	○	○	○	\$12,709
Conemaugh Valley Memorial	563	●	4.1	1.8	○	8.3	●	○	○	\$16,700
Corry Memorial	28	○	3.0	0.0	○	0.0	○	○	○	\$12,169
DuBois Regional	245	○	2.5	13.5	●	1.2	○	○	○	\$14,197
Elk Regional	77	○	2.9	11.7	●	3.9	○	○	○	\$15,204
Ellwood City	77	○	3.8	3.9	○	2.6	○	○	○	\$10,519
Excelsa Hlth Westmoreland	568	○	3.8	2.8	○	5.0	○	○	●	\$16,988
Frick	124	○	3.3	7.3	○	0.8	○	○	○	\$14,729
Grove City	62	○	3.4	8.1	○	1.6	○	○	○	\$15,082
Hamot	676	○	3.2	4.2	○	2.4	○	○	○	\$27,444
Highlands	63	○	3.2	4.8	○	1.6	○	○	○	\$16,325
Indiana Regional	236	○	2.7	10.7	●	0.4	○	○	○	\$15,264
Jameson Memorial	255	○	3.0	7.1	○	2.0	○	○	○	\$13,853
Jefferson Regional	550	●	3.6	3.5	○	4.1	○	○	○	\$16,263
Kane Community	32	○	3.2	3.1	○	0.0	○	○	○	\$13,798
Latrobe Area	330	○	3.8	1.2	○	5.2	○	●	○	\$17,388
Magee-Womens	15	○	4.0	6.7	○	6.7	○	○	○	\$28,891
Meadville	151	○	3.1	3.3	○	2.7	○	○	○	\$13,621
Medical Center Beaver	430	○	3.8	4.2	○	5.2	○	○	○	\$13,725
Meyersdale Community	6	○	2.5	16.7	○	0.0	○	○	○	\$10,793
Millcreek Community	41	○	3.7	4.9	○	7.3	○	●	●	\$19,590
Miners	23	○	3.6	9.1	○	0.0	○	○	○	\$13,143

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Monongahela Valley	244	⊙	4.3	2.1	⊙	8.3	●	⊙	⊙	\$18,629
Nason	48	⊙	3.1	6.4	⊙	2.1	⊙	⊙	⊙	\$9,610
Ohio Valley General	152	⊙	3.6	2.0	⊙	3.9	⊙	⊙	⊙	\$20,298
Punxsutawney Area	56	⊙	2.9	7.3	⊙	1.8	⊙	⊙	⊙	\$10,543
Saint Vincent Health	484	●	3.5	3.6	⊙	4.0	⊙	⊙	⊙	\$33,589
Sewickley Valley	249	⊙	3.3	5.7	⊙	3.2	⊙	⊙	⊙	\$13,161
Sharon Regional	339	⊙	3.1	10.1	●	3.6	⊙	⊙	⊙	\$17,533
Somerset	120	⊙	3.6	3.3	⊙	4.2	⊙	⊙	⊙	\$15,222
Southwest Regional MC	67	⊙	3.1	11.9	●	1.5	⊙	⊙	⊙	\$16,915
St Clair Memorial	585	⊙	3.5	4.0	⊙	3.3	⊙	⊙	⊙	\$16,976
Titusville Area	23	⊙	2.8	0.0	⊙	0.0	⊙	⊙	⊙	\$8,829
Tyrone	45	⊙	2.9	8.9	⊙	0.0	⊙	⊙	●	\$12,028
Uniontown	262	⊙	3.5	5.0	⊙	6.6	⊙	⊙	⊙	\$12,542
UPMC Bedford	67	⊙	2.3	16.4	●	0.0	⊙	⊙	⊙	\$10,224
UPMC Braddock	102	⊙	4.3	4.9	⊙	7.8	⊙	⊙	⊙	\$27,436
UPMC Horizon	239	⊙	4.1	5.0	⊙	6.7	⊙	⊙	⊙	\$15,944
UPMC McKeesport	188	⊙	4.0	5.9	⊙	5.3	⊙	⊙	⊙	\$23,627
UPMC Mercy	407	⊙	4.0	4.2	⊙	3.7	⊙	⊙	⊙	\$23,978
UPMC Northwest	176	⊙	3.0	9.2	●	0.6	⊙	⊙	⊙	\$11,574
UPMC Passavant	590	⊙	3.8	4.6	⊙	7.2	●	⊙	⊙	\$24,192
UPMC Presby Shadyside	1,421	⊙	3.7	4.1	⊙	5.5	⊙	⊙	⊙	\$35,248
UPMC South Side	120	⊙	4.3	3.3	⊙	6.7	⊙	⊙	⊙	\$25,462
UPMC St Margaret	355	⊙	3.2	4.2	⊙	3.7	⊙	⊙	⊙	\$25,454
Warren General	85	⊙	4.2	1.2	⊙	2.4	⊙	⊙	⊙	\$17,267
Washington	509	⊙	4.0	1.8	⊙	5.7	⊙	⊙	⊙	\$20,620
Western PA Hosp/Forbes	421	⊙	3.7	3.8	⊙	2.6	⊙	⊙	⊙	\$19,826
Western Pennsylvania	496	⊙	3.6	3.9	⊙	4.5	⊙	⊙	●	\$22,353
Windber	45	⊙	2.9	6.7	⊙	2.2	⊙	⊙	●	\$13,717
Western Pennsylvania	15,072		3.5	4.7		4.2				\$21,363
TOTAL: Statewide	44,947		3.5	5.0		5.0				\$32,586

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating†	%	Rating†	
ACMH	37	○	4.4	2.7	○	5.4	○	\$6,863
Allegheny General	106	○	4.0	4.7	○	2.8	○	\$15,988
Alle-Kiski	81	○	4.1	6.3	○	3.8	○	\$9,818
Altoona Regional	63	○	4.5	4.8	○	9.7	○	\$9,985
Bradford Regional	18	○	4.1	0.0	○	0.0	○	\$9,420
Butler Memorial	87	○	4.4	3.4	○	3.4	○	\$9,310
Canonsburg General	30	○	5.5	10.0	○	13.3	○	\$12,890
Charles Cole Memorial	10	●	3.0	33.3	●	0.0	○	\$7,583
Clarion	27	○	3.5	7.4	○	0.0	○	\$4,553
Clearfield	28	○	3.9	3.6	○	3.6	○	\$7,452
Conemaugh Valley Memorial	113	○	4.6	1.8	○	10.6	●	\$9,881
Corry Memorial	6	○	4.7	0.0	○	0.0	○	\$8,283
DuBois Regional	30	○	3.2	6.7	○	0.0	○	\$8,310
Elk Regional	20	○	3.6	5.0	○	0.0	○	\$7,207
Ellwood City	18	○	4.8	0.0	○	0.0	○	\$8,383
Excelsa Hlth Westmoreland	88	○	4.5	4.5	○	4.5	○	\$9,738
Frick	26	○	4.1	3.8	○	0.0	○	\$8,664
Grove City	17	○	2.7	11.8	○	0.0	○	\$7,820
Hamot	61	○	4.5	0.0	○	8.2	○	\$17,044
Highlands	14	○	4.8	0.0	○	7.1	○	\$7,329
Indiana Regional	62	○	4.1	1.6	○	1.6	○	\$8,190
Jameson Memorial	81	○	5.2	1.2	○	9.9	○	\$9,037
Jefferson Regional	105	○	5.1	2.9	○	8.7	○	\$8,210
Kane Community	9	○	4.6	0.0	○	0.0	○	\$8,327
Latrobe Area	33	○	3.4	9.4	○	3.1	○	\$8,224
Magee-Womens	25	○	3.4	12.0	○	16.0	●	\$16,498
Meadville	63	○	5.3	3.2	○	8.1	○	\$8,185
Medical Center Beaver	77	○	4.6	3.9	○	3.9	○	\$8,404
Meyersdale Community	7	○	4.0	0.0	○	0.0	○	\$9,246
Millcreek Community	21	○	3.8	4.8	○	0.0	○	\$8,767
Miners	7	○	3.5	0.0	○	0.0	○	\$7,159

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Monongahela Valley	71	⊙	4.9	2.8	⊙	7.0	⊙	\$10,162
Nason	13	⊙	3.5	0.0	⊙	7.7	⊙	\$6,464
Ohio Valley General	24	⊙	4.2	0.0	⊙	8.3	⊙	\$14,366
Punxsutawney Area	23	⊙	4.7	4.3	⊙	4.3	⊙	\$6,890
Saint Vincent Health	64	⊙	4.1	7.9	⊙	7.9	⊙	\$17,497
Sewickley Valley	42	⊙	5.1	4.9	⊙	12.2	⊙	\$11,576
Sharon Regional	69	⊙	3.7	5.8	⊙	1.4	⊙	\$8,627
Somerset	23	⊙	5.0	0.0	⊙	8.7	⊙	\$10,374
Southwest Regional MC	15	⊙	3.7	0.0	⊙	0.0	⊙	\$8,561
St Clair Memorial	85	⊙	4.5	1.2	⊙	2.4	⊙	\$10,967
Titusville Area	10	⊙	3.8	10.0	⊙	0.0	⊙	\$5,720
Tyrone	6	⊙	4.5	0.0	⊙	0.0	⊙	\$5,785
Uniontown	47	⊙	4.4	6.4	⊙	4.3	⊙	\$7,741
UPMC Bedford	7	⊙	2.7	0.0	⊙	0.0	⊙	\$6,317
UPMC Braddock	24	⊙	4.5	0.0	⊙	8.3	⊙	\$16,233
UPMC Horizon	69	⊙	4.6	0.0	⊙	1.4	⊙	\$8,773
UPMC McKeesport	60	⊙	4.0	6.7	⊙	1.7	⊙	\$14,291
UPMC Mercy	57	⊙	4.0	3.5	⊙	3.5	⊙	\$13,412
UPMC Northwest	45	⊙	3.9	0.0	⊙	0.0	⊙	\$6,991
UPMC Passavant	102	⊙	4.5	2.0	⊙	8.8	⊙	\$16,380
UPMC Presby Shadyside	165	⊙	4.0	4.2	⊙	4.2	⊙	\$22,563
UPMC South Side	28	⊙	4.7	0.0	⊙	10.7	⊙	\$11,776
UPMC St Margaret	119	⊙	4.8	2.5	⊙	4.2	⊙	\$15,196
Warren General	30	⊙	4.7	0.0	⊙	6.7	⊙	\$9,661
Washington	71	⊙	4.2	8.6	⊙	4.3	⊙	\$10,850
Western PA Hosp/Forbes	109	⊙	4.4	4.6	⊙	2.8	⊙	\$11,164
Western Pennsylvania	71	⊙	4.2	7.0	⊙	7.0	⊙	\$17,042
Windber	17	⊙	4.9	0.0	⊙	5.9	⊙	\$9,678
Western Pennsylvania	2,876		4.4	3.8		5.1		\$11,441
TOTAL: Statewide	7,741		4.2	5.0		5.0		\$18,496

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating†	%	Rating†	
ACMH	25	⊖	6.0	0.0	⊖	8.3	⊖	\$11,462
Allegheny General	104	⊖	5.7	6.0	⊖	8.0	⊖	\$31,216
Alle-Kiski	41	⊖	5.8	0.0	⊖	0.0	⊖	\$18,958
Altoona Regional	103	⊖	4.6	5.8	⊖	1.9	⊖	\$15,320
Bradford Regional	9	⊖	7.3	0.0	⊖	11.1	⊖	\$16,116
Butler Memorial	37	⊖	6.4	2.7	⊖	10.8	⊖	\$17,500
Canonsburg General	17	⊖	6.1	0.0	⊖	0.0	⊖	\$22,115
Charles Cole Memorial	21	⊖	4.3	14.3	⊖	0.0	⊖	\$10,169
Clarion	31	⊖	4.3	10.3	⊖	3.4	⊖	\$10,018
Clearfield	32	⊖	5.0	0.0	⊖	3.2	⊖	\$14,108
Conemaugh Valley Memorial	73	⊖	5.5	0.0	⊖	5.5	⊖	\$14,427
Corry Memorial	1	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	31	⊖	5.1	6.7	⊖	6.7	⊖	\$17,265
Elk Regional	16	⊖	5.5	0.0	⊖	0.0	⊖	\$14,797
Ellwood City	12	⊖	4.8	0.0	⊖	0.0	⊖	\$10,619
Excelsa Hlth Westmoreland	67	⊖	5.7	1.5	⊖	4.5	⊖	\$17,996
Frick	17	⊖	5.6	5.9	⊖	5.9	⊖	\$16,654
Grove City	20	⊖	4.6	0.0	⊖	0.0	⊖	\$14,413
Hamot	90	⊖	5.9	3.4	⊖	3.4	⊖	\$37,661
Highlands	7	⊖	4.2	14.3	⊖	0.0	⊖	\$10,596
Indiana Regional	37	⊖	5.6	2.8	⊖	8.3	⊖	\$14,483
Jameson Memorial	41	⊖	5.7	2.4	⊖	2.4	⊖	\$13,560
Jefferson Regional	91	⊖	6.6	1.1	⊖	12.1	●	\$13,419
Kane Community	9	⊖	5.0	11.1	⊖	0.0	⊖	\$14,122
Latrobe Area	38	⊖	4.6	2.6	⊖	0.0	⊖	\$15,215
Magee-Womens	34	⊖	4.2	5.9	⊖	2.9	⊖	\$19,218
Meadville	47	⊖	5.5	0.0	⊖	2.1	⊖	\$14,367
Medical Center Beaver	54	⊖	6.4	3.8	⊖	13.5	●	\$13,863
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	5	⊖	6.4	0.0	⊖	20.0	⊖	\$26,641
Miners	5	⊖	7.9	0.0	⊖	20.0	⊖	NR

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating†	%	Rating†	
Monongahela Valley	37	⊖	6.8	0.0	⊖	8.3	⊖	\$17,458
Nason	13	⊖	4.3	7.7	⊖	7.7	⊖	\$7,598
Ohio Valley General	21	⊖	5.3	9.5	⊖	4.8	⊖	\$16,952
Punxsutawney Area	5	⊖	NR	0.0	⊖	20.0	⊖	\$13,452
Saint Vincent Health	62	⊖	5.6	5.0	⊖	3.3	⊖	\$38,120
Sewickley Valley	64	⊖	5.6	0.0	⊖	3.2	⊖	\$16,400
Sharon Regional	36	⊖	4.1	13.9	●	2.8	⊖	\$16,068
Somerset	9	⊖	6.3	0.0	⊖	0.0	⊖	\$14,667
Southwest Regional MC	7	⊖	4.6	0.0	⊖	0.0	⊖	\$13,582
St Clair Memorial	94	⊖	5.6	3.2	⊖	9.6	⊖	\$17,154
Titusville Area	7	⊖	4.0	14.3	⊖	0.0	⊖	\$10,058
Tyrone	5	⊖	8.6	0.0	⊖	20.0	⊖	\$18,511
Uniontown	27	⊖	5.2	3.7	⊖	7.4	⊖	\$11,462
UPMC Bedford	10	⊖	3.9	0.0	⊖	0.0	⊖	\$8,915
UPMC Braddock	14	⊖	5.3	7.7	⊖	0.0	⊖	\$24,680
UPMC Horizon	44	⊖	5.2	4.7	⊖	2.3	⊖	\$15,732
UPMC McKeesport	27	⊖	6.3	0.0	⊖	3.7	⊖	\$22,731
UPMC Mercy	41	⊖	5.3	7.5	⊖	2.5	⊖	\$23,466
UPMC Northwest	43	⊖	4.7	12.2	⊖	4.9	⊖	\$11,838
UPMC Passavant	117	⊖	5.4	3.4	⊖	6.9	⊖	\$25,065
UPMC Presby Shadyside	273	⊖	5.6	3.7	⊖	10.4	●	\$40,572
UPMC South Side	26	⊖	5.5	7.7	⊖	0.0	⊖	\$19,745
UPMC St Margaret	101	⊖	6.8	2.0	⊖	6.1	⊖	\$26,736
Warren General	11	⊖	6.3	0.0	⊖	9.1	⊖	\$16,277
Washington	52	⊖	4.9	6.0	⊖	0.0	⊖	\$16,162
Western PA Hosp/Forbes	76	⊖	5.9	1.3	⊖	5.3	⊖	\$19,673
Western Pennsylvania	64	⊖	5.2	6.3	⊖	3.2	⊖	\$28,768
Windber	21	⊖	4.9	4.8	⊖	0.0	⊖	\$12,756
Western Pennsylvania	2,447		5.5	3.7		5.6		\$21,551
TOTAL: Statewide	6,937		5.3	5.0		5.0		\$28,880

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
ACMH	106	○	5.1	1.9	○	5.8	○	○	\$7,850	
Allegheny General	346	○	4.3	7.8	●	4.6	○	●	\$18,657	
Alle-Kiski	230	○	4.1	4.8	○	3.1	○	○	\$12,620	
Altoona Regional	307	○	4.2	4.9	○	3.3	○	○	\$12,103	
Bradford Regional	87	○	4.0	5.7	○	1.1	○	○	\$9,345	
Butler Memorial	275	○	4.4	2.9	○	3.3	○	○	\$10,811	
Canonsburg General	163	○	4.7	6.2	○	4.3	○	○	\$14,552	
Charles Cole Memorial	98	○	3.3	6.3	○	0.0	○	○	\$8,338	
Clarion	136	○	3.4	6.0	○	0.0	○	○	\$6,651	
Clearfield	165	○	4.1	1.9	○	2.5	○	○	\$9,455	
Conemaugh Valley Memorial	319	○	4.7	3.8	○	5.7	○	○	\$10,718	
Corry Memorial	74	○	3.8	4.2	○	1.4	○	○	\$9,856	
DuBois Regional	228	○	3.3	11.2	●	0.0	○	○	\$9,120	
Elk Regional	121	○	4.6	1.7	○	4.2	○	○	\$8,802	
Ellwood City	128	○	5.1	3.1	○	4.7	○	○	\$8,553	
Excelsa Hlth Westmoreland	474	○	4.9	3.6	○	7.4	●	○	\$13,875	
Frick	236	○	4.2	1.3	○	1.7	○	○	\$11,021	
Grove City	116	○	4.5	3.5	○	3.5	○	○	\$11,112	
Hamot	227	○	4.1	4.0	○	2.7	○	○	\$19,511	
Highlands	106	○	4.3	3.8	○	5.7	○	○	\$10,730	
Indiana Regional	243	○	4.0	3.3	○	2.5	○	○	\$9,779	
Jameson Memorial	339	○	4.8	3.0	○	6.2	○	○	\$10,845	
Jefferson Regional	559	○	5.0	3.2	○	6.3	○	○	\$10,047	
Kane Community	82	○	4.1	1.2	○	2.4	○	○	\$10,423	
Latrobe Area	384	○	4.3	4.2	○	5.0	○	●	\$12,803	
Magee-Womens	35	○	5.8	2.9	○	11.4	○	○	\$26,524	
Meadville	202	○	5.0	3.5	○	6.9	○	○	\$10,899	
Medical Center Beaver	363	○	5.7	1.7	○	13.2	●	○	\$11,188	
Meyersdale Community	8	○	4.3	0.0	○	0.0	○	○	\$8,381	
Millcreek Community	68	○	5.0	0.0	○	4.5	○	○	\$14,407	
Miners	28	○	3.7	10.7	○	0.0	○	○	\$8,235	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating [†]	%	Rating [†]			
Monongahela Valley	434	⊙	4.9	3.3	⊙	4.2	⊙	●	⊙	\$12,148
Nason	38	⊙	4.9	8.1	⊙	8.1	⊙	⊙	●	\$6,359
Ohio Valley General	114	⊙	4.9	0.9	⊙	5.3	⊙	⊙	⊙	\$12,351
Punxsutawney Area	91	⊙	4.5	2.2	⊙	1.1	⊙	⊙	●	\$7,742
Saint Vincent Health	177	⊙	4.2	3.4	⊙	1.7	⊙	⊙	⊙	\$20,299
Sewickley Valley	178	⊙	4.6	5.1	⊙	4.5	⊙	⊙	⊙	\$10,549
Sharon Regional	140	⊙	3.8	6.5	⊙	1.4	⊙	⊙	⊙	\$10,445
Somerset	86	⊙	4.7	3.5	⊙	3.5	⊙	⊙	⊙	\$11,558
Southwest Regional MC	113	●	3.7	5.5	⊙	0.0	⊙	⊙	⊙	\$9,952
St Clair Memorial	295	⊙	4.4	3.5	⊙	2.1	⊙	⊙	⊙	\$11,495
Titusville Area	139	⊙	4.5	6.7	⊙	1.5	⊙	⊙	⊙	\$6,995
Tyrone	37	⊙	4.7	0.0	⊙	5.4	⊙	⊙	⊙	\$8,670
Uniontown	497	⊙	5.1	2.6	⊙	5.8	⊙	⊙	●	\$9,881
UPMC Bedford	47	⊙	3.1	14.9	●	0.0	⊙	⊙	⊙	\$6,798
UPMC Braddock	295	⊙	5.0	2.7	⊙	5.5	⊙	⊙	⊙	\$17,262
UPMC Horizon	252	⊙	4.6	1.6	⊙	3.2	⊙	⊙	⊙	\$12,179
UPMC McKeesport	279	⊙	5.0	3.6	⊙	6.1	⊙	⊙	⊙	\$16,250
UPMC Mercy	296	⊙	4.3	5.4	⊙	3.7	⊙	⊙	⊙	\$17,546
UPMC Northwest	257	⊙	4.2	7.4	⊙	4.7	⊙	⊙	⊙	\$8,372
UPMC Passavant	414	⊙	5.2	2.5	⊙	9.1	●	⊙	⊙	\$18,635
UPMC Presby Shadyside	426	⊙	4.4	9.0	●	4.5	⊙	⊙	⊙	\$27,888
UPMC South Side	112	⊙	4.6	5.4	⊙	1.8	⊙	⊙	⊙	\$15,706
UPMC St Margaret	328	⊙	5.1	3.4	⊙	6.7	⊙	⊙	⊙	\$19,441
Warren General	104	⊙	4.3	2.9	⊙	3.8	⊙	⊙	⊙	\$11,578
Washington	534	⊙	4.8	3.0	⊙	5.1	⊙	⊙	⊙	\$11,216
Western PA Hosp/Forbes	272	⊙	4.5	3.3	⊙	3.7	⊙	⊙	●	\$13,636
Western Pennsylvania	164	⊙	4.4	4.3	⊙	5.5	⊙	⊙	⊙	\$17,421
Windber	48	⊙	3.3	8.3	⊙	2.1	⊙	⊙	⊙	\$12,130
Western Pennsylvania	12,583		4.6	4.1		4.7				\$12,874
TOTAL: Statewide	32,007		4.5	5.0		5.0				\$22,517

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	165	○	5.5	5.1	○	8.2	○	○	○	\$9,908
Allegheny General	567	○	5.0	5.0	○	4.5	○	○	○	\$22,548
Alle-Kiski	544	○	5.0	2.6	○	3.1	○	○	●	\$17,022
Altoona Regional	498	○	4.9	7.0	○	4.8	○	○	○	\$14,280
Bradford Regional	119	○	4.6	8.5	○	5.1	○	○	○	\$12,175
Butler Memorial	356	○	4.7	6.6	○	2.3	○	○	○	\$13,094
Canonsburg General	218	●	5.3	3.0	○	5.0	○	○	○	\$19,821
Charles Cole Memorial	69	○	3.6	0.0	○	0.0	○	○	○	\$9,016
Clarion	115	○	4.2	8.0	○	2.7	○	○	○	\$8,757
Clearfield	208	○	5.0	2.0	○	4.0	○	○	○	\$11,665
Conemaugh Valley Memorial	641	●	5.7	1.8	○	8.6	●	○	●	\$12,343
Corry Memorial	81	○	4.9	1.3	○	3.9	○	○	○	\$12,452
DuBois Regional	198	○	3.5	9.2	●	1.5	○	○	○	\$11,442
Elk Regional	186	○	4.0	7.6	○	1.1	○	○	○	\$10,302
Ellwood City	144	○	5.0	4.4	○	1.5	○	○	○	\$9,205
Excelsa Hlth Westmoreland	519	○	5.3	3.4	○	4.0	○	○	○	\$14,693
Frick	243	○	5.1	6.3	○	3.8	○	○	●	\$13,145
Grove City	93	○	4.8	0.0	○	3.3	○	○	○	\$14,350
Hamot	442	○	4.5	6.5	○	3.2	○	○	○	\$27,475
Highlands	80	○	4.9	6.5	○	3.9	○	○	○	\$14,006
Indiana Regional	288	○	4.6	6.8	○	1.1	○	○	●	\$12,160
Jameson Memorial	413	○	4.8	8.4	●	3.5	○	○	●	\$11,109
Jefferson Regional	709	○	5.3	4.6	○	6.5	○	○	○	\$12,051
Kane Community	86	○	4.6	1.2	○	0.0	○	○	○	\$12,508
Latrobe Area	348	○	5.2	1.5	○	3.6	○	○	○	\$16,157
Magee-Womens	34	○	5.1	6.1	○	9.1	○	○	○	\$27,816
Meadville	120	○	5.0	4.3	○	3.4	○	○	○	\$13,174
Medical Center Beaver	756	○	6.1	2.7	○	9.5	●	○	○	\$13,224
Meyersdale Community	31	○	4.4	3.3	○	0.0	○	○	○	\$10,365
Millcreek Community	63	○	4.9	0.0	○	1.6	○	○	○	\$15,589
Miners	33	○	4.8	3.0	○	3.0	○	○	○	\$10,959

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	451	⊖	5.3	2.3	⊖	5.0	⊖	●	⊖	\$15,410
Nason	74	●	4.5	6.2	⊖	1.5	⊖	⊖	⊖	\$7,663
Ohio Valley General	159	⊖	5.5	2.6	⊖	3.9	⊖	⊖	⊖	\$16,206
Punxsutawney Area	139	⊖	5.9	0.0	⊖	6.7	⊖	⊖	⊖	\$10,187
Saint Vincent Health	453	⊖	4.7	4.3	⊖	2.7	⊖	⊖	⊖	\$25,633
Sewickley Valley	280	⊖	5.1	2.9	⊖	4.0	⊖	⊖	⊖	\$12,664
Sharon Regional	183	⊖	4.3	10.8	●	1.7	⊖	⊖	⊖	\$12,811
Somerset	109	⊖	4.6	8.5	⊖	4.7	⊖	⊖	⊖	\$13,111
Southwest Regional MC	154	⊖	3.6	6.5	⊖	0.0	⊖	⊖	⊖	\$12,671
St Clair Memorial	582	●	5.1	1.4	⊖	3.2	⊖	⊖	●	\$12,757
Titusville Area	79	⊖	4.0	5.2	⊖	1.3	⊖	⊖	⊖	\$8,154
Tyrone	75	⊖	4.5	1.4	⊖	2.7	⊖	⊖	⊖	\$9,828
Uniontown	491	●	5.4	3.2	⊖	4.5	⊖	⊖	⊖	\$10,351
UPMC Bedford	79	⊖	3.2	9.0	⊖	0.0	⊖	⊖	⊖	\$9,196
UPMC Braddock	239	⊖	5.3	3.8	⊖	3.8	⊖	⊖	⊖	\$21,621
UPMC Horizon	291	⊖	5.1	2.1	⊖	3.5	⊖	⊖	⊖	\$14,109
UPMC McKeesport	265	⊖	5.1	5.0	⊖	5.0	⊖	⊖	●	\$17,963
UPMC Mercy	453	⊖	4.9	4.7	⊖	2.9	⊖	⊖	⊖	\$21,114
UPMC Northwest	242	⊖	4.5	2.2	⊖	3.0	⊖	⊖	⊖	\$10,436
UPMC Passavant	494	⊖	5.2	5.1	⊖	5.3	⊖	⊖	⊖	\$22,243
UPMC Presby Shadyside	1,158	⊖	5.5	5.7	⊖	9.3	●	⊖	⊖	\$31,546
UPMC South Side	155	⊖	6.1	2.6	⊖	8.5	⊖	⊖	⊖	\$23,328
UPMC St Margaret	570	⊖	5.1	3.9	⊖	6.1	⊖	⊖	⊖	\$20,708
Warren General	117	⊖	5.2	0.9	⊖	4.3	⊖	⊖	⊖	\$15,084
Washington	488	⊖	5.2	1.5	⊖	5.1	⊖	⊖	⊖	\$14,182
Western PA Hosp/Forbes	529	⊖	5.0	3.6	⊖	3.2	⊖	●	●	\$15,078
Western Pennsylvania	446	⊖	4.5	4.8	⊖	3.6	⊖	⊖	⊖	\$21,608
Windber	117	⊖	4.7	1.7	⊖	2.6	⊖	⊖	⊖	\$14,132
Western Pennsylvania	17,458		5.1	4.2		4.7				\$16,780
TOTAL: Statewide	48,294		5.0	5.0		5.0				\$27,600

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	8	○	7.7	○	○	\$18,831
Allegheny General	39	○	7.5	●	○	\$33,218
Alle-Kiski	14	○	7.6	○	○	\$25,542
Altoona Regional	18	○	12.0	○	○	NR
Bradford Regional	10	○	7.2	○	○	NR
Butler Memorial	5	○	6.4	○	○	\$17,443
Canonsburg General	4	NR	NR	NR	NR	NR
Charles Cole Memorial	2	NR	NR	NR	NR	NR
Clarion	4	NR	NR	NR	NR	NR
Clearfield	8	○	7.8	○	○	\$13,672
Conemaugh Valley Memorial	26	○	10.6	○	○	\$23,225
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	17	○	6.4	○	○	\$23,662
Elk Regional	4	NR	NR	NR	NR	NR
Ellwood City	1	NR	NR	NR	NR	NR
Excelsior Hlth Westmoreland	25	○	7.7	○	○	\$21,715
Frick	7	○	9.7	○	○	\$19,619
Grove City	5	○	6.7	○	○	\$12,959
Hamot	29	○	9.2	○	○	\$59,804
Highlands	4	NR	NR	NR	NR	NR
Indiana Regional	5	○	6.1	○	○	NR
Jameson Memorial	7	○	8.1	○	○	\$18,928
Jefferson Regional	30	○	10.5	○	○	\$31,179
Kane Community	4	NR	NR	NR	NR	NR
Latrobe Area	8	○	9.0	○	○	\$16,681
Magee-Womens	3	NR	NR	NR	NR	NR
Meadville	7	○	13.7	○	○	\$24,275
Medical Center Beaver	25	○	10.5	○	○	\$23,991
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	2	NR	NR	NR	NR	NR
Miners	0	NR	NR	NR	NR	NR

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Monongahela Valley	8	⊙	8.1	⊙	⊙	\$25,673
Nason	2	NR	NR	NR	NR	NR
Ohio Valley General	13	⊙	7.3	⊙	⊙	\$23,740
Punxsutawney Area	2	NR	NR	NR	NR	NR
Saint Vincent Health	22	⊙	9.3	⊙	⊙	\$59,665
Sewickley Valley	4	NR	NR	NR	NR	NR
Sharon Regional	4	NR	NR	NR	NR	NR
Somerset	3	NR	NR	NR	NR	NR
Southwest Regional MC	0	NR	NR	NR	NR	NR
St Clair Memorial	13	⊙	10.6	⊙	⊙	\$25,199
Titusville Area	4	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR
Uniontown	19	⊙	8.1	⊙	⊙	\$14,336
UPMC Bedford	1	NR	NR	NR	NR	NR
UPMC Braddock	0	NR	NR	NR	NR	NR
UPMC Horizon	8	⊙	9.0	⊙	⊙	NR
UPMC McKeesport	8	⊙	9.0	⊙	⊙	\$30,129
UPMC Mercy	17	⊙	9.6	⊙	⊙	\$50,386
UPMC Northwest	12	⊙	7.8	⊙	⊙	\$13,097
UPMC Passavant	16	⊙	9.3	⊙	⊙	\$47,112
UPMC Presby Shadyside	41	⊙	8.5	⊙	⊙	\$70,677
UPMC South Side	12	⊙	7.7	⊙	⊙	\$39,053
UPMC St Margaret	20	⊙	10.5	⊙	⊙	\$46,616
Warren General	3	NR	NR	NR	NR	NR
Washington	25	⊙	8.7	⊙	⊙	\$24,300
Western PA Hosp/Forbes	3	NR	NR	NR	NR	NR
Western Pennsylvania	14	⊙	10.3	⊙	⊙	\$61,285
Windber	1	NR	NR	NR	NR	NR
Western Pennsylvania	602		8.8			\$31,868
TOTAL: Statewide	2,015		9.5			\$68,378

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	83	○	3.4	1.2	○	4.9	○	○	○	\$6,971
Allegheny General	232	○	3.4	7.0	○	3.9	○	○	○	\$16,715
Alle-Kiski	163	○	4.3	3.1	○	5.5	○	○	●	\$11,724
Altoona Regional	168	○	3.8	6.0	○	7.2	○	○	○	\$10,763
Bradford Regional	28	○	3.5	3.6	○	0.0	○	○	○	\$7,397
Butler Memorial	97	○	3.4	2.1	○	1.0	○	○	○	\$11,399
Canonsburg General	34	○	4.7	0.0	○	8.8	○	○	○	\$16,677
Charles Cole Memorial	17	○	2.9	5.9	○	0.0	○	○	○	\$7,100
Clarion	65	○	2.9	10.9	○	0.0	○	○	○	\$7,163
Clearfield	65	○	3.7	0.0	○	6.3	○	○	○	\$8,192
Conemaugh Valley Memorial	204	●	4.0	3.5	○	7.0	○	○	○	\$8,921
Corry Memorial	17	○	3.5	5.9	○	5.9	○	○	○	\$8,902
DuBois Regional	85	○	2.7	17.9	●	2.4	○	○	○	\$10,116
Elk Regional	42	○	3.2	2.5	○	0.0	○	○	○	\$8,307
Ellwood City	23	○	3.8	0.0	○	4.3	○	○	○	\$6,671
Excelsa Hlth Westmoreland	148	○	3.4	9.5	●	4.7	○	○	○	\$9,646
Frick	71	○	3.7	2.8	○	4.2	○	○	○	\$8,890
Grove City	25	○	3.1	12.0	○	0.0	○	○	○	\$8,812
Hamot	156	○	4.0	3.9	○	4.5	○	○	○	\$21,053
Highlands	35	○	3.7	11.4	○	11.4	○	○	○	\$10,603
Indiana Regional	109	○	3.5	9.3	○	2.8	○	○	○	\$10,071
Jameson Memorial	130	○	3.8	5.4	○	5.4	○	○	○	\$8,065
Jefferson Regional	143	○	3.9	6.4	○	6.4	○	○	○	\$7,512
Kane Community	14	○	3.7	7.1	○	0.0	○	○	○	\$9,070
Latrobe Area	100	○	3.2	4.0	○	2.0	○	○	○	\$9,288
Magee-Womens	44	○	4.5	4.5	○	9.1	○	●	○	\$18,863
Meadville	50	○	4.0	4.0	○	8.0	○	○	○	\$10,435
Medical Center Beaver	154	○	4.0	0.6	○	5.8	○	○	○	\$9,412
Meyersdale Community	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	13	○	2.9	7.7	○	0.0	○	○	○	\$12,381
Miners	8	○	3.7	0.0	○	0.0	○	○	○	\$6,967

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	96	⊖	4.5	7.4	⊖	10.5	●	⊖	⊖	\$11,706
Nason	15	⊖	3.4	6.7	⊖	6.7	⊖	⊖	⊖	\$5,663
Ohio Valley General	58	⊖	3.7	3.4	⊖	0.0	⊖	⊖	⊖	\$11,330
Punxsutawney Area	23	⊖	3.2	4.3	⊖	0.0	⊖	⊖	⊖	\$5,355
Saint Vincent Health	113	⊖	3.6	11.5	●	3.5	⊖	⊖	⊖	\$21,574
Sewickley Valley	88	⊖	3.6	3.4	⊖	1.1	⊖	⊖	⊖	\$9,188
Sharon Regional	85	⊖	3.8	7.1	⊖	2.4	⊖	⊖	⊖	\$10,071
Somerset	35	⊖	4.7	5.9	⊖	8.8	⊖	⊖	⊖	\$10,530
Southwest Regional MC	33	⊖	2.8	3.0	⊖	0.0	⊖	⊖	⊖	\$8,121
St Clair Memorial	122	⊖	3.7	4.9	⊖	3.3	⊖	⊖	⊖	\$10,962
Titusville Area	20	●	3.3	5.6	⊖	0.0	⊖	⊖	⊖	\$7,969
Tyrone	21	⊖	3.9	0.0	⊖	9.5	⊖	⊖	⊖	\$6,367
Uniontown	150	⊖	4.5	2.0	⊖	10.1	●	⊖	⊖	\$9,104
UPMC Bedford	30	⊖	2.8	10.0	⊖	0.0	⊖	⊖	●	\$6,339
UPMC Braddock	79	⊖	4.4	3.8	⊖	5.1	⊖	⊖	⊖	\$12,306
UPMC Horizon	78	⊖	3.8	3.8	⊖	2.6	⊖	⊖	⊖	\$12,963
UPMC McKeesport	107	⊖	3.0	6.5	⊖	0.0	⊖	⊖	⊖	\$12,358
UPMC Mercy	155	⊖	3.2	5.8	⊖	3.2	⊖	⊖	⊖	\$13,387
UPMC Northwest	67	⊖	3.6	4.5	⊖	1.5	⊖	⊖	⊖	\$7,103
UPMC Passavant	156	⊖	3.7	5.8	⊖	3.8	⊖	⊖	⊖	\$15,008
UPMC Presby Shadyside	464	⊖	4.1	6.1	⊖	8.3	●	●	●	\$25,615
UPMC South Side	71	⊖	4.5	2.8	⊖	7.0	⊖	⊖	⊖	\$15,785
UPMC St Margaret	144	⊖	3.9	5.6	⊖	2.1	⊖	⊖	⊖	\$17,397
Warren General	18	⊖	3.1	0.0	⊖	0.0	⊖	⊖	⊖	\$10,983
Washington	124	⊖	3.9	4.1	⊖	4.9	⊖	⊖	⊖	\$11,249
Western PA Hosp/Forbes	198	⊖	3.9	5.1	⊖	3.5	⊖	●	●	\$10,426
Western Pennsylvania	275	⊖	3.5	5.9	⊖	2.2	⊖	⊖	⊖	\$13,865
Windber	17	⊖	3.4	6.3	⊖	6.3	⊖	⊖	⊖	\$10,968
Western Pennsylvania	5,444		3.7	5.4		4.5				\$12,776
TOTAL: Statewide	17,278		3.7	5.0		5.0				\$21,463

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating†	%	Rating†	
ACMH	47	48.1	⊖	7.1	0.0	⊖	19.5	●	\$12,272
Allegheny General*	242	3.4	⊖	5.4	7.5	⊖	6.6	⊖	\$31,792
Alle-Kiski	217	35.6	⊖	5.9	3.5	⊖	4.5	⊖	\$20,030
Altoona Regional*	238	5.5	⊖	5.0	5.1	⊖	1.9	⊖	\$18,642
Bradford Regional	19	63.2	⊖	5.0	0.0	⊖	0.0	⊖	\$14,372
Butler Memorial*	113	3.8	⊖	4.7	7.8	⊖	1.0	⊖	\$17,593
Canonsburg General	15	65.6	●	5.0	18.2	⊖	0.0	⊖	\$18,650
Charles Cole Memorial	17	46.7	⊖	3.6	0.0	⊖	0.0	⊖	\$10,363
Clarion	15	48.0	⊖	3.4	7.7	⊖	0.0	⊖	\$8,157
Clearfield	25	56.8	⊖	4.4	10.5	⊖	0.0	⊖	\$11,449
Conemaugh Valley Memorial*	297	0.8	⊖	6.5	1.9	⊖	11.2	●	\$17,820
Corry Memorial	3	NR	NR	NR	NR	NR	NR	NR	NR
DuBois Regional*	83	3.7	⊖	3.6	10.4	⊖	0.0	⊖	\$18,018
Elk Regional	49	27.6	⊖	4.4	14.3	●	0.0	⊖	\$12,845
Ellwood City	10	33.3	⊖	5.2	0.0	⊖	0.0	⊖	\$9,037
Excelsa Hlth Westmoreland*	99	3.6	●	6.3	0.0	⊖	11.3	●	\$22,106
Frick	42	38.2	⊖	5.6	0.0	⊖	2.9	⊖	\$14,649
Grove City	22	38.5	●	5.5	6.3	⊖	6.3	⊖	\$17,295
Hamot*	207	1.1	⊖	4.2	10.9	●	1.6	⊖	\$43,925
Highlands	13	56.5	⊖	6.1	0.0	⊖	0.0	⊖	\$14,894
Indiana Regional	98	38.3	●	5.0	7.6	⊖	2.5	⊖	\$14,039
Jameson Memorial*	69	37.2	⊖	5.1	3.4	⊖	5.1	⊖	\$17,279
Jefferson Regional*	85	3.5	⊖	5.6	0.0	⊖	5.0	⊖	\$17,429
Kane Community	10	50.0	⊖	4.8	20.0	⊖	0.0	⊖	\$12,046
Latrobe Area	74	44.0	⊖	6.0	1.5	⊖	4.6	⊖	\$16,620
Magee-Womens	1	NR	NR	NR	NR	NR	NR	NR	NR
Meadville	30	57.1	⊖	4.9	0.0	⊖	4.8	⊖	\$15,725
Medical Center Beaver*	155	3.5	⊖	5.9	1.5	⊖	5.1	⊖	\$16,686
Meyersdale Community	15	13.3	⊖	4.7	0.0	⊖	0.0	⊖	\$9,276
Millcreek Community	1	NR	NR	NR	NR	NR	NR	NR	NR
Miners	14	28.6	⊖	5.4	10.0	⊖	0.0	⊖	\$12,904

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating†	%	Rating†	
Monongahela Valley*	90	38.8	⊖	6.6	1.2	⊖	8.2	⊖	\$19,031
Nason	11	60.9	⊖	6.6	0.0	⊖	0.0	⊖	\$10,868
Ohio Valley General	14	69.2	⊖	6.2	0.0	⊖	16.7	⊖	\$21,243
Punxsutawney Area	13	63.0	⊖	4.5	0.0	⊖	0.0	⊖	\$7,416
Saint Vincent Health*	158	5.4	⊖	4.8	6.4	⊖	1.4	⊖	\$43,052
Sewickley Valley	39	51.5	⊖	5.0	6.1	⊖	6.1	⊖	\$11,856
Sharon Regional*	55	18.8	⊖	4.1	19.2	●	0.0	⊖	\$19,192
Somerset*	76	34.3	⊖	5.0	7.8	⊖	4.7	⊖	\$14,478
Southwest Regional MC	12	68.6	⊖	4.4	0.0	⊖	0.0	⊖	\$13,146
St Clair Memorial*	119	2.8	⊖	5.3	0.9	⊖	3.8	⊖	\$18,280
Titusville Area	15	42.1	⊖	5.2	0.0	⊖	0.0	⊖	\$13,445
Tyrone	9	60.9	⊖	4.2	0.0	⊖	0.0	⊖	\$10,729
Uniontown*	75	42.7	⊖	5.2	3.2	⊖	4.8	⊖	\$13,138
UPMC Bedford	23	52.8	⊖	4.4	11.8	⊖	0.0	⊖	\$10,050
UPMC Braddock	22	62.1	⊖	6.4	0.0	⊖	0.0	⊖	\$28,591
UPMC Horizon	66	50.9	⊖	5.7	1.8	⊖	1.8	⊖	\$18,981
UPMC McKeesport	101	41.3	⊖	5.9	4.3	⊖	3.3	⊖	\$27,262
UPMC Mercy*	123	2.7	⊖	5.3	5.5	⊖	2.7	⊖	\$30,155
UPMC Northwest	36	60.5	⊖	3.9	3.3	⊖	0.0	⊖	\$8,748
UPMC Passavant*	254	2.5	⊖	5.3	3.9	⊖	4.7	⊖	\$25,892
UPMC Presby Shadyside*	351	3.1	⊖	5.3	7.4	⊖	2.6	⊖	\$45,080
UPMC South Side	38	40.7	⊖	6.7	3.2	⊖	3.2	⊖	\$26,229
UPMC St Margaret	112	49.5	⊖	4.8	7.1	⊖	4.0	⊖	\$22,807
Warren General	21	35.5	⊖	5.4	5.0	⊖	0.0	⊖	\$17,147
Washington*	179	1.2	⊖	4.8	2.5	⊖	1.9	⊖	\$18,450
Western PA Hosp/Forbes*	146	33.7	⊖	5.6	5.1	⊖	4.4	⊖	\$18,383
Western Pennsylvania*	127	1.7	⊖	4.4	4.3	⊖	0.9	⊖	\$28,715
Windber	32	31.0	⊖	5.4	0.0	⊖	6.9	⊖	\$17,341
Western Pennsylvania	4,682	24.4		5.3	4.9		4.1		\$23,234
TOTAL: Statewide	12,941	21.7		5.3	5.0		5.0		\$34,378

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating†	%	Rating†	
ACMH	27	○	4.8	3.7	○	11.1	○	\$8,544
Allegheny General	132	○	4.2	8.5	○	6.2	○	\$18,603
Alle-Kiski	96	○	3.8	5.3	○	1.1	○	\$10,649
Altoona Regional	113	○	4.2	5.4	○	1.8	○	\$10,590
Bradford Regional	28	●	3.1	8.0	○	4.0	○	\$7,341
Butler Memorial	52	○	3.6	2.0	○	2.0	○	\$10,192
Canonsburg General	29	●	5.1	3.8	○	7.7	○	\$16,638
Charles Cole Memorial	19	○	3.3	0.0	○	0.0	○	\$7,892
Clarion	17	○	3.0	5.9	○	0.0	○	\$7,215
Clearfield	31	○	3.9	0.0	○	0.0	○	\$7,808
Conemaugh Valley Memorial	111	○	4.7	2.8	○	7.4	○	\$10,401
Corry Memorial	11	○	5.0	0.0	○	0.0	○	\$10,277
DuBois Regional	24	○	2.4	20.8	●	0.0	○	\$8,411
Elk Regional	30	○	2.7	11.1	○	0.0	○	\$7,265
Ellwood City	13	○	4.0	16.7	○	0.0	○	\$8,493
Excelsa Hlth Westmoreland	98	○	4.4	6.2	○	8.2	○	\$11,731
Frick	32	○	4.9	0.0	○	9.7	○	\$14,223
Grove City	6	○	2.8	16.7	○	0.0	○	\$7,160
Hamot	118	○	4.3	6.1	○	5.2	○	\$21,314
Highlands	25	○	4.2	0.0	○	0.0	○	\$8,435
Indiana Regional	44	○	3.2	4.5	○	4.5	○	\$8,527
Jameson Memorial	52	○	3.5	9.6	○	0.0	○	\$9,345
Jefferson Regional	78	○	4.2	7.9	○	5.3	○	\$8,482
Kane Community	13	○	4.5	0.0	○	7.7	○	\$11,061
Latrobe Area	56	○	3.4	5.4	○	1.8	○	\$10,537
Magee-Womens	36	○	4.2	5.6	○	5.6	○	\$17,314
Meadville	55	○	4.9	1.9	○	7.4	○	\$10,724
Medical Center Beaver	52	○	4.4	4.1	○	4.1	○	\$9,544
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	12	○	3.3	8.3	○	0.0	○	\$11,818
Miners	6	○	3.5	0.0	○	0.0	○	\$10,854

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating†	%	Rating†	
Monongahela Valley	44	⊖	4.5	0.0	⊖	7.1	⊖	\$11,881
Nason	21	⊖	4.9	5.3	⊖	10.5	⊖	\$6,016
Ohio Valley General	41	⊖	5.2	5.1	⊖	7.7	⊖	\$13,632
Punxsutawney Area	11	⊖	4.0	0.0	⊖	0.0	⊖	\$6,665
Saint Vincent Health	80	⊖	4.2	8.9	⊖	6.3	⊖	\$20,546
Sewickley Valley	47	⊖	3.8	4.4	⊖	2.2	⊖	\$9,994
Sharon Regional	62	⊖	4.0	4.8	⊖	1.6	⊖	\$11,307
Somerset	27	⊖	6.0	0.0	⊖	7.7	⊖	\$13,586
Southwest Regional MC	22	⊖	3.4	13.6	⊖	0.0	⊖	\$8,423
St Clair Memorial	128	⊖	4.4	2.4	⊖	4.0	⊖	\$11,254
Titusville Area	14	⊖	3.5	7.1	⊖	0.0	⊖	\$6,778
Tyrone	11	⊖	3.9	0.0	⊖	0.0	⊖	\$6,604
Uniontown	57	⊖	4.6	3.6	⊖	8.9	⊖	\$8,711
UPMC Bedford	30	⊖	2.8	16.7	●	0.0	⊖	\$6,261
UPMC Braddock	22	⊖	5.9	0.0	⊖	13.6	⊖	\$21,753
UPMC Horizon	37	⊖	4.0	8.6	⊖	5.7	⊖	\$13,693
UPMC McKeesport	96	⊖	3.7	6.4	⊖	6.4	⊖	\$13,333
UPMC Mercy	52	⊖	3.9	11.5	●	5.8	⊖	\$18,018
UPMC Northwest	35	⊖	4.0	5.7	⊖	0.0	⊖	\$7,992
UPMC Passavant	147	⊖	5.2	2.8	⊖	11.0	●	\$18,781
UPMC Presby Shadyside	272	⊖	4.6	5.5	⊖	5.5	⊖	\$27,010
UPMC South Side	22	⊖	4.9	0.0	⊖	4.5	⊖	\$14,272
UPMC St Margaret	133	⊖	4.0	3.8	⊖	1.5	⊖	\$17,229
Warren General	17	⊖	4.9	5.9	⊖	11.8	⊖	\$11,409
Washington	80	⊖	3.5	5.1	⊖	1.3	⊖	\$10,521
Western PA Hosp/Forbes	109	⊖	4.6	1.9	⊖	4.7	⊖	\$12,582
Western Pennsylvania	77	⊖	4.2	5.3	⊖	2.6	⊖	\$17,850
Windber	19	⊖	3.5	0.0	⊖	0.0	⊖	\$10,541
Western Pennsylvania	3,159		4.2	5.2		4.6		\$13,940
TOTAL: Statewide	9,357		4.3	5.0		5.0		\$21,216

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney Failure - Acute

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	60	○	8.3	0.0	○	14.3	●	○	○	\$13,383
Allegheny General	327	○	5.1	12.0	●	3.5	○	○	○	\$26,244
Alle-Kiski	225	○	5.6	4.6	○	2.3	○	○	○	\$16,707
Altoona Regional	308	○	5.8	3.1	○	4.9	○	○	○	\$17,533
Bradford Regional	19	○	4.9	11.1	○	0.0	○	○	○	\$15,122
Butler Memorial	222	○	5.3	4.7	○	2.3	○	○	○	\$13,469
Canonsburg General	96	○	6.2	1.1	○	5.6	○	○	○	\$17,559
Charles Cole Memorial	28	○	3.9	11.5	○	0.0	○	○	○	\$8,606
Clarion	53	○	4.4	6.1	○	0.0	○	○	○	\$9,140
Clearfield	30	○	4.4	0.0	○	0.0	○	●	●	\$10,796
Conemaugh Valley Memorial	510	●	6.6	1.1	○	10.8	●	○	○	\$15,093
Corry Memorial	8	○	5.6	0.0	○	0.0	○	○	○	\$13,251
DuBois Regional	95	○	4.7	8.5	○	2.1	○	○	○	\$18,068
Elk Regional	38	○	4.4	11.1	○	0.0	○	○	○	\$10,611
Ellwood City	18	○	5.4	0.0	○	0.0	○	○	○	\$10,328
Excelsa Hlth Westmoreland	205	○	6.1	3.1	○	5.2	○	○	●	\$15,659
Frick	75	○	4.8	4.2	○	0.0	○	○	○	\$12,223
Grove City	17	○	5.9	0.0	○	6.3	○	○	○	\$13,938
Hamot	248	○	5.7	5.1	○	2.1	○	○	○	\$31,456
Highlands	17	○	5.1	0.0	○	0.0	○	○	○	\$15,053
Indiana Regional	58	○	5.1	3.8	○	0.0	○	○	○	\$14,057
Jameson Memorial	157	○	6.0	4.0	○	4.7	○	○	○	\$13,351
Jefferson Regional	214	○	5.9	6.2	○	4.7	○	○	○	\$11,641
Kane Community	15	○	5.1	0.0	○	0.0	○	○	○	\$10,891
Latrobe Area	166	○	5.2	2.5	○	3.2	○	○	○	\$14,470
Magee-Womens	22	○	6.3	9.1	○	4.5	○	○	○	\$27,858
Meadville	87	○	5.6	7.2	○	2.4	○	○	○	\$16,964
Medical Center Beaver	227	○	6.1	1.4	○	4.6	○	○	○	\$13,801
Meyersdale Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	13	○	5.4	0.0	○	0.0	○	○	○	\$19,793
Miners	4	NR	NR	NR	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Kidney Failure - Acute

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	147	⊖	6.8	2.1	⊖	5.6	⊖	⊖	\$16,311	
Nason	12	⊖	4.6	8.3	⊖	0.0	⊖	⊖	\$7,650	
Ohio Valley General	37	⊖	5.7	8.6	⊖	2.9	⊖	⊖	\$14,075	
Punxsutawney Area	36	⊖	6.4	2.9	⊖	2.9	⊖	⊖	\$11,091	
Saint Vincent Health	242	⊖	6.1	4.9	⊖	7.1	⊖	⊖	\$33,806	
Sewickley Valley	86	⊖	5.8	2.4	⊖	2.4	⊖	⊖	\$14,472	
Sharon Regional	82	⊖	5.3	6.3	⊖	3.8	⊖	⊖	\$14,920	
Somerset	51	⊖	5.1	4.2	⊖	2.1	⊖	⊖	\$12,992	
Southwest Regional MC	18	●	4.5	0.0	⊖	0.0	⊖	⊖	\$11,987	
St Clair Memorial	191	●	5.6	2.3	⊖	4.1	⊖	⊖	\$14,599	
Titusville Area	15	⊖	5.6	0.0	⊖	7.1	⊖	⊖	\$10,330	
Tyrone	2	NR	NR	NR	NR	NR	NR	NR	NR	
Uniontown	164	⊖	5.8	5.2	⊖	5.2	⊖	⊖	\$11,348	
UPMC Bedford	12	⊖	4.3	0.0	⊖	0.0	⊖	⊖	\$9,771	
UPMC Braddock	66	⊖	6.6	1.6	⊖	4.8	⊖	⊖	\$23,471	
UPMC Horizon	117	⊖	4.9	5.4	⊖	1.8	⊖	⊖	\$15,381	
UPMC McKeesport	259	⊖	5.3	6.8	⊖	2.4	⊖	⊖	\$19,929	
UPMC Mercy	169	⊖	5.9	3.8	⊖	7.5	⊖	⊖	\$24,539	
UPMC Northwest	114	⊖	5.0	8.1	⊖	2.7	⊖	⊖	\$11,098	
UPMC Passavant	300	⊖	6.0	5.9	⊖	5.5	⊖	⊖	\$24,137	
UPMC Presby Shadyside	528	⊖	6.0	4.5	⊖	5.1	⊖	●	\$37,613	
UPMC South Side	86	⊖	6.2	5.0	⊖	2.5	⊖	⊖	\$20,660	
UPMC St Margaret	249	⊖	5.8	2.5	⊖	6.3	⊖	⊖	\$22,355	
Warren General	10	⊖	5.1	0.0	⊖	0.0	⊖	⊖	\$13,093	
Washington	123	⊖	6.0	6.8	⊖	11.0	●	⊖	\$17,740	
Western PA Hosp/Forbes	269	⊖	5.4	4.6	⊖	3.5	⊖	⊖	\$15,549	
Western Pennsylvania	224	⊖	5.4	4.7	⊖	3.3	⊖	●	\$23,516	
Windber	37	⊖	4.1	0.0	⊖	0.0	⊖	⊖	\$12,945	
Western Pennsylvania	7,259		5.7	4.5		4.5			\$19,182	
TOTAL: Statewide	20,371		5.6	5.0		5.0			\$29,457	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	115	⊙	4.5	2.6	⊙	3.5	⊙	⊙	⊙	\$7,127
Allegheny General	203	⊙	4.2	4.5	⊙	5.5	⊙	⊙	⊙	\$17,079
Alle-Kiski	225	⊙	3.7	7.1	⊙	1.8	⊙	⊙	⊙	\$9,690
Altoona Regional	166	⊙	4.1	5.5	⊙	2.4	⊙	⊙	⊙	\$11,914
Bradford Regional	51	⊙	3.9	4.0	⊙	2.0	⊙	⊙	⊙	\$7,092
Butler Memorial	192	⊙	3.9	4.7	⊙	1.6	⊙	⊙	⊙	\$10,540
Canonsburg General	104	⊙	4.8	2.0	⊙	5.9	⊙	⊙	●	\$13,541
Charles Cole Memorial	34	⊙	3.4	2.9	⊙	0.0	⊙	⊙	⊙	\$6,853
Clarion	101	●	3.2	11.6	●	1.1	⊙	⊙	⊙	\$5,354
Clearfield	89	⊙	3.9	4.7	⊙	2.3	⊙	⊙	⊙	\$8,178
Conemaugh Valley Memorial	218	⊙	4.2	3.7	⊙	6.9	⊙	⊙	⊙	\$8,881
Corry Memorial	48	⊙	4.4	6.3	⊙	2.1	⊙	⊙	⊙	\$9,302
DuBois Regional	113	⊙	3.1	5.4	⊙	0.9	⊙	⊙	⊙	\$9,826
Elk Regional	33	⊙	3.0	9.1	⊙	0.0	⊙	⊙	⊙	\$7,865
Ellwood City	72	⊙	4.0	0.0	⊙	4.2	⊙	⊙	⊙	\$5,705
Excelsa Hlth Westmoreland	248	⊙	3.9	2.8	⊙	4.0	⊙	⊙	⊙	\$9,580
Frick	82	⊙	4.4	2.5	⊙	6.2	⊙	⊙	⊙	\$10,854
Grove City	62	⊙	3.9	6.5	⊙	0.0	⊙	⊙	⊙	\$9,323
Hamot	125	⊙	4.2	2.4	⊙	4.0	⊙	⊙	⊙	\$16,831
Highlands	35	⊙	4.1	2.9	⊙	5.7	⊙	⊙	⊙	\$8,323
Indiana Regional	230	⊙	4.0	3.1	⊙	2.2	⊙	⊙	⊙	\$8,670
Jameson Memorial	134	⊙	4.1	4.5	⊙	3.0	⊙	⊙	⊙	\$8,392
Jefferson Regional	292	⊙	4.3	2.8	⊙	4.1	⊙	⊙	⊙	\$7,773
Kane Community	36	⊙	4.0	2.8	⊙	5.6	⊙	⊙	⊙	\$9,745
Latrobe Area	116	⊙	3.7	3.4	⊙	3.4	⊙	⊙	⊙	\$8,809
Magee-Womens	49	⊙	4.4	6.1	⊙	4.1	⊙	⊙	⊙	\$15,624
Meadville	94	⊙	4.2	2.2	⊙	3.2	⊙	⊙	⊙	\$8,932
Medical Center Beaver	242	⊙	4.4	1.7	⊙	4.6	⊙	⊙	⊙	\$8,651
Meyersdale Community	16	⊙	4.2	6.3	⊙	6.3	⊙	⊙	⊙	\$8,611
Millcreek Community	31	⊙	3.7	12.9	⊙	3.2	⊙	⊙	⊙	\$9,549
Miners	19	⊙	4.1	5.3	⊙	0.0	⊙	⊙	⊙	\$8,989

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	125	⊖	4.2	3.2	⊖	3.2	⊖	⊖	⊖	\$9,568
Nason	54	⊖	4.5	1.9	⊖	3.8	⊖	⊖	⊖	\$6,270
Ohio Valley General	79	⊖	4.6	3.8	⊖	6.3	⊖	⊖	⊖	\$11,376
Punxsutawney Area	93	⊖	4.4	0.0	⊖	4.3	⊖	⊖	⊖	\$6,752
Saint Vincent Health	77	⊖	4.0	2.6	⊖	1.3	⊖	⊖	⊖	\$16,005
Sewickley Valley	124	⊖	4.3	2.5	⊖	3.3	⊖	⊖	⊖	\$9,741
Sharon Regional	60	⊖	4.1	1.7	⊖	1.7	⊖	⊖	⊖	\$8,417
Somerset	74	⊖	4.9	1.4	⊖	12.3	●	⊖	⊖	\$9,491
Southwest Regional MC	67	⊖	3.3	9.1	⊖	0.0	⊖	⊖	⊖	\$9,456
St Clair Memorial	276	⊖	4.2	5.1	⊖	1.5	⊖	⊖	⊖	\$10,500
Titusville Area	60	⊖	3.3	8.3	⊖	0.0	⊖	⊖	⊖	\$6,533
Tyrone	53	⊖	4.6	1.9	⊖	11.5	●	⊖	⊖	\$7,465
Uniontown	222	⊖	4.4	4.6	⊖	4.6	⊖	⊖	⊖	\$7,642
UPMC Bedford	38	⊖	3.0	10.5	⊖	0.0	⊖	⊖	⊖	\$6,060
UPMC Braddock	139	⊖	5.2	0.0	⊖	7.2	⊖	●	●	\$15,675
UPMC Horizon	110	⊖	4.0	5.5	⊖	0.9	⊖	⊖	⊖	\$10,568
UPMC McKeesport	103	⊖	4.0	2.9	⊖	3.9	⊖	⊖	⊖	\$14,741
UPMC Mercy	216	⊖	4.1	6.9	⊖	4.2	⊖	⊖	⊖	\$15,905
UPMC Northwest	162	⊖	3.5	6.2	⊖	2.5	⊖	⊖	⊖	\$7,466
UPMC Passavant	308	⊖	4.4	2.9	⊖	7.2	⊖	⊖	⊖	\$15,693
UPMC Presby Shadyside	583	⊖	4.1	7.2	●	4.5	⊖	●	●	\$25,891
UPMC South Side	87	⊖	4.2	3.5	⊖	1.2	⊖	⊖	⊖	\$13,549
UPMC St Margaret	270	⊖	4.0	5.2	⊖	3.3	⊖	⊖	⊖	\$15,814
Warren General	42	⊖	4.3	2.4	⊖	0.0	⊖	⊖	⊖	\$11,044
Washington	217	⊖	4.0	6.1	⊖	4.2	⊖	⊖	⊖	\$9,590
Western PA Hosp/Forbes	406	⊖	4.1	3.2	⊖	1.7	⊖	⊖	⊖	\$11,299
Western Pennsylvania	178	⊖	3.4	2.8	⊖	0.6	⊖	⊖	⊖	\$15,444
Windber	26	⊖	3.2	7.7	⊖	0.0	⊖	⊖	⊖	\$9,294
Western Pennsylvania	7,916		4.1	4.3		3.6				\$11,696
TOTAL: Statewide	23,419		4.2	5.0		5.0				\$20,730

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	37	●	6.3	8.3	○	0.0	○	○	○	\$8,514
Allegheny General	138	○	6.0	9.3	●	1.6	○	○	○	\$31,238
Alle-Kiski	106	○	6.6	2.0	○	3.1	○	○	○	\$21,491
Altoona Regional	130	○	7.2	1.8	○	6.4	○	○	○	\$18,977
Bradford Regional	15	○	5.7	7.7	○	0.0	○	○	○	\$13,519
Butler Memorial	92	○	6.5	3.5	○	3.5	○	○	○	\$17,655
Canonsburg General	38	○	8.1	3.0	○	6.1	○	○	○	\$26,222
Charles Cole Memorial	5	○	NR	NR	NR	NR	NR	NR	NR	\$15,005
Clarion	16	●	4.1	8.3	○	0.0	○	○	○	\$7,493
Clearfield	19	○	6.6	11.8	○	5.9	○	○	○	\$15,420
Conemaugh Valley Memorial	113	○	7.5	1.0	○	7.1	○	○	○	\$15,665
Corry Memorial	7	○	6.2	0.0	○	0.0	○	NR	NR	\$17,041
DuBois Regional	20	○	5.1	0.0	○	0.0	○	○	○	\$15,965
Elk Regional	5	○	NR	NR	NR	NR	NR	NR	NR	\$13,660
Ellwood City	10	○	7.7	0.0	○	0.0	○	○	○	\$15,393
Excelsa Hlth Westmoreland	114	○	6.6	6.1	○	2.0	○	○	○	\$19,290
Frick	71	○	7.6	3.1	○	3.1	○	○	○	\$19,889
Grove City	25	○	7.4	0.0	○	4.5	○	○	○	\$17,115
Hamot	58	○	6.4	5.8	○	3.8	○	○	○	\$29,187
Highlands	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	150	●	6.4	4.9	○	0.8	○	○	○	\$14,814
Jameson Memorial	81	●	7.2	4.5	○	1.5	○	○	○	\$15,238
Jefferson Regional	111	○	7.1	2.8	○	1.9	○	○	○	\$13,118
Kane Community	11	○	8.3	0.0	○	18.2	○	○	○	\$19,824
Latrobe Area	78	○	6.2	1.4	○	4.3	○	○	○	\$18,684
Magee-Womens	9	○	6.7	11.1	○	11.1	○	○	○	\$26,314
Meadville	94	○	7.2	1.2	○	9.6	○	○	○	\$16,509
Medical Center Beaver	164	○	8.4	2.1	○	8.4	○	○	○	\$19,430
Meyersdale Community	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Miners	19	○	7.5	0.0	○	0.0	○	○	○	\$16,604

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	96	⊖	8.1	2.3	⊖	4.7	⊖	⊖	\$20,345	
Nason	2	NR	NR	NR	NR	NR	NR	NR	NR	
Ohio Valley General	13	⊖	6.6	8.3	⊖	8.3	⊖	⊖	\$16,903	
Punxsutawney Area	19	⊖	5.6	0.0	⊖	0.0	⊖	⊖	\$9,840	
Saint Vincent Health	33	⊖	5.7	7.1	⊖	0.0	⊖	⊖	\$29,955	
Sewickley Valley	72	⊖	6.5	3.3	⊖	1.6	⊖	⊖	\$14,489	
Sharon Regional	30	⊖	6.9	0.0	⊖	4.0	⊖	⊖	\$14,792	
Somerset	18	⊖	7.3	5.9	⊖	5.9	⊖	⊖	\$17,384	
Southwest Regional MC	22	⊖	4.5	4.8	⊖	0.0	⊖	⊖	\$14,745	
St Clair Memorial	154	⊖	6.9	3.1	⊖	4.6	⊖	⊖	\$17,194	
Titusville Area	11	⊖	7.1	10.0	⊖	10.0	⊖	⊖	\$11,357	
Tyrone	3	NR	NR	NR	NR	NR	NR	NR	NR	
Uniontown	61	●	7.5	2.3	⊖	4.7	⊖	⊖	\$13,532	
UPMC Bedford	10	⊖	6.3	11.1	⊖	0.0	⊖	⊖	\$14,928	
UPMC Braddock	31	⊖	7.7	6.7	⊖	6.7	⊖	⊖	\$29,455	
UPMC Horizon	56	⊖	6.2	0.0	⊖	1.9	⊖	⊖	\$18,432	
UPMC McKeesport	50	⊖	7.0	4.2	⊖	0.0	⊖	●	\$24,331	
UPMC Mercy	77	⊖	6.7	4.3	⊖	4.3	⊖	⊖	\$26,646	
UPMC Northwest	140	⊖	6.4	5.3	⊖	3.8	⊖	⊖	\$13,716	
UPMC Passavant	199	⊖	7.1	5.0	⊖	2.8	⊖	⊖	\$27,380	
UPMC Presby Shadyside	368	⊖	6.4	6.8	⊖	3.6	⊖	●	\$49,368	
UPMC South Side	36	⊖	6.8	6.5	⊖	0.0	⊖	⊖	\$25,333	
UPMC St Margaret	164	⊖	7.6	2.6	⊖	5.1	⊖	⊖	\$31,294	
Warren General	20	⊖	8.3	0.0	⊖	5.6	⊖	⊖	\$21,176	
Washington	80	⊖	7.5	1.5	⊖	8.8	⊖	⊖	\$19,662	
Western PA Hosp/Forbes	168	⊖	7.1	3.9	⊖	5.2	⊖	⊖	\$22,059	
Western Pennsylvania	89	⊖	6.1	7.1	⊖	4.8	⊖	⊖	\$29,277	
Windber	8	⊖	6.9	0.0	⊖	0.0	⊖	NR	\$22,278	
Western Pennsylvania	3,837		6.9	4.0		4.0			\$22,528	
TOTAL: Statewide	9,442		6.8	5.0		4.8			\$34,248	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	212	⊙	6.4	3.0	⊙	10.8	●	⊙	⊙	\$11,094
Allegheny General	317	⊙	4.7	10.6	●	4.5	⊙	⊙	⊙	\$21,933
Alle-Kiski	375	⊙	5.1	4.1	⊙	3.3	⊙	●	●	\$14,599
Altoona Regional	372	⊙	4.8	5.0	⊙	3.9	⊙	⊙	⊙	\$13,975
Bradford Regional	151	⊙	4.6	8.2	⊙	4.1	⊙	⊙	⊙	\$10,594
Butler Memorial	264	⊙	4.7	1.5	⊙	3.4	⊙	⊙	⊙	\$12,713
Canonsburg General	182	●	5.4	4.2	⊙	6.5	⊙	⊙	⊙	\$15,716
Charles Cole Memorial	102	⊙	3.2	15.5	●	0.0	⊙	⊙	⊙	\$9,114
Clarion	164	⊙	4.6	2.5	⊙	1.9	⊙	⊙	⊙	\$8,667
Clearfield	213	⊙	5.0	2.9	⊙	4.3	⊙	⊙	⊙	\$11,262
Conemaugh Valley Memorial	408	⊙	5.7	1.5	⊙	10.0	●	⊙	⊙	\$13,005
Corry Memorial	108	⊙	5.1	1.0	⊙	1.9	⊙	⊙	⊙	\$13,400
DuBois Regional	194	⊙	3.3	19.7	●	1.1	⊙	⊙	⊙	\$10,442
Elk Regional	173	⊙	4.3	8.9	●	3.0	⊙	⊙	⊙	\$9,226
Ellwood City	91	⊙	5.8	1.2	⊙	3.5	⊙	⊙	⊙	\$9,586
Excelsa Hlth Westmoreland	387	⊙	5.3	3.4	⊙	6.1	⊙	⊙	⊙	\$15,516
Frick	161	⊙	5.1	3.7	⊙	3.7	⊙	⊙	⊙	\$13,577
Grove City	138	⊙	5.2	3.8	⊙	3.0	⊙	⊙	⊙	\$13,754
Hamot	433	⊙	4.5	5.4	⊙	2.8	⊙	⊙	⊙	\$23,037
Highlands	78	⊙	4.6	5.3	⊙	1.3	⊙	⊙	⊙	\$10,879
Indiana Regional	325	⊙	4.6	7.3	⊙	1.6	⊙	⊙	⊙	\$11,111
Jameson Memorial	324	⊙	5.1	5.4	⊙	3.5	⊙	⊙	⊙	\$12,115
Jefferson Regional	584	⊙	5.7	2.6	⊙	5.6	⊙	⊙	⊙	\$10,937
Kane Community	98	⊙	4.3	8.2	⊙	0.0	⊙	⊙	⊙	\$12,133
Latrobe Area	325	⊙	4.8	2.8	⊙	1.9	⊙	⊙	⊙	\$14,102
Magee-Womens	60	⊙	5.0	12.1	●	5.2	⊙	⊙	⊙	\$24,481
Meadville	204	⊙	5.2	2.5	⊙	5.0	⊙	⊙	⊙	\$11,796
Medical Center Beaver	414	⊙	5.8	2.5	⊙	9.9	●	⊙	⊙	\$12,510
Meyersdale Community	41	⊙	4.9	0.0	⊙	2.5	⊙	⊙	⊙	\$11,816
Millcreek Community	67	⊙	4.2	4.7	⊙	1.6	⊙	⊙	⊙	\$13,866
Miners	66	⊙	5.0	10.9	⊙	3.1	⊙	⊙	●	\$10,629

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	402	⊙	5.5	3.8	⊙	5.1	⊙	⊙	⊙	\$13,186
Nason	110	⊙	4.4	3.8	⊙	2.9	⊙	⊙	⊙	\$6,931
Ohio Valley General	175	⊙	5.6	3.0	⊙	5.4	⊙	⊙	⊙	\$14,752
Punxsutawney Area	113	⊙	4.7	6.3	⊙	1.8	⊙	⊙	⊙	\$8,959
Saint Vincent Health	246	⊙	4.7	2.9	⊙	3.7	⊙	⊙	⊙	\$21,761
Sewickley Valley	288	⊙	4.8	3.9	⊙	2.1	⊙	⊙	⊙	\$10,823
Sharon Regional	185	⊙	4.1	9.4	●	2.2	⊙	⊙	●	\$11,498
Somerset	86	⊙	5.2	6.0	⊙	4.8	⊙	⊙	⊙	\$13,396
Southwest Regional MC	174	⊙	4.0	5.7	⊙	0.0	⊙	⊙	⊙	\$10,453
St Clair Memorial	590	⊙	5.0	2.1	⊙	4.8	⊙	⊙	⊙	\$13,062
Titusville Area	123	⊙	4.3	8.3	⊙	2.5	⊙	⊙	⊙	\$7,532
Tyrone	67	⊙	4.9	1.5	⊙	3.0	⊙	⊙	⊙	\$9,954
Uniontown	296	⊙	5.3	5.9	⊙	5.9	⊙	⊙	⊙	\$10,447
UPMC Bedford	114	⊙	3.7	11.7	●	0.9	⊙	⊙	⊙	\$8,484
UPMC Braddock	138	⊙	5.7	2.9	⊙	3.7	⊙	⊙	⊙	\$20,683
UPMC Horizon	300	⊙	4.9	5.2	⊙	3.5	⊙	⊙	⊙	\$13,507
UPMC McKeesport	276	⊙	5.5	4.8	⊙	6.6	⊙	⊙	●	\$18,198
UPMC Mercy	300	⊙	5.0	6.4	⊙	6.8	⊙	⊙	⊙	\$20,956
UPMC Northwest	284	⊙	5.0	5.8	⊙	5.8	⊙	⊙	⊙	\$10,552
UPMC Passavant	440	⊙	5.3	2.3	⊙	7.7	●	⊙	⊙	\$20,933
UPMC Presby Shadyside	895	⊙	5.1	5.3	⊙	7.3	●	●	●	\$32,711
UPMC South Side	147	⊙	5.3	3.5	⊙	3.5	⊙	⊙	⊙	\$17,824
UPMC St Margaret	465	⊙	5.3	3.3	⊙	5.0	⊙	⊙	⊙	\$21,870
Warren General	175	●	5.2	3.6	⊙	3.6	⊙	⊙	⊙	\$14,026
Washington	550	⊙	5.0	2.6	⊙	4.5	⊙	●	⊙	\$13,157
Western PA Hosp/Forbes	386	⊙	5.1	2.6	⊙	4.2	⊙	⊙	⊙	\$16,370
Western Pennsylvania	255	⊙	5.1	2.8	⊙	3.6	⊙	⊙	⊙	\$21,692
Windber	104	⊙	3.9	8.9	⊙	1.0	⊙	⊙	⊙	\$12,816
Western Pennsylvania	14,993		5.0	4.6		4.7				\$15,232
TOTAL: Statewide	39,707		4.9	5.0		5.0				\$24,313

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	5	○	NR	NR	NR	NR	NR	NR	NR	\$21,543
Allegheny General	202	○	10.2	5.6	○	5.6	○	○	○	\$78,734
Alle-Kiski	46	○	8.1	5.9	○	0.0	○	○	○	\$44,479
Altoona Regional	127	○	8.8	3.3	○	1.1	○	○	○	\$33,990
Bradford Regional	12	○	6.3	0.0	○	0.0	○	○	○	\$31,824
Butler Memorial	51	○	8.1	0.0	○	0.0	○	○	○	\$36,041
Canonsburg General	15	○	10.0	30.0	●	20.0	○	○	○	\$35,890
Charles Cole Memorial	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Clarion	11	○	5.4	16.7	○	0.0	○	NR	NR	\$21,692
Clearfield	11	○	8.0	11.1	○	0.0	○	○	○	\$26,210
Conemaugh Valley Memorial	174	○	9.4	5.9	○	5.0	○	○	○	\$33,603
Corry Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	25	○	6.0	10.5	○	0.0	○	○	○	\$33,157
Elk Regional	7	○	5.3	16.7	○	0.0	○	NR	NR	\$19,316
Ellwood City	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Excelsa Hlth Westmoreland	55	○	8.5	2.6	○	0.0	○	●	●	\$33,957
Frick	10	○	9.5	0.0	○	0.0	○	○	○	\$35,405
Grove City	7	○	5.9	0.0	○	0.0	○	○	○	\$17,922
Hamot	127	○	8.7	3.0	○	1.0	○	○	○	\$90,086
Highlands	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	15	○	10.4	0.0	○	0.0	○	○	○	\$31,788
Jameson Memorial	66	○	10.7	2.3	○	4.7	○	○	○	\$32,501
Jefferson Regional	67	○	9.0	5.6	○	1.9	○	○	○	\$32,293
Kane Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Latrobe Area	46	○	6.8	14.7	●	2.9	○	○	○	\$27,652
Magee-Womens	21	○	9.8	6.7	○	0.0	○	○	○	\$77,610
Meadville	27	○	10.2	0.0	○	9.1	○	○	○	\$41,096
Medical Center Beaver	47	○	11.3	0.0	○	3.6	○	○	○	\$33,780
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Miners	1	NR	NR	NR	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	21	⊖	8.9	9.1	⊖	0.0	⊖	⊖	\$46,788	
Nason	0	NR	NR	NR	NR	NR	NR	NR	NR	
Ohio Valley General	5	⊖	NR	NR	NR	NR	NR	NR	\$40,971	
Punxsutawney Area	2	NR	NR	NR	NR	NR	NR	NR	NR	
Saint Vincent Health	118	⊖	9.1	9.6	⊖	3.6	⊖	⊖	\$96,512	
Sewickley Valley	51	⊖	9.2	3.2	⊖	0.0	⊖	⊖	\$30,622	
Sharon Regional	42	⊖	8.3	0.0	⊖	6.5	⊖	⊖	\$35,957	
Somerset	11	⊖	11.7	0.0	⊖	0.0	⊖	⊖	\$29,539	
Southwest Regional MC	1	NR	NR	NR	NR	NR	NR	NR	NR	
St Clair Memorial	75	●	7.0	4.9	⊖	0.0	⊖	⊖	\$40,140	
Titusville Area	7	⊖	6.4	16.7	⊖	0.0	⊖	⊖	\$14,134	
Tyrone	6	⊖	6.0	16.7	⊖	0.0	⊖	⊖	\$17,231	
Uniontown	60	⊖	10.0	2.3	⊖	6.8	⊖	⊖	\$30,266	
UPMC Bedford	2	NR	NR	NR	NR	NR	NR	NR	NR	
UPMC Braddock	35	⊖	10.5	4.2	⊖	4.2	⊖	⊖	\$40,972	
UPMC Horizon	21	⊖	9.5	0.0	⊖	0.0	⊖	⊖	\$32,362	
UPMC McKeesport	47	⊖	9.1	8.1	⊖	5.4	⊖	⊖	\$54,498	
UPMC Mercy	77	⊖	9.8	8.3	⊖	6.3	⊖	⊖	\$63,299	
UPMC Northwest	12	⊖	9.3	0.0	⊖	0.0	⊖	⊖	\$32,345	
UPMC Passavant	50	●	10.5	3.8	⊖	11.5	⊖	⊖	\$60,879	
UPMC Presby Shadyside	272	⊖	12.4	2.6	⊖	10.7	●	⊖	\$129,338	
UPMC South Side	17	●	9.6	0.0	⊖	0.0	⊖	⊖	\$35,044	
UPMC St Margaret	23	⊖	11.6	0.0	⊖	11.8	⊖	⊖	\$52,941	
Warren General	6	⊖	7.3	0.0	⊖	0.0	⊖	⊖	\$38,603	
Washington	44	⊖	9.4	5.1	⊖	5.1	⊖	⊖	\$40,308	
Western PA Hosp/Forbes	49	⊖	7.7	12.1	⊖	3.0	⊖	⊖	\$46,355	
Western Pennsylvania	65	⊖	7.9	7.9	⊖	2.6	⊖	⊖	\$61,701	
Windber	7	⊖	8.7	0.0	⊖	0.0	⊖	⊖	\$33,248	
Western Pennsylvania	2,338		9.4	5.1		4.2			\$59,117	
TOTAL: Statewide	6,122		9.4	5.0		5.0			\$79,603	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	25	⊖	7.8	0.0	⊖	9.5	⊖	⊖	\$13,151	
Allegheny General	162	⊖	6.2	7.2	⊖	4.6	⊖	⊖	\$31,990	
Alle-Kiski	330	⊕	5.4	5.1	⊖	3.2	⊖	⊖	\$17,679	
Altoona Regional	133	⊖	5.2	5.6	⊖	4.0	⊖	⊖	\$16,392	
Bradford Regional	71	⊖	5.9	3.0	⊖	1.5	⊖	⊖	\$14,141	
Butler Memorial	151	⊖	5.5	4.9	⊖	1.4	⊕	⊖	\$15,469	
Canonsburg General	74	⊖	6.9	4.6	⊖	9.2	⊖	⊖	\$20,701	
Charles Cole Memorial	11	⊖	3.4	10.0	⊖	0.0	⊖	⊖	\$12,434	
Clarion	6	⊖	NR	NR	NR	NR	NR	NR	\$5,698	
Clearfield	18	⊖	4.9	0.0	⊖	0.0	⊖	⊖	\$13,497	
Conemaugh Valley Memorial	273	⊖	6.7	1.6	⊕	9.9	●	⊖	\$15,826	
Corry Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	
DuBois Regional	21	⊖	4.9	5.3	⊖	0.0	⊖	⊖	\$15,296	
Elk Regional	32	⊖	5.9	13.6	⊖	4.5	⊖	⊖	\$14,373	
Ellwood City	13	⊖	6.6	0.0	⊖	0.0	⊖	⊖	\$13,296	
Excelsa Hlth Westmoreland	168	⊖	6.6	5.2	⊖	3.9	⊖	⊖	\$20,857	
Frick	35	⊖	6.2	6.1	⊖	0.0	⊖	⊖	\$16,792	
Grove City	8	⊖	6.9	0.0	⊖	0.0	⊖	⊖	\$19,185	
Hamot	402	⊕	4.9	5.2	⊖	1.8	⊕	⊕	\$34,385	
Highlands	4	NR	NR	NR	NR	NR	NR	NR	NR	
Indiana Regional	32	⊖	6.3	7.4	⊖	3.7	⊖	⊖	\$14,359	
Jameson Memorial	137	⊖	6.3	4.9	⊖	5.7	⊖	⊖	\$15,375	
Jefferson Regional	120	⊖	6.5	6.4	⊖	4.5	⊖	⊖	\$13,863	
Kane Community	15	⊖	5.9	0.0	⊖	0.0	⊖	⊖	\$19,278	
Latrobe Area	77	⊖	6.1	4.3	⊖	4.3	⊖	⊖	\$18,375	
Magee-Womens	15	⊖	9.3	0.0	⊖	15.4	⊖	●	\$38,793	
Meadville	48	⊖	5.8	4.8	⊖	7.1	⊖	⊖	\$15,242	
Medical Center Beaver	52	⊖	7.3	2.3	⊖	11.4	⊖	⊖	\$16,280	
Meyersdale Community	9	⊖	5.2	0.0	⊖	0.0	⊖	⊖	\$12,196	
Millcreek Community	4	NR	NR	NR	NR	NR	NR	NR	NR	
Miners	14	⊖	6.7	0.0	⊖	9.1	⊖	⊖	\$16,275	

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	83	⊖	6.1	2.7	⊖	5.3	⊖	⊖	\$18,207	
Nason	0	NR	NR	NR	NR	NR	NR	NR	NR	
Ohio Valley General	9	⊖	4.2	16.7	⊖	0.0	⊖	⊖	\$15,545	
Punxsutawney Area	21	⊖	5.6	0.0	⊖	0.0	⊖	⊖	\$11,813	
Saint Vincent Health	193	⊖	5.3	3.5	⊖	2.9	⊖	⊖	\$34,316	
Sewickley Valley	67	⊖	5.1	7.6	⊖	1.5	⊖	⊖	\$13,038	
Sharon Regional	168	⊖	4.8	5.4	⊖	2.0	⊖	⊖	\$13,132	
Somerset	92	⊖	6.8	1.2	⊖	6.2	⊖	⊖	\$16,411	
Southwest Regional MC	8	⊖	4.4	14.3	⊖	0.0	⊖	⊖	\$13,920	
St Clair Memorial	298	⊖	5.2	4.4	⊖	1.8	⊖	⊖	\$14,553	
Titusville Area	10	⊖	6.0	0.0	⊖	0.0	⊖	⊖	\$11,050	
Tyrone	3	NR	NR	NR	NR	NR	NR	NR	NR	
Uniontown	95	●	5.7	2.5	⊖	1.3	⊖	⊖	\$11,489	
UPMC Bedford	12	⊖	4.9	10.0	⊖	0.0	⊖	⊖	\$12,175	
UPMC Braddock	26	●	7.5	5.6	⊖	5.6	⊖	●	\$31,573	
UPMC Horizon	47	⊖	5.7	2.3	⊖	0.0	⊖	⊖	\$17,233	
UPMC McKeesport	172	⊖	6.1	5.3	⊖	7.1	⊖	⊖	\$23,034	
UPMC Mercy	33	⊖	6.1	6.7	⊖	6.7	⊖	⊖	\$28,286	
UPMC Northwest	31	⊖	6.6	6.9	⊖	10.3	⊖	⊖	\$14,154	
UPMC Passavant	245	⊖	6.9	4.8	⊖	11.3	●	⊖	\$26,616	
UPMC Presby Shadyside	145	●	6.4	6.6	⊖	5.8	⊖	⊖	\$41,492	
UPMC South Side	16	⊖	5.1	7.1	⊖	0.0	⊖	⊖	\$19,361	
UPMC St Margaret	59	⊖	7.0	2.0	⊖	6.1	⊖	⊖	\$26,996	
Warren General	17	●	7.5	0.0	⊖	0.0	⊖	⊖	\$24,606	
Washington	12	⊖	6.0	9.1	⊖	9.1	⊖	⊖	\$17,455	
Western PA Hosp/Forbes	210	⊖	6.2	3.5	⊖	4.5	⊖	●	\$21,453	
Western Pennsylvania	60	⊖	5.5	9.6	⊖	1.9	⊖	⊖	\$26,051	
Windber	27	⊖	5.3	0.0	⊖	0.0	⊖	⊖	\$14,701	
Western Pennsylvania	4,667		5.9	4.7		4.5			\$20,782	
TOTAL: Statewide	9,884		6.0	5.0		5.0			\$28,676	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating†	%	Rating†	
ACMH	104	⊖	7.6	0.0	⊖	4.3	⊖	\$20,438
Allegheny General	422	⊖	7.6	6.5	⊖	6.2	⊖	\$45,891
Alle-Kiski	531	⊖	6.8	2.7	⊖	2.9	⊖	\$27,554
Altoona Regional	417	⊖	7.3	4.3	⊖	5.1	⊖	\$20,211
Bradford Regional	105	⊖	6.2	5.5	⊖	1.1	⊖	\$15,748
Butler Memorial	321	⊖	6.9	3.2	⊖	2.5	⊖	\$23,798
Canonsburg General	112	⊖	7.8	3.2	⊖	3.2	⊖	\$21,328
Charles Cole Memorial	29	⊖	5.2	13.8	⊖	0.0	⊖	\$14,624
Clarion	62	⊖	5.1	16.3	●	2.0	⊖	\$10,171
Clearfield	134	⊖	6.2	8.0	⊖	0.8	⊖	\$17,617
Conemaugh Valley Memorial	531	⊖	7.3	3.0	⊖	6.2	⊖	\$17,556
Corry Memorial	33	⊖	5.7	0.0	⊖	0.0	⊖	\$15,414
DuBois Regional	59	⊖	4.5	12.5	●	0.0	⊖	\$22,169
Elk Regional	82	⊖	5.7	4.0	⊖	2.7	⊖	\$15,151
Ellwood City	30	⊖	5.8	0.0	⊖	0.0	⊖	\$10,569
Excelsior Hlth Westmoreland	433	⊖	7.6	1.7	⊖	3.7	⊖	\$24,131
Frick	229	⊖	6.2	1.9	⊖	0.5	⊖	\$21,734
Grove City	44	⊖	6.8	0.0	⊖	0.0	⊖	\$18,773
Hamot	303	⊖	6.2	8.1	●	1.2	⊖	\$42,097
Highlands	43	⊖	5.5	2.9	⊖	0.0	⊖	\$15,710
Indiana Regional	191	⊖	5.8	4.2	⊖	0.6	⊖	\$15,566
Jameson Memorial	396	⊖	7.0	2.6	⊖	2.3	⊖	\$16,900
Jefferson Regional	242	⊖	7.7	3.4	⊖	5.9	⊖	\$19,630
Kane Community	19	⊖	6.1	0.0	⊖	0.0	⊖	\$16,565
Latrobe Area	350	⊖	6.7	4.2	⊖	2.6	⊖	\$20,005
Magee-Womens	28	⊖	10.1	4.5	⊖	13.6	⊖	\$41,288
Meadville	143	⊖	6.0	4.8	⊖	2.4	⊖	\$15,857
Medical Center Beaver	367	●	9.1	2.7	⊖	9.5	●	\$21,817
Meyersdale Community	9	⊖	5.7	0.0	⊖	0.0	⊖	\$9,050
Millcreek Community	3	NR	NR	NR	NR	NR	NR	NR
Miners	77	⊖	6.6	2.9	⊖	1.4	⊖	\$14,049

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating†	%	Rating†	
Monongahela Valley	221	○	7.0	3.9	○	2.0	○	\$25,998
Nason	9	○	6.2	0.0	○	0.0	○	\$10,050
Ohio Valley General	19	●	6.7	0.0	○	0.0	○	\$19,117
Punxsutawney Area	22	○	6.7	5.9	○	0.0	○	\$10,976
Saint Vincent Health	355	○	6.5	4.3	○	3.6	○	\$40,559
Sewickley Valley	107	○	7.3	3.6	○	6.0	○	\$23,972
Sharon Regional	291	○	7.0	6.7	○	4.2	○	\$19,231
Somerset	152	○	6.7	8.7	○	3.2	○	\$16,960
Southwest Regional MC	23	○	4.3	5.3	○	0.0	○	\$16,253
St Clair Memorial	297	○	7.0	2.7	○	3.9	○	\$22,109
Titusville Area	14	○	6.3	8.3	○	0.0	○	\$13,531
Tyrone	7	○	7.9	0.0	○	0.0	○	\$18,547
Uniontown	121	●	7.7	3.6	○	3.6	○	\$18,361
UPMC Bedford	64	○	5.3	5.2	○	0.0	○	\$11,676
UPMC Braddock	64	●	7.7	4.5	○	6.8	○	\$31,308
UPMC Horizon	198	○	6.1	12.2	●	2.4	○	\$20,878
UPMC McKeesport	415	○	7.0	7.4	●	2.8	○	\$34,991
UPMC Mercy	118	●	8.5	9.6	○	8.2	○	\$35,336
UPMC Northwest	135	○	6.1	2.8	○	0.9	○	\$14,534
UPMC Passavant	292	○	8.3	2.1	○	5.3	○	\$40,108
UPMC Presby Shadyside	881	○	8.4	5.2	○	10.6	●	\$69,169
UPMC South Side	60	○	7.2	8.8	○	3.5	○	\$38,424
UPMC St Margaret	209	○	8.0	6.4	○	5.3	○	\$37,228
Warren General	34	○	6.1	0.0	○	0.0	○	\$20,257
Washington	192	○	6.8	3.0	○	3.0	○	\$24,903
Western PA Hosp/Forbes	426	○	6.4	4.3	○	2.2	○	\$24,846
Western Pennsylvania	200	○	6.7	3.9	○	2.0	○	\$34,565
Windber	36	○	5.0	3.3	○	0.0	○	\$15,274
Western Pennsylvania	10,912		7.1	4.4		4.0		\$30,122
TOTAL: Statewide	26,171		7.2	5.0		5.0		\$43,160

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	95	○	4.4	4.3	○	0.0	○	○	\$10,007	
Allegheny General	272	○	4.3	5.6	○	5.2	○	○	\$23,637	
Alle-Kiski	186	○	4.5	4.9	○	2.7	○	●	\$16,567	
Altoona Regional	277	○	4.5	5.6	○	3.3	○	○	\$14,784	
Bradford Regional	67	○	3.7	3.1	○	1.6	○	○	\$10,857	
Butler Memorial	144	○	4.1	3.5	○	2.8	○	○	\$13,120	
Canonsburg General	92	○	4.3	8.8	○	5.5	○	○	\$14,663	
Charles Cole Memorial	22	○	3.7	4.5	○	0.0	○	○	\$12,700	
Clarion	51	●	3.0	8.7	○	0.0	○	○	\$8,064	
Clearfield	61	○	4.0	10.2	○	3.4	○	○	\$12,879	
Conemaugh Valley Memorial	291	●	4.7	3.9	○	7.1	○	○	\$14,896	
Corry Memorial	21	○	4.0	14.3	○	4.8	○	○	\$11,421	
DuBois Regional	55	○	3.4	5.9	○	0.0	○	○	\$14,571	
Elk Regional	48	○	3.3	6.3	○	0.0	○	○	\$9,500	
Ellwood City	34	○	3.9	0.0	○	0.0	○	○	\$9,329	
Excelsa Hlth Westmoreland	258	●	4.3	4.8	○	8.0	●	○	\$14,682	
Frick	62	○	4.3	0.0	○	3.2	○	○	\$14,486	
Grove City	50	○	4.1	4.1	○	2.0	○	○	\$13,005	
Hamot	210	○	4.1	5.4	○	2.5	○	○	\$26,011	
Highlands	30	○	3.6	0.0	○	0.0	○	○	\$13,327	
Indiana Regional	125	○	4.0	8.1	○	1.6	○	○	\$14,896	
Jameson Memorial	196	○	4.1	9.3	●	2.6	○	○	\$12,481	
Jefferson Regional	223	○	4.6	5.9	○	5.9	○	○	\$10,901	
Kane Community	22	○	4.3	0.0	○	0.0	○	○	\$13,431	
Latrobe Area	157	○	3.6	5.2	○	1.9	○	○	\$16,056	
Magee-Womens	11	●	4.1	11.1	○	11.1	○	●	\$20,052	
Meadville	131	○	4.7	2.3	○	8.6	○	○	\$13,190	
Medical Center Beaver	177	○	5.3	2.3	○	10.9	●	○	\$14,560	
Meyersdale Community	2	NR	NR	NR	NR	NR	NR	NR	NR	
Millcreek Community	16	○	4.3	0.0	○	0.0	○	○	\$21,243	
Miners	13	○	3.6	8.3	○	0.0	○	○	\$12,133	

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	127	⊙	5.3	0.8	⊙	4.0	⊙	⊙	\$14,526	
Nason	35	⊙	4.1	6.1	⊙	0.0	⊙	⊙	\$7,405	
Ohio Valley General	54	⊙	5.5	1.9	⊙	3.8	⊙	⊙	\$16,754	
Punxsutawney Area	28	⊙	2.9	0.0	⊙	0.0	⊙	⊙	\$7,675	
Saint Vincent Health	164	⊙	4.1	8.8	●	3.8	⊙	⊙	\$27,959	
Sewickley Valley	115	⊙	4.2	1.8	⊙	0.9	⊙	⊙	\$14,046	
Sharon Regional	135	⊙	4.4	5.2	⊙	4.5	⊙	⊙	\$14,672	
Somerset	35	⊙	4.1	6.1	⊙	0.0	⊙	⊙	\$16,456	
Southwest Regional MC	31	⊙	2.9	12.9	⊙	0.0	⊙	⊙	\$10,221	
St Clair Memorial	239	⊙	4.1	4.3	⊙	3.0	⊙	⊙	\$13,219	
Titusville Area	19	⊙	3.7	0.0	⊙	0.0	⊙	⊙	\$8,871	
Tyrone	9	⊙	5.1	0.0	⊙	11.1	⊙	⊙	\$11,456	
Uniontown	190	⊙	4.4	3.8	⊙	2.2	⊙	⊙	\$12,868	
UPMC Bedford	37	⊙	3.1	8.3	⊙	0.0	⊙	⊙	\$8,047	
UPMC Braddock	82	⊙	4.9	2.5	⊙	6.2	⊙	⊙	\$18,329	
UPMC Horizon	137	⊙	4.4	2.2	⊙	3.6	⊙	⊙	\$15,213	
UPMC McKeesport	121	⊙	4.0	8.4	⊙	3.4	⊙	⊙	\$16,604	
UPMC Mercy	146	⊙	4.3	6.5	⊙	5.8	⊙	⊙	\$23,383	
UPMC Northwest	135	⊙	3.9	6.9	⊙	3.8	⊙	⊙	\$9,389	
UPMC Passavant	300	⊙	4.7	4.4	⊙	6.4	⊙	⊙	\$19,329	
UPMC Presby Shadyside	562	⊙	4.6	7.7	●	8.3	●	●	\$37,043	
UPMC South Side	75	⊙	4.6	2.7	⊙	2.7	⊙	⊙	\$16,801	
UPMC St Margaret	227	⊙	4.2	3.1	⊙	8.5	●	⊙	\$21,394	
Warren General	58	⊙	4.6	3.4	⊙	8.6	⊙	⊙	\$14,791	
Washington	207	⊙	4.8	2.0	⊙	3.9	⊙	⊙	\$14,134	
Western PA Hosp/Forbes	206	⊙	4.1	5.9	⊙	2.0	⊙	⊙	\$14,034	
Western Pennsylvania	175	⊙	3.8	4.1	⊙	2.9	⊙	⊙	\$20,574	
Windber	32	⊙	3.4	3.1	⊙	0.0	⊙	⊙	\$14,794	
Western Pennsylvania	7,167		4.3	5.0		4.5			\$17,280	
TOTAL: Statewide	19,810		4.4	5.0		5.0			\$26,111	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	12	○	3.4	0.0	○	12.5	○	○	○	\$10,051
Allegheny General	200	○	6.3	6.9	○	4.4	○	○	○	\$37,204
Alle-Kiski	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Altoona Regional	52	○	5.1	5.4	○	0.0	○	○	○	\$17,689
Bradford Regional	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Butler Memorial	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Canonsburg General	5	●	NR	NR	NR	NR	NR	NR	NR	\$25,037
Charles Cole Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Clarion	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Clearfield	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	57	○	7.0	7.3	○	4.9	○	○	●	\$19,587
Corry Memorial	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
DuBois Regional	6	○	3.2	0.0	○	0.0	○	○	○	\$12,879
Elk Regional	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ellwood City	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Excelsa Hlth Westmoreland	15	○	5.1	0.0	○	0.0	○	○	○	\$11,191
Frick	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Grove City	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hamot	46	○	5.5	3.0	○	3.0	○	○	○	\$39,326
Highlands	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	5	○	NR	NR	NR	NR	NR	NR	NR	\$14,930
Jameson Memorial	5	○	NR	NR	NR	NR	NR	NR	NR	\$11,869
Jefferson Regional	18	○	4.5	0.0	○	0.0	○	○	○	\$8,059
Kane Community	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Latrobe Area	14	○	4.6	20.0	○	0.0	○	○	○	\$13,514
Magee-Womens	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Meadville	5	○	NR	NR	NR	NR	NR	NR	NR	\$14,661
Medical Center Beaver	19	○	6.3	0.0	○	0.0	○	○	○	\$10,240
Meyersdale Community	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Miners	1	NR	NR	NR	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	10	⊖	7.5	0.0	⊖	0.0	⊖	NR	NR	\$13,925
Nason	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Ohio Valley General	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Punxsutawney Area	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Saint Vincent Health	45	⊖	4.1	16.1	●	0.0	⊖	⊖	⊖	\$34,228
Sewickley Valley	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$9,307
Sharon Regional	9	●	NR	NR	NR	NR	NR	NR	NR	\$6,374
Somerset	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Southwest Regional MC	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Clair Memorial	12	⊖	4.4	0.0	⊖	0.0	⊖	⊖	⊖	\$11,201
Titusville Area	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Tyrone	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Uniontown	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$3,091
UPMC Bedford	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC Braddock	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC Horizon	8	⊖	3.2	0.0	⊖	0.0	⊖	⊖	⊖	\$9,660
UPMC McKeesport	7	⊖	4.0	20.0	⊖	0.0	⊖	NR	NR	\$22,572
UPMC Mercy	90	⊖	5.9	4.6	⊖	0.0	⊖	⊖	⊖	\$34,899
UPMC Northwest	8	⊖	4.2	0.0	⊖	0.0	⊖	NR	NR	\$8,060
UPMC Passavant	19	●	6.0	9.1	⊖	9.1	⊖	⊖	⊖	\$16,627
UPMC Presby Shadyside	339	⊖	4.8	2.0	⊖	2.4	⊖	⊖	⊖	\$62,076
UPMC South Side	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
UPMC St Margaret	17	⊖	4.5	0.0	⊖	0.0	⊖	⊖	⊖	\$15,372
Warren General	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Washington	8	⊖	3.9	0.0	⊖	0.0	⊖	⊖	⊖	\$8,332
Western PA Hosp/Forbes	13	⊖	4.9	0.0	⊖	0.0	⊖	⊖	⊖	\$11,421
Western Pennsylvania	38	⊖	6.1	3.0	⊖	3.0	⊖	⊖	⊖	\$37,030
Windber	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Western Pennsylvania	1,144		5.4	4.7		2.4				\$36,157
TOTAL: Statewide	3,634		5.9	4.8		4.8				\$44,142

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
ACMH	65	○	4.6	4.6	○	4.6	○	○	○	\$10,532
Allegheny General	412	○	5.5	2.8	○	6.9	○	○	○	\$36,502
Alle-Kiski	101	○	4.7	4.0	○	5.1	○	○	○	\$18,412
Altoona Regional	248	○	4.6	3.0	○	3.0	○	○	○	\$18,069
Bradford Regional	33	○	4.1	9.1	○	0.0	○	○	○	\$11,668
Butler Memorial	159	○	4.6	1.9	○	2.5	○	○	○	\$17,878
Canonsburg General	53	○	5.3	2.0	○	2.0	○	○	○	\$17,802
Charles Cole Memorial	20	○	3.0	5.0	○	0.0	○	○	○	\$10,516
Clarion	47	●	3.1	25.6	●	0.0	○	○	○	\$7,855
Clearfield	58	○	4.2	5.6	○	0.0	○	○	○	\$12,558
Conemaugh Valley Memorial	253	●	5.6	1.8	○	5.3	○	○	●	\$14,571
Corry Memorial	11	●	4.7	0.0	○	0.0	○	○	○	\$9,763
DuBois Regional	65	○	3.4	9.5	○	0.0	○	○	○	\$13,644
Elk Regional	22	○	4.3	5.3	○	0.0	○	○	○	\$14,707
Ellwood City	19	○	5.6	0.0	○	0.0	○	○	○	\$9,940
Excelsa Hlth Westmoreland	177	○	5.5	3.6	○	5.4	○	○	○	\$16,404
Frick	68	○	4.6	7.6	○	3.0	○	○	●	\$18,877
Grove City	41	○	4.4	13.2	●	0.0	○	○	○	\$13,788
Hamot	243	○	4.8	6.6	○	3.5	○	○	○	\$32,076
Highlands	17	○	4.9	5.9	○	17.6	●	○	○	\$14,945
Indiana Regional	107	○	3.9	5.8	○	2.9	○	○	○	\$13,646
Jameson Memorial	145	○	5.0	6.6	○	5.9	○	○	○	\$13,605
Jefferson Regional	190	○	5.2	2.2	○	5.5	○	○	○	\$11,526
Kane Community	22	○	4.5	0.0	○	4.8	○	○	○	\$10,214
Latrobe Area	104	○	4.5	5.0	○	1.0	○	○	○	\$14,647
Magee-Womens	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Meadville	78	○	4.6	5.4	○	1.4	○	○	○	\$15,080
Medical Center Beaver	183	●	5.5	2.4	○	6.0	○	○	●	\$13,701
Meyersdale Community	5	○	NR	NR	NR	NR	NR	NR	NR	\$16,907
Millcreek Community	18	○	4.1	0.0	○	0.0	○	○	○	\$16,818
Miners	10	○	4.7	0.0	○	0.0	○	○	○	\$11,662

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating†	%	Rating†			
Monongahela Valley	128	⊖	6.4	0.8	⊖	8.1	⊖	⊖	\$21,554	
Nason	29	⊖	4.3	3.8	⊖	3.8	⊖	⊖	\$8,107	
Ohio Valley General	50	⊖	3.8	10.4	⊖	0.0	⊖	⊖	\$15,867	
Punxsutawney Area	34	⊖	5.8	6.3	⊖	9.4	⊖	⊖	\$12,128	
Saint Vincent Health	242	⊖	4.3	4.8	⊖	2.2	⊖	⊖	\$37,681	
Sewickley Valley	109	⊖	4.2	2.0	⊖	2.9	⊖	⊖	\$13,787	
Sharon Regional	101	⊖	4.4	7.1	⊖	2.0	⊖	⊖	\$15,855	
Somerset	58	⊖	5.5	8.6	⊖	10.3	⊖	⊖	\$16,628	
Southwest Regional MC	23	⊖	3.7	0.0	⊖	0.0	⊖	⊖	\$14,431	
St Clair Memorial	183	⊖	4.5	4.0	⊖	1.1	⊖	⊖	\$16,314	
Titusville Area	31	⊖	3.7	13.3	⊖	0.0	⊖	⊖	\$9,062	
Tyrone	10	●	5.0	0.0	⊖	0.0	⊖	⊖	\$9,596	
Uniontown	94	⊖	4.4	5.6	⊖	4.4	⊖	⊖	\$9,529	
UPMC Bedford	36	⊖	3.3	11.1	⊖	0.0	⊖	⊖	\$8,196	
UPMC Braddock	35	⊖	5.4	3.0	⊖	3.0	⊖	⊖	\$24,911	
UPMC Horizon	78	⊖	4.4	2.7	⊖	4.1	⊖	⊖	\$17,763	
UPMC McKeesport	105	⊖	4.2	9.7	⊖	2.9	⊖	⊖	\$18,102	
UPMC Mercy	310	⊖	4.8	11.4	●	5.5	⊖	●	\$34,144	
UPMC Northwest	104	⊖	4.1	6.9	⊖	1.0	⊖	⊖	\$14,430	
UPMC Passavant	186	⊖	4.7	5.0	⊖	2.8	⊖	⊖	\$21,610	
UPMC Presby Shadyside	751	⊖	4.4	7.8	●	5.1	⊖	⊖	\$54,501	
UPMC South Side	28	⊖	5.1	14.3	●	10.7	⊖	⊖	\$20,035	
UPMC St Margaret	156	⊖	5.1	0.7	⊖	3.9	⊖	⊖	\$23,215	
Warren General	35	⊖	4.1	3.0	⊖	0.0	⊖	⊖	\$14,236	
Washington	173	⊖	5.0	3.5	⊖	5.3	⊖	⊖	\$17,117	
Western PA Hosp/Forbes	118	⊖	4.2	5.4	⊖	1.8	⊖	⊖	\$16,711	
Western Pennsylvania	102	⊖	4.7	3.2	⊖	2.2	⊖	⊖	\$36,903	
Windber	26	⊖	3.4	4.0	⊖	0.0	⊖	⊖	\$13,670	
Western Pennsylvania	6,361		4.7	5.2		4.0			\$24,240	
TOTAL: Statewide	18,770		4.9	5.0		4.9			\$34,134	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

*While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Endovascular) during the report period.

Abdominal Aortic Aneurysm Repair - Endovascular						
Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Allegheny General	90	⊖	2.3	⊖	⊖	\$121,477
Altoona Regional	46	⊖	2.3	⊖	⊖	\$69,228
Bradford Regional	9	⊖	3.6	⊖	⊖	\$53,085
Butler Memorial	22	⊖	2.6	⊖	⊖	\$36,930
Clarion	4	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	32	⊖	2.6	⊖	⊖	\$73,305
Excelsa Hlth Westmoreland	25	⊖	2.9	⊖	⊖	\$61,243
Hamot	51	⊖	2.4	⊖	⊖	\$75,804
Jefferson Regional	50	⊖	3.2	⊖	⊖	\$52,633
Magee-Womens	1	NR	NR	NR	NR	NR
Meadville	8	⊖	3.1	⊖	⊖	\$49,732
Medical Center Beaver	24	⊖	2.5	⊖	⊖	\$63,184
Saint Vincent Health	13	⊖	1.9	⊖	⊖	\$129,998
Sewickley Valley	11	⊖	4.0	⊖	⊖	\$58,520
St Clair Memorial	14	⊖	3.1	⊖	⊖	\$66,987
Uniontown	2	NR	NR	NR	NR	NR
UPMC Braddock	1	NR	NR	NR	NR	NR
UPMC Horizon	5	⊖	2.9	NR	NR	NR
UPMC McKeesport	7	⊖	3.9	⊖	⊖	\$80,116
UPMC Mercy	24	⊖	4.1	⊖	⊖	\$65,438
UPMC Northwest	8	●	6.0	⊖	⊖	\$34,165
UPMC Passavant	7	⊖	1.5	⊖	⊖	\$55,032
UPMC Presby Shadyside	145	⊖	1.8	⊖	⊖	\$138,595
UPMC St Margaret	14	⊖	2.6	⊖	⊖	\$90,544
Washington	12	⊖	4.2	⊖	⊖	\$89,590
Western PA Hosp/Forbes	1	NR	NR	NR	NR	NR
Western Pennsylvania	51	⊖	2.6	⊖	⊖	\$81,035
Western Pennsylvania	677		2.6			\$90,746
TOTAL: Statewide	1,682		2.8			\$95,135

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

This page is intentionally left blank.

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (Open) during the report period.

Abdominal Aortic Aneurysm Repair - Open						
Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	1	NR	NR	NR	NR	NR
Allegheny General	10	⊙	8.0	⊙	⊙	\$69,324
Alle-Kiski	1	NR	NR	NR	NR	NR
Altoona Regional	3	NR	NR	NR	NR	NR
Butler Memorial	4	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	7	⊙	6.9	⊙	⊙	NR
DuBois Regional	20	⊙	5.9	⊙	⊙	\$42,779
Excelsa Hlth Westmoreland	5	⊙	7.3	⊙	⊙	\$31,180
Hamot	3	NR	NR	NR	NR	NR
Jefferson Regional	17	⊙	8.1	⊙	⊙	\$42,206
Meadville	2	NR	NR	NR	NR	NR
Medical Center Beaver	4	NR	NR	NR	NR	NR
Monongahela Valley	2	NR	NR	NR	NR	NR
Ohio Valley General	5	⊙	7.8	⊙	⊙	\$33,423
Saint Vincent Health	25	⊙	6.6	⊙	⊙	\$84,373
Sewickley Valley	4	NR	NR	NR	NR	NR
Sharon Regional	1	NR	NR	NR	NR	NR
St Clair Memorial	2	NR	NR	NR	NR	NR
Uniontown	2	NR	NR	NR	NR	NR
UPMC Mercy	6	⊙	8.0	NR	NR	\$81,009
UPMC Northwest	1	NR	NR	NR	NR	NR
UPMC Passavant	8	⊙	8.2	⊙	⊙	\$55,062
UPMC Presby Shadyside	32	⊙	8.1	⊙	⊙	\$129,237
UPMC St Margaret	3	NR	NR	NR	NR	NR
Warren General	1	NR	NR	NR	NR	NR
Washington	1	NR	NR	NR	NR	NR
Western PA Hosp/Forbes	6	⊙	8.9	⊙	⊙	\$57,130
Western Pennsylvania	2	NR	NR	NR	NR	NR
Western Pennsylvania	178		7.5			\$70,145
TOTAL: Statewide	485		8.0			\$88,988

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

This page is intentionally left blank.

Colorectal Procedures				
Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
ACMH	46	⊖	7.9	\$22,411
Allegheny General	411	⊖	8.6	\$47,925
Alle-Kiski	53	⊖	7.0	\$41,099
Altoona Regional	217	●	7.7	\$32,991
Bradford Regional	37	⊖	7.1	\$24,479
Butler Memorial	110	⊖	7.2	\$32,976
Canonsburg General	30	⊖	10.6	\$42,827
Charles Cole Memorial	10	⊖	6.4	\$27,751
Clarion	35	⊖	7.7	\$23,658
Clearfield	43	⊖	7.8	\$24,271
Conemaugh Valley Memorial	204	⊖	8.8	\$31,821
Corry Memorial	1	NR	NR	NR
DuBois Regional	56	⊖	6.1	\$28,771
Elk Regional	25	⊖	8.0	\$30,078
Ellwood City	12	⊖	8.2	\$15,321
Excelsa Hlth Westmoreland	124	⊖	10.1	\$34,145
Frick	26	⊖	8.0	\$26,121
Grove City	16	⊖	7.1	\$24,532
Hamot	103	⊖	8.0	\$75,368
Highlands	22	⊖	7.9	\$33,601
Indiana Regional	75	⊖	8.1	\$32,024
Jameson Memorial	73	⊖	8.2	\$28,369
Jefferson Regional	223	⊖	8.8	\$28,070
Kane Community	10	⊖	12.1	\$39,936
Latrobe Area	101	⊖	6.9	\$28,710
Magee-Womens	51	⊖	7.7	\$60,680
Meadville	53	●	8.9	\$35,750
Medical Center Beaver	146	⊖	8.7	\$30,164
Meyersdale Community	0	NR	NR	NR
Millcreek Community	8	⊖	7.2	\$48,126
Miners	5	⊖	NR	NR

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Colorectal Procedures				
Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Monongahela Valley	96	⊖	10.0	\$36,591
Nason	50	⊖	8.3	\$20,826
Ohio Valley General	46	⊖	7.0	\$32,172
Punxsutawney Area	23	⊖	7.3	\$22,911
Saint Vincent Health	142	⊖	8.4	\$79,860
Sewickley Valley	108	⊖	9.1	\$34,343
Sharon Regional	50	⊖	6.9	\$35,831
Somerset	42	⊖	10.2	\$36,366
Southwest Regional MC	15	⊖	4.9	\$31,114
St Clair Memorial	160	⊖	7.8	\$36,658
Titusville Area	13	⊖	6.5	\$20,086
Tyrone	10	⊖	8.2	\$25,062
Uniontown	121	⊖	7.5	\$23,486
UPMC Bedford	6	⊖	5.4	\$22,265
UPMC Braddock	36	⊖	7.2	\$51,980
UPMC Horizon	62	⊖	9.0	\$42,740
UPMC McKeesport	48	⊖	7.5	\$52,684
UPMC Mercy	94	⊖	8.1	\$53,403
UPMC Northwest	51	⊖	9.6	\$26,325
UPMC Passavant	210	⊖	10.1	\$59,360
UPMC Presby Shadyside	626	⊖	8.2	\$115,260
UPMC South Side	15	⊖	9.1	\$52,312
UPMC St Margaret	134	⊖	9.0	\$65,649
Warren General	34	⊖	6.6	\$28,491
Washington	127	⊖	9.0	\$32,881
Western PA Hosp/Forbes	150	⊖	7.0	\$37,914
Western Pennsylvania	80	⊖	8.4	\$66,375
Windber	28	⊖	6.7	\$39,101
Western Pennsylvania	4,949		8.3	\$47,936
TOTAL: Statewide	14,418		8.6	\$65,597

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊙ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Laparoscopic						
Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	39	○	3.5	○	○	\$12,657
Allegheny General	89	○	3.6	○	○	\$27,004
Alle-Kiski	97	○	4.1	○	○	\$23,481
Altoona Regional	180	○	3.6	○	○	\$20,319
Bradford Regional	6	○	1.7	○	○	\$10,151
Butler Memorial	116	○	3.7	○	○	\$21,407
Canonsburg General	114	○	3.3	○	○	\$22,650
Charles Cole Memorial	19	○	3.0	○	○	\$13,438
Clarion	33	○	3.5	○	●	\$14,321
Clearfield	32	○	3.5	○	○	\$18,728
Conemaugh Valley Memorial	126	○	3.6	○	○	\$19,458
Corry Memorial	1	NR	NR	NR	NR	NR
DuBois Regional	22	○	2.6	○	○	\$17,261
Elk Regional	35	○	2.6	○	○	\$17,239
Ellwood City	8	○	3.8	○	○	\$11,944
Excelsa Hlth Westmoreland	127	○	3.9	○	○	\$19,457
Frick	33	○	4.2	○	○	\$15,616
Grove City	26	○	3.0	○	○	\$14,803
Hamot	90	○	3.8	○	○	\$39,486
Highlands	44	○	3.5	○	○	\$16,231
Indiana Regional	80	○	3.2	○	○	\$19,397
Jameson Memorial	92	○	4.1	○	○	\$17,485
Jefferson Regional	233	○	3.9	○	○	\$15,357
Kane Community	1	NR	NR	NR	NR	NR
Latrobe Area	95	○	3.5	○	○	\$18,908
Magee-Womens	16	○	3.6	○	●	\$29,828
Meadville	62	○	4.4	○	○	\$15,481
Medical Center Beaver	192	○	3.7	○	○	\$16,964
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	14	○	3.7	○	○	\$24,577
Miners	4	NR	NR	NR	NR	NR

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Gallbladder Removal - Laparoscopic						
Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Monongahela Valley	113	⊙	4.0	⊙	⊙	\$17,773
Nason	30	⊙	3.1	⊙	⊙	\$9,368
Ohio Valley General	54	⊙	4.5	●	⊙	\$23,785
Punxsutawney Area	15	⊙	3.3	⊙	⊙	\$14,034
Saint Vincent Health	80	⊙	3.6	⊙	⊙	\$45,049
Sewickley Valley	166	⊙	3.7	⊙	⊙	\$15,285
Sharon Regional	38	⊙	3.8	⊙	⊙	\$22,364
Somerset	54	⊙	4.7	⊙	⊙	\$21,794
Southwest Regional MC	6	⊙	2.5	⊙	⊙	\$21,663
St Clair Memorial	189	⊙	3.6	⊙	⊙	\$21,906
Titusville Area	10	⊙	2.6	⊙	⊙	\$12,554
Tyrone	8	⊙	4.6	⊙	⊙	\$14,570
Uniontown	155	⊙	3.7	⊙	⊙	\$13,464
UPMC Bedford	11	⊙	3.4	⊙	⊙	\$15,326
UPMC Braddock	44	⊙	3.6	⊙	⊙	\$29,109
UPMC Horizon	45	●	3.7	⊙	⊙	\$27,068
UPMC McKeesport	67	⊙	3.8	⊙	⊙	\$32,285
UPMC Mercy	84	⊙	3.7	⊙	⊙	\$29,402
UPMC Northwest	78	⊙	3.3	⊙	⊙	\$13,171
UPMC Passavant	237	⊙	4.4	⊙	⊙	\$31,401
UPMC Presby Shadyside	205	⊙	4.0	⊙	⊙	\$51,648
UPMC South Side	24	⊙	4.4	⊙	⊙	\$26,398
UPMC St Margaret	146	⊙	3.5	⊙	⊙	\$34,267
Warren General	17	⊙	3.5	⊙	⊙	\$23,646
Washington	87	⊙	3.6	⊙	⊙	\$19,297
Western PA Hosp/Forbes	156	⊙	3.3	⊙	⊙	\$22,414
Western Pennsylvania	82	⊙	3.6	⊙	⊙	\$40,684
Windber	13	⊙	3.0	⊙	●	\$24,754
Western Pennsylvania	4,283		3.7			\$23,276
TOTAL: Statewide	13,636		3.6			\$32,671

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	5	⊙	7.5	⊙	⊙	\$22,029
Allegheny General	51	⊙	6.5	⊙	⊙	\$40,983
Alle-Kiski	8	⊙	10.6	⊙	⊙	\$41,383
Altoona Regional	35	⊙	8.3	⊙	⊙	\$29,770
Bradford Regional	3	NR	NR	NR	NR	NR
Butler Memorial	13	⊙	4.9	⊙	⊙	\$29,308
Canonsburg General	8	⊙	6.8	⊙	⊙	\$32,248
Charles Cole Memorial	4	NR	NR	NR	NR	NR
Clarion	3	NR	NR	NR	NR	NR
Clearfield	17	⊙	7.2	⊙	⊙	\$20,886
Conemaugh Valley Memorial	25	⊙	6.8	⊙	⊙	\$30,738
Corry Memorial	1	NR	NR	NR	NR	NR
DuBois Regional	0	NR	NR	NR	NR	NR
Elk Regional	12	⊙	5.9	⊙	⊙	\$23,062
Ellwood City	2	NR	NR	NR	NR	NR
Excelsior Hlth Westmoreland	8	⊙	6.9	⊙	⊙	\$25,017
Frick	1	NR	NR	NR	NR	NR
Grove City	4	NR	NR	NR	NR	NR
Hamot	29	⊙	6.7	⊙	⊙	\$55,227
Highlands	3	NR	NR	NR	NR	NR
Indiana Regional	16	⊙	6.3	⊙	⊙	\$27,317
Jameson Memorial	8	⊙	6.8	⊙	⊙	\$21,151
Jefferson Regional	46	⊙	6.9	⊙	⊙	\$24,591
Kane Community	1	NR	NR	NR	NR	NR
Latrobe Area	8	⊙	4.7	⊙	⊙	\$13,981
Magee-Womens	3	NR	NR	NR	NR	NR
Meadville	6	⊙	8.2	⊙	⊙	\$25,329
Medical Center Beaver	36	⊙	6.4	⊙	⊙	\$21,811
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	0	NR	NR	NR	NR	NR
Miners	0	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Gallbladder Removal - Open						
Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Monongahela Valley	16	⊙	8.6	⊙	⊙	\$23,768
Nason	8	⊙	6.4	⊙	⊙	\$14,257
Ohio Valley General	3	NR	NR	NR	NR	NR
Punxsutawney Area	0	NR	NR	NR	NR	NR
Saint Vincent Health	45	⊙	6.9	⊙	⊙	\$60,338
Sewickley Valley	8	⊙	4.9	⊙	⊙	\$23,903
Sharon Regional	22	⊙	5.9	⊙	⊙	\$25,886
Somerset	6	⊙	5.8	⊙	⊙	\$31,657
Southwest Regional MC	1	NR	NR	NR	NR	NR
St Clair Memorial	23	⊙	6.4	⊙	⊙	\$31,968
Titusville Area	8	⊙	3.6	●	⊙	\$15,659
Tyrone	2	NR	NR	NR	NR	NR
Uniontown	3	NR	NR	NR	NR	NR
UPMC Bedford	1	NR	NR	NR	NR	NR
UPMC Braddock	9	⊙	6.1	⊙	⊙	\$37,511
UPMC Horizon	11	⊙	6.1	⊙	⊙	\$27,259
UPMC McKeesport	8	⊙	6.4	⊙	⊙	\$37,317
UPMC Mercy	9	⊙	4.7	⊙	⊙	\$32,681
UPMC Northwest	15	⊙	6.5	⊙	⊙	\$18,612
UPMC Passavant	8	⊙	8.4	⊙	⊙	\$43,583
UPMC Presby Shadyside	72	⊙	6.3	⊙	⊙	\$76,755
UPMC South Side	9	⊙	6.7	⊙	⊙	\$37,065
UPMC St Margaret	12	⊙	6.8	⊙	⊙	\$47,509
Warren General	1	NR	NR	NR	NR	NR
Washington	22	⊙	6.4	⊙	⊙	\$29,287
Western PA Hosp/Forbes	9	⊙	5.8	⊙	⊙	\$31,941
Western Pennsylvania	5	⊙	6.5	⊙	⊙	NR
Windber	2	NR	NR	NR	NR	NR
Western Pennsylvania	703		6.6			\$36,297
TOTAL: Statewide	2,365		6.7			\$54,051

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The facilities listed below are those that provided advanced cardiac services (angioplasty/stent for heart attack) during the report period.

Heart Attack - Angioplasty/Stent								
Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Allegheny General	332	⊙	3.9	3.3	⊙	6.4	⊙	\$63,718
Altoona Regional	285	⊙	3.6	5.3	⊙	3.2	⊙	\$38,556
Butler Memorial	137	●	3.5	2.3	⊙	4.5	⊙	\$62,520
Conemaugh Valley Memorial	327	⊙	3.7	4.3	⊙	6.8	⊙	\$44,908
DuBois Regional	218	⊙	2.9	13.4	●	1.4	⊙	\$36,576
Excelsa Hlth Westmoreland	226	⊙	4.4	1.8	⊙	8.6	●	\$50,064
Hamot	405	⊙	3.0	10.9	●	2.5	⊙	\$77,999
Jameson Memorial	48	⊙	4.2	2.1	⊙	0.0	⊙	\$38,748
Jefferson Regional	117	⊙	3.8	4.3	⊙	4.3	⊙	\$40,718
Medical Center Beaver	150	⊙	3.9	2.0	⊙	2.7	⊙	\$40,592
Monongahela Valley	5	⊙	5.6	0.0	⊙	20.0	⊙	\$72,123
Saint Vincent Health	240	⊙	3.4	6.8	⊙	3.4	⊙	\$109,140
Sharon Regional	87	⊙	3.8	9.3	⊙	2.3	⊙	\$51,312
Somerset	45	⊙	4.5	0.0	⊙	4.4	⊙	\$37,978
St Clair Memorial	106	⊙	3.2	1.9	⊙	3.8	⊙	\$39,516
Uniontown	48	⊙	3.0	6.3	⊙	6.3	⊙	\$27,078
UPMC Mercy	169	⊙	3.9	5.4	⊙	3.0	⊙	\$49,217
UPMC Passavant	148	⊙	3.9	2.7	⊙	6.1	⊙	\$56,936
UPMC Presby Shadyside	651	⊙	3.7	4.6	⊙	5.2	⊙	\$89,159
Washington	173	⊙	3.9	1.8	⊙	5.3	⊙	\$43,175
Western PA Hosp/Forbes	68	⊙	4.1	5.9	⊙	5.9	⊙	\$35,179
Western Pennsylvania	175	●	3.1	5.3	⊙	3.0	⊙	\$58,655
Western Pennsylvania	4,160		3.6	5.3		4.5		\$60,634
TOTAL: Statewide	11,314		3.7	5.0		5.0		\$71,601

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

This page is intentionally left blank.

Hip Fracture - Surgical Repair						
Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	63	○	6.7	○	○	\$19,683
Allegheny General	142	○	6.2	○	○	\$44,453
Alle-Kiski	96	○	5.9	○	○	\$32,006
Altoona Regional	210	●	5.4	○	○	\$26,810
Bradford Regional	30	○	5.5	○	○	\$20,938
Butler Memorial	110	○	5.8	○	●	\$25,415
Canonsburg General	66	○	5.8	○	○	\$28,708
Charles Cole Memorial	19	○	6.1	○	○	\$19,400
Clarion	43	○	3.8	○	○	\$18,111
Clearfield	66	○	6.0	○	○	\$25,335
Conemaugh Valley Memorial	198	○	6.3	○	○	\$24,961
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	76	○	4.4	○	○	\$28,205
Elk Regional	56	○	4.8	○	○	\$22,485
Ellwood City	15	○	6.0	○	○	\$16,432
Excelsior Health Westmoreland	154	○	6.0	○	○	\$25,141
Frick	40	○	6.6	○	○	\$24,773
Grove City	28	○	5.9	○	○	\$20,899
Hamot	162	○	5.6	○	○	\$46,627
Highlands	20	○	6.1	○	○	\$26,023
Indiana Regional	66	○	5.4	○	○	\$30,375
Jameson Memorial	106	○	5.5	○	○	\$21,440
Jefferson Regional	147	○	6.2	○	○	\$22,378
Kane Community	3	NR	NR	NR	NR	NR
Latrobe Area	119	○	5.5	○	○	\$23,142
Magee-Womens	8	○	4.5	○	○	\$34,453
Meadville	86	○	6.2	○	○	\$26,071
Medical Center Beaver	154	○	5.4	○	○	\$20,091
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	9	○	6.0	○	○	\$34,369
Miners	19	○	6.8	○	○	\$23,829

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Hip Fracture - Surgical Repair						
Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Monongahela Valley	124	⊖	6.3	⊖	⊖	\$29,089
Nason	27	⊖	5.2	⊖	⊖	\$16,411
Ohio Valley General	57	⊖	5.9	⊖	⊖	\$30,145
Punxsutawney Area	11	⊖	5.8	⊖	⊖	\$20,678
Saint Vincent Health	157	⊖	5.3	⊖	⊖	\$48,223
Sewickley Valley	113	⊖	5.3	⊖	⊖	\$19,730
Sharon Regional	68	⊖	5.4	⊖	⊖	\$32,740
Somerset	36	⊖	4.7	⊖	⊖	\$25,439
Southwest Regional MC	39	⊖	4.8	⊖	⊖	\$25,780
St Clair Memorial	173	⊖	6.1	⊖	⊖	\$26,807
Titusville Area	13	⊖	6.6	⊖	⊖	\$18,137
Tyrone	20	⊖	6.5	⊖	⊖	\$26,480
Uniontown	98	⊖	5.2	⊖	⊖	\$15,436
UPMC Bedford	19	⊖	4.8	⊖	⊖	\$17,051
UPMC Braddock	38	⊖	6.1	⊖	⊖	\$33,043
UPMC Horizon	83	⊖	5.3	⊖	⊖	\$28,443
UPMC McKeesport	80	⊖	5.2	⊖	⊖	\$31,262
UPMC Mercy	93	⊖	5.7	⊖	⊖	\$39,156
UPMC Northwest	49	⊖	4.7	⊖	⊖	\$16,018
UPMC Passavant	199	⊖	6.4	⊖	⊖	\$32,745
UPMC Presby Shadyside	293	⊖	6.2	⊖	⊖	\$68,436
UPMC South Side	48	⊖	6.0	⊖	⊖	\$31,571
UPMC St Margaret	174	⊖	6.5	⊖	⊖	\$43,101
Warren General	44	⊖	5.4	⊖	⊖	\$26,436
Washington	148	⊖	5.5	⊖	⊖	\$25,625
Western PA Hosp/Forbes	135	⊖	5.2	⊖	⊖	\$29,713
Western Pennsylvania	39	⊖	5.2	⊖	⊖	\$38,930
Windber	27	⊖	5.3	⊖	⊖	\$27,364
Western Pennsylvania	4,761		5.7			\$30,383
TOTAL: Statewide	12,926		5.9			\$43,929

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
ACMH	68	⊖	1.7	10.3	⊖	0.0	⊖	\$9,061
Allegheny General	138	⊖	3.6	0.7	○	17.4	●	\$21,852
Alle-Kiski	71	⊖	2.1	5.6	⊖	0.0	⊖	\$21,529
Altoona Regional	289	⊖	2.2	5.9	⊖	1.7	○	\$12,269
Bradford Regional	51	⊖	2.6	2.0	⊖	0.0	⊖	\$9,269
Butler Memorial	166	⊖	2.5	2.4	⊖	2.4	⊖	\$13,471
Canonsburg General	9	●	3.8	0.0	⊖	12.5	⊖	\$21,776
Charles Cole Memorial	29	⊖	2.7	0.0	⊖	0.0	⊖	\$6,593
Clarion	53	⊖	3.0	1.9	⊖	1.9	⊖	\$9,326
Clearfield	55	⊖	2.7	0.0	⊖	1.8	⊖	\$7,982
Conemaugh Valley Memorial	86	●	2.6	3.5	⊖	4.7	⊖	\$10,749
Corry Memorial	18	⊖	2.1	0.0	⊖	0.0	⊖	\$7,040
DuBois Regional	107	⊖	2.5	0.9	○	0.0	○	\$11,738
Elk Regional	7	⊖	3.5	0.0	⊖	14.3	⊖	\$13,668
Ellwood City	3	NR	NR	NR	NR	NR	NR	NR
Excelsior Hlth Westmoreland	163	⊖	2.7	1.8	⊖	0.6	○	\$8,535
Frick	0	NR	NR	NR	NR	NR	NR	NR
Grove City	40	⊖	3.4	0.0	⊖	2.5	⊖	\$7,519
Hamot	86	⊖	3.0	0.0	○	2.3	⊖	\$23,373
Highlands	0	NR	NR	NR	NR	NR	NR	NR
Indiana Regional	61	⊖	2.3	3.3	⊖	1.6	⊖	\$15,333
Jameson Memorial	83	⊖	2.6	3.6	⊖	2.4	⊖	\$10,802
Jefferson Regional	5	⊖	3.1	0.0	⊖	20.0	⊖	\$12,469
Kane Community	0	NR	NR	NR	NR	NR	NR	NR
Latrobe Area	160	⊖	3.0	1.3	○	3.8	⊖	\$12,053
Magee-Womens	916	⊖	2.7	8.6	●	9.0	●	\$24,241
Meadville	74	⊖	3.1	2.7	⊖	8.1	⊖	\$11,229
Medical Center Beaver	119	⊖	2.2	4.2	⊖	0.8	○	\$10,585
Meyersdale Community	0	NR	NR	NR	NR	NR	NR	NR
Millcreek Community	30	⊖	3.2	0.0	⊖	3.3	⊖	\$14,867
Miners	0	NR	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Hysterectomy - Abdominal

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating [†]	%	Rating [†]	
Monongahela Valley	17	⊖	3.0	5.9	⊖	5.9	⊖	\$15,812
Nason	23	⊖	2.8	0.0	⊖	0.0	⊖	\$8,532
Ohio Valley General	24	⊖	2.6	0.0	⊖	0.0	⊖	\$14,113
Punxsutawney Area	15	⊖	3.1	6.7	⊖	0.0	⊖	\$10,462
Saint Vincent Health	202	⊖	2.8	1.0	⊖	3.0	⊖	\$28,260
Sewickley Valley	94	⊖	1.9	7.4	⊖	0.0	⊖	\$11,595
Sharon Regional	59	⊖	2.2	5.1	⊖	0.0	⊖	\$15,861
Somerset	32	⊖	2.6	6.3	⊖	0.0	⊖	\$14,949
Southwest Regional MC	0	NR	NR	NR	NR	NR	NR	NR
St Clair Memorial	164	⊖	2.4	3.7	⊖	0.6	⊖	\$16,500
Titusville Area	37	⊖	3.0	0.0	⊖	0.0	⊖	\$10,179
Tyrone	10	⊖	2.6	0.0	⊖	0.0	⊖	\$10,373
Uniontown	186	⊖	2.4	1.1	⊖	1.6	⊖	\$8,225
UPMC Bedford	34	⊖	2.4	2.9	⊖	0.0	⊖	\$7,036
UPMC Braddock	0	NR	NR	NR	NR	NR	NR	NR
UPMC Horizon	137	⊖	2.6	2.2	⊖	2.2	⊖	\$13,542
UPMC McKeesport	39	⊖	2.5	10.3	⊖	5.1	⊖	\$26,849
UPMC Mercy	301	⊖	3.7	3.0	⊖	20.7	●	\$22,500
UPMC Northwest	58	⊖	2.4	1.7	⊖	0.0	⊖	\$7,207
UPMC Passavant	132	⊖	2.0	8.3	⊖	3.0	⊖	\$21,466
UPMC Presby Shadyside	115	⊖	2.4	14.9	●	5.3	⊖	\$45,408
UPMC South Side	1	NR	NR	NR	NR	NR	NR	NR
UPMC St Margaret	29	⊖	3.0	10.3	⊖	17.2	●	\$26,898
Warren General	54	⊖	2.7	0.0	⊖	0.0	⊖	\$8,333
Washington	116	⊖	2.7	1.7	⊖	3.4	⊖	\$12,711
Western PA Hosp/Forbes	79	⊖	3.1	2.5	⊖	3.8	⊖	\$20,745
Western Pennsylvania	349	⊖	3.0	4.0	⊖	10.9	●	\$31,474
Windber	37	⊖	2.4	0.0	⊖	0.0	⊖	\$16,963
Western Pennsylvania	5,259		2.7	4.3		5.4		\$18,970
TOTAL: Statewide	15,323		2.6	5.0		5.0		\$26,125

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

[†]While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Hysterectomy - Vaginal						
Hospital	Cases	Length of Stay	Readmission Rating		Average Charge	
			For Any Reason	For Complication or Infection		
ACMH	145	1.1	⊖	⊖	\$6,714	
Allegheny General	38	2.3	⊖	⊖	\$17,400	
Alle-Kiski	32	1.6	⊖	⊖	\$16,824	
Altoona Regional	122	1.7	⊖	⊖	\$10,667	
Bradford Regional	87	1.5	⊖	⊖	\$8,516	
Butler Memorial	50	1.5	⊖	⊖	\$11,196	
Canonsburg General	0	NR	NR	NR	NR	
Charles Cole Memorial	5	2.1	⊖	⊖	\$6,660	
Clarion	57	1.8	⊖	⊖	\$11,363	
Clearfield	75	1.7	⊖	⊖	\$6,535	
Conemaugh Valley Memorial	74	1.6	⊖	⊖	\$10,299	
Corry Memorial	9	1.2	⊖	⊖	\$6,249	
DuBois Regional	41	2.1	⊖	⊖	\$12,389	
Elk Regional	0	NR	NR	NR	NR	
Ellwood City	4	NR	NR	NR	NR	
Excelsa Hlth Westmoreland	58	2.1	⊖	⊖	\$7,798	
Frick	0	NR	NR	NR	NR	
Grove City	10	2.1	⊖	⊖	\$6,065	
Hamot	137	2.0	⊖	⊖	\$21,701	
Highlands	0	NR	NR	NR	NR	
Indiana Regional	38	1.9	⊖	⊖	\$12,739	
Jameson Memorial	38	2.0	⊖	⊖	\$11,542	
Jefferson Regional	0	NR	NR	NR	NR	
Kane Community	0	NR	NR	NR	NR	
Latrobe Area	45	2.1	⊖	⊖	\$7,298	
Magee-Womens	298	1.5	⊖	⊖	\$18,097	
Meadville	23	1.9	⊖	⊖	\$9,994	
Medical Center Beaver	157	1.2	⊖	⊖	\$7,068	
Meyersdale Community	1	NR	NR	NR	NR	
Millcreek Community	0	NR	NR	NR	NR	
Miners	1	NR	NR	NR	NR	

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊙ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Hysterectomy - Vaginal					
Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Monongahela Valley	60	1.7	○	○	\$13,695
Nason	16	1.9	○	○	\$10,374
Ohio Valley General	37	2.1	○	○	\$11,455
Punxsutawney Area	22	1.4	○	○	\$8,652
Saint Vincent Health	124	2.0	○	○	\$25,644
Sewickley Valley	30	1.4	○	○	\$7,734
Sharon Regional	15	1.6	○	○	\$16,903
Somerset	37	1.2	○	○	\$10,297
Southwest Regional MC	0	NR	NR	NR	NR
St Clair Memorial	43	2.0	○	○	\$12,177
Titusville Area	9	2.7	○	○	\$13,708
Tyrone	3	NR	NR	NR	NR
Uniontown	90	1.9	○	○	\$6,910
UPMC Bedford	32	1.3	○	○	\$5,862
UPMC Braddock	0	NR	NR	NR	NR
UPMC Horizon	43	1.8	●	○	\$13,129
UPMC McKeesport	19	1.9	○	○	\$22,936
UPMC Mercy	34	2.1	○	○	\$17,241
UPMC Northwest	21	2.1	○	○	\$6,868
UPMC Passavant	44	1.9	○	○	\$16,927
UPMC Presby Shadyside	16	1.4	○	○	\$26,436
UPMC South Side	0	NR	NR	NR	NR
UPMC St Margaret	20	1.9	○	○	\$26,669
Warren General	40	1.6	○	○	\$10,603
Washington	74	1.5	○	●	\$8,350
Western PA Hosp/Forbes	59	2.2	●	○	\$17,917
Western Pennsylvania	68	1.4	●	●	\$23,916
Windber	16	1.3	○	○	\$15,139
Western Pennsylvania	2,525	1.7			\$13,218
TOTAL: Statewide	6,158	1.6			\$19,766

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating†	%	Rating†	
ACMH	2	NR	NR	NR	NR	NR	NR
Allegheny General	59	2.5	0.0	⊖	5.0	⊖	\$21,501
Alle-Kiski	9	3.7	0.0	⊖	11.1	⊖	\$25,837
Altoona Regional	13	2.9	0.0	⊖	7.1	⊖	\$17,120
Bradford Regional	4	NR	NR	NR	NR	NR	NR
Butler Memorial	18	2.9	0.0	⊖	5.6	⊖	\$18,533
Canonsburg General	2	NR	NR	NR	NR	NR	NR
Charles Cole Memorial	0	NR	NR	NR	NR	NR	NR
Clarion	1	NR	NR	NR	NR	NR	NR
Clearfield	0	NR	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	62	2.3	0.0	⊖	1.6	⊖	\$12,104
Corry Memorial	0	NR	NR	NR	NR	NR	NR
DuBois Regional	17	3.0	0.0	⊖	5.9	⊖	\$24,096
Elk Regional	0	NR	NR	NR	NR	NR	NR
Ellwood City	1	NR	NR	NR	NR	NR	NR
Excelsa Hlth Westmoreland	22	4.6	0.0	⊖	43.5	●	\$14,199
Frick	6	5.3	0.0	⊖	50.0	●	\$15,318
Grove City	6	5.4	0.0	⊖	100.0	●	\$23,997
Hamot	30	3.5	0.0	⊖	6.7	⊖	\$55,977
Highlands	0	NR	NR	NR	NR	NR	NR
Indiana Regional	1	NR	NR	NR	NR	NR	NR
Jameson Memorial	15	4.1	0.0	⊖	23.5	●	\$19,444
Jefferson Regional	19	4.1	0.0	⊖	0.0	⊖	\$15,498
Kane Community	0	NR	NR	NR	NR	NR	NR
Latrobe Area	23	2.7	0.0	⊖	4.3	⊖	\$11,056
Magee-Womens	11	2.7	0.0	⊖	9.1	⊖	\$22,445
Meadville	4	NR	NR	NR	NR	NR	NR
Medical Center Beaver	18	4.8	0.0	⊖	44.4	●	\$16,099
Meyersdale Community	0	NR	NR	NR	NR	NR	NR
Millcreek Community	0	NR	NR	NR	NR	NR	NR
Miners	0	NR	NR	NR	NR	NR	NR

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating†	%	Rating†	
Monongahela Valley	3	NR	NR	NR	NR	NR	NR
Nason	0	NR	NR	NR	NR	NR	NR
Ohio Valley General	0	NR	NR	NR	NR	NR	NR
Punxsutawney Area	0	NR	NR	NR	NR	NR	NR
Saint Vincent Health	20	3.4	0.0	⊖	5.0	⊕	\$34,048
Sewickley Valley	24	3.3	0.0	⊖	4.2	⊖	\$12,003
Sharon Regional	18	3.9	0.0	⊖	11.1	⊕	\$29,238
Somerset	6	3.1	0.0	⊖	0.0	⊕	\$16,566
Southwest Regional MC	7	2.9	0.0	⊖	0.0	⊖	\$31,065
St Clair Memorial	39	2.2	0.0	⊖	0.0	⊖	\$19,160
Titusville Area	1	NR	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR	NR
Uniontown	37	2.6	2.7	⊖	2.7	⊖	\$11,836
UPMC Bedford	5	4.9	0.0	⊖	20.0	⊖	\$15,961
UPMC Braddock	3	NR	NR	NR	NR	NR	NR
UPMC Horizon	5	3.9	0.0	⊖	20.0	⊕	\$21,020
UPMC McKeesport	2	NR	NR	NR	NR	NR	NR
UPMC Mercy	19	2.7	5.3	⊖	5.3	⊖	\$19,235
UPMC Northwest	8	2.8	0.0	⊖	0.0	⊕	\$13,243
UPMC Passavant	30	3.7	0.0	⊖	25.0	●	\$21,524
UPMC Presby Shadyside	424	2.1	2.4	○	0.7	○	\$45,264
UPMC South Side	0	NR	NR	NR	NR	NR	NR
UPMC St Margaret	20	3.4	0.0	⊖	10.0	⊖	\$37,149
Warren General	0	NR	NR	NR	NR	NR	NR
Washington	25	3.1	0.0	⊖	4.0	⊖	\$15,033
Western PA Hosp/Forbes	12	4.0	0.0	⊖	30.8	●	\$25,280
Western Pennsylvania	31	2.5	9.7	⊖	3.2	⊖	\$46,215
Windber	0	NR	NR	NR	NR	NR	NR
Western Pennsylvania	1,084	2.8	1.5		7.0		\$31,200
TOTAL: Statewide	3,979	2.3	5.0		5.0		\$41,968

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

†While lower-than-expected and higher-than-expected ratings for mortality or readmissions may suggest good performance or opportunities for improvement, respectively, similar ratings for the short or long length of stay outlier measures are meant to be a tool to help hospitals identify variation in utilization patterns.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Prostatectomy - Transurethral				
Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
ACMH	16	⊖	3.6	\$7,718
Allegheny General	20	⊖	3.0	\$17,352
Alle-Kiski	28	⊖	2.4	\$15,245
Altoona Regional	100	⊖	2.7	\$7,585
Bradford Regional	10	⊖	3.5	\$10,651
Butler Memorial	16	⊖	1.8	\$11,611
Canonsburg General	17	⊖	2.9	\$12,869
Charles Cole Memorial	0	NR	NR	NR
Clarion	14	⊖	1.5	\$10,427
Clearfield	0	NR	NR	NR
Conemaugh Valley Memorial	61	⊖	2.4	\$6,761
Corry Memorial	0	NR	NR	NR
DuBois Regional	12	⊖	1.9	\$9,626
Elk Regional	18	⊖	1.4	\$9,586
Ellwood City	5	⊖	3.0	\$10,578
Excelsa Hlth Westmoreland	19	⊖	3.4	\$8,861
Frick	12	⊖	3.5	\$11,114
Grove City	24	⊖	2.9	\$6,811
Hamot	14	⊖	2.3	\$16,504
Highlands	0	NR	NR	NR
Indiana Regional	17	⊖	2.5	\$11,495
Jameson Memorial	25	⊖	2.9	\$10,197
Jefferson Regional	36	⊖	3.6	\$9,049
Kane Community	0	NR	NR	NR
Latrobe Area	6	⊖	5.1	\$13,172
Magee-Womens	8	⊖	2.5	\$17,219
Meadville	17	⊖	4.5	\$8,717
Medical Center Beaver	49	⊖	3.0	\$9,311
Meyersdale Community	0	NR	NR	NR
Millcreek Community	0	NR	NR	NR
Miners	0	NR	NR	NR

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Prostatectomy - Transurethral				
Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Monongahela Valley	12	⊖	4.0	\$8,545
Nason	12	●	2.0	\$4,486
Ohio Valley General	5	⊖	2.6	\$9,745
Punxsutawney Area	6	⊖	4.0	\$7,002
Saint Vincent Health	32	⊖	2.3	\$21,778
Sewickley Valley	12	⊖	3.0	\$14,505
Sharon Regional	26	⊖	2.9	\$11,388
Somerset	26	⊖	2.6	\$8,301
Southwest Regional MC	2	NR	NR	NR
St Clair Memorial	29	⊖	2.7	\$10,099
Titusville Area	27	⊖	2.8	\$8,858
Tyrone	0	NR	NR	NR
Uniontown	11	⊖	1.8	\$10,171
UPMC Bedford	40	⊖	2.4	\$6,922
UPMC Braddock	8	⊖	4.3	\$16,963
UPMC Horizon	15	⊖	2.0	\$11,276
UPMC McKeesport	6	⊖	2.5	\$22,777
UPMC Mercy	35	⊖	2.8	\$12,556
UPMC Northwest	42	⊖	1.8	\$6,366
UPMC Passavant	33	⊖	2.4	\$15,700
UPMC Presby Shadyside	75	⊖	2.2	\$23,739
UPMC South Side	3	NR	NR	NR
UPMC St Margaret	29	⊖	2.8	\$20,036
Warren General	5	⊖	2.0	\$6,937
Washington	40	⊖	2.8	\$10,355
Western PA Hosp/Forbes	12	⊖	4.3	\$15,802
Western Pennsylvania	24	⊖	3.4	\$21,057
Windber	0	NR	NR	NR
Western Pennsylvania	1,125		2.7	\$11,780
TOTAL: Statewide	3,446		2.6	\$18,499

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊙ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

Removal of Blockage of Neck Vessels						
Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
ACMH	12	○	3.1	○	○	\$10,140
Allegheny General	172	○	1.8	○	●	\$22,130
Alle-Kiski	15	○	1.9	○	○	\$21,504
Altoona Regional	100	○	2.0	○	○	\$17,270
Bradford Regional	30	○	1.8	○	○	\$13,648
Butler Memorial	57	○	2.9	○	○	\$16,970
Canonsburg General	1	NR	NR	NR	NR	NR
Charles Cole Memorial	0	NR	NR	NR	NR	NR
Clarion	2	NR	NR	NR	NR	NR
Clearfield	0	NR	NR	NR	NR	NR
Conemaugh Valley Memorial	85	○	2.3	○	○	\$12,742
Corry Memorial	0	NR	NR	NR	NR	NR
DuBois Regional	92	○	1.4	○	○	\$16,111
Elk Regional	1	NR	NR	NR	NR	NR
Ellwood City	16	○	1.7	○	○	\$9,864
Excelsa Hlth Westmoreland	118	○	2.1	○	○	\$10,082
Frick	5	○	2.0	○	○	\$10,459
Grove City	1	NR	NR	NR	NR	NR
Hamot	71	○	2.4	○	○	\$39,732
Highlands	2	NR	NR	NR	NR	NR
Indiana Regional	4	NR	NR	NR	NR	NR
Jameson Memorial	5	○	3.8	○	○	\$13,822
Jefferson Regional	115	○	2.6	○	○	\$14,212
Kane Community	0	NR	NR	NR	NR	NR
Latrobe Area	25	●	1.8	○	○	\$9,251
Magee-Womens	1	NR	NR	NR	NR	NR
Meadville	8	●	3.5	○	○	\$19,003
Medical Center Beaver	59	○	2.9	○	○	\$16,554
Meyersdale Community	0	NR	NR	NR	NR	NR
Millcreek Community	5	○	4.5	○	○	\$30,666
Miners	6	○	2.4	○	○	\$11,476

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

Removal of Blockage of Neck Vessels						
Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Monongahela Valley	36	⊖	3.4	⊖	⊖	\$15,754
Nason	0	NR	NR	NR	NR	NR
Ohio Valley General	34	⊖	2.0	⊖	⊖	\$15,527
Punxsutawney Area	0	NR	NR	NR	NR	NR
Saint Vincent Health	153	⊖	1.8	⊖	⊖	\$37,368
Sewickley Valley	42	⊖	2.2	⊖	⊖	\$11,734
Sharon Regional	36	⊖	1.5	⊖	⊖	\$18,057
Somerset	0	NR	NR	NR	NR	NR
Southwest Regional MC	0	NR	NR	NR	NR	NR
St Clair Memorial	44	⊖	2.5	⊖	⊖	\$19,181
Titusville Area	0	NR	NR	NR	NR	NR
Tyrone	0	NR	NR	NR	NR	NR
Uniontown	27	⊖	3.5	⊖	⊖	\$10,739
UPMC Bedford	0	NR	NR	NR	NR	NR
UPMC Braddock	16	⊖	2.4	⊖	⊖	\$24,754
UPMC Horizon	16	⊖	1.9	⊖	⊖	\$17,813
UPMC McKeesport	29	⊖	1.4	⊖	⊖	\$23,563
UPMC Mercy	36	⊖	2.8	⊖	⊖	\$29,663
UPMC Northwest	28	⊖	2.4	⊖	⊖	\$12,939
UPMC Passavant	54	⊖	2.0	⊖	⊖	\$20,140
UPMC Presby Shadyside	124	⊖	2.6	⊖	⊖	\$45,271
UPMC South Side	12	⊖	1.9	⊖	⊖	\$25,627
UPMC St Margaret	38	⊖	2.0	⊖	⊖	\$35,023
Warren General	10	⊖	4.1	⊖	⊖	\$25,112
Washington	49	⊖	3.2	⊖	⊖	\$19,982
Western PA Hosp/Forbes	53	⊖	2.6	⊖	⊖	\$25,994
Western Pennsylvania	48	⊖	2.4	⊖	⊖	\$35,758
Windber	11	⊖	2.2	⊖	⊖	\$23,305
Western Pennsylvania	1,924		2.3			\$21,819
TOTAL: Statewide	4,823		2.3			\$28,652

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 4.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.



Pennsylvania Health Care Cost Containment Council

David Wilderman, Acting Executive Director

225 Market Street, Suite 400, Harrisburg, PA 17101

Phone: 717-232-6787 • Fax: 717-232-3821

www.phc4.org

Hospitals may have commented on this report. Copies of their comments are available on the PHC4 Web site or by request.