

Hospitalizations for Newborns with Neonatal Abstinence Syndrome (NAS)

January 1, 2024 through December 31, 2024

County of Residence	Hospitalizations	
	Number	Rate of NAS hospitalizations per 1,000 newborn stays
Statewide	776	6.7
Adams	NR	NR
Allegheny	95	8.6
Armstrong	NR	NR
Beaver	20	13.8
Bedford	NR	NR
Berks	20	4.7
Blair	NR	NR
Bradford	NR	NR
Bucks	26	6.1
Butler	18	10.1
Cambria	13	11.5
Cameron	NR	NR
Carbon	NR	NR
Centre	NR	NR
Chester	19	4.0
Clarion	NR	NR
Clearfield	NR	NR
Clinton	NR	NR
Columbia	NR	NR
Crawford	NR	NR
Cumberland	12	5.0
Dauphin	11	3.7
Delaware	46	7.7
Elk	NR	NR
Erie	26	10.6
Fayette	NR	NR
Forest	NR	NR
Franklin	NR	NR
Fulton	NR	NR
Greene	NR	NR
Huntingdon	NR	NR

This analysis was limited to Pennsylvania general acute care hospitals.

Rates were calculated using PHC4 inpatient discharge data.

NR: Not reported due to low volume.

Hospitalizations for Newborns with Neonatal Abstinence Syndrome (NAS)

January 1, 2024 through December 31, 2024

County of Residence	Hospitalizations	
	Number	Rate of NAS hospitalizations per 1,000 newborn stays
Indiana	NR	NR
Jefferson	NR	NR
Juniata	NR	NR
Lackawanna	21	10.9
Lancaster	NR	NR
Lawrence	NR	NR
Lebanon	11	7.7
Lehigh	NR	NR
Luzerne	28	8.8
Lycoming	16	16.2
McKean	NR	NR
Mercer	12	14.2
Mifflin	NR	NR
Monroe	NR	NR
Montgomery	33	4.0
Montour	NR	NR
Northampton	NR	NR
Northumberland	NR	NR
Perry	NR	NR
Philadelphia	85	4.8
Pike	NR	NR
Potter	NR	NR
Schuylkill	17	13.6
Snyder	NR	NR
Somerset	NR	NR
Sullivan	NR	NR
Susquehanna	NR	NR
Tioga	NR	NR
Union	NR	NR
Venango	NR	NR
Warren	NR	NR
Washington	22	11.3

This analysis was limited to Pennsylvania general acute care hospitals.

Rates were calculated using PHC4 inpatient discharge data.

NR: Not reported due to low volume.

Hospitalizations for Newborns with Neonatal Abstinence Syndrome (NAS)

January 1, 2024 through December 31, 2024

County of Residence	Hospitalizations	
	Number	Rate of NAS hospitalizations per 1,000 newborn stays
Wayne	NR	NR
Westmoreland	28	10.4
Wyoming	NR	NR
York	37	8.3

This analysis was limited to Pennsylvania general acute care hospitals.
 Rates were calculated using PHC4 inpatient discharge data.
 NR: Not reported due to low volume.