


Hospital Performance Report

31 Common Medical Procedures and Treatments

Federal Fiscal Year 2006 • October 1, 2005 - September 30, 2006





**Counties included
in this Report**

- Berks
- Bucks
- Carbon
- Chester
- Delaware
- Lehigh
- Montgomery
- Northampton
- Philadelphia
- Schuylkill

Table of Contents

Key Findings 1

Understanding this Report..... 2

Descriptions 6

Diagnoses

- Abnormal Heartbeat..... 8
- Blood Clot in Extremities..... 10
- Blood Clot in Lung..... 12
- Chronic Obstructive Pulmonary Disease (COPD)..... 14
- Congestive Heart Failure (CHF) 16
- Diabetes with Amputation..... 18
- Diabetes – Medical Management..... 20
- Heart Attack – Medical Management..... 22
- Intestinal Obstruction..... 24
- Kidney Failure..... 26
- Kidney and Urinary Tract Infections 28
- Pneumonia – Aspiration 30
- Pneumonia – Infectious 32
- Respiratory Failure with Mechanical Ventilation..... 34
- Respiratory Failure without Mechanical Ventilation..... 36
- Septicemia..... 38
- Stomach and Intestinal Bleeding 40
- Stroke – Hemorrhagic..... 42
- Stroke – Non-Hemorrhagic..... 44

Procedures

- Abdominal Aortic Aneurysm Repair – Endovascular..... 46
- Abdominal Aortic Aneurysm Repair – Open 48
- Colorectal Procedures 50
- Gallbladder Removal – Laparoscopic 52
- Gallbladder Removal – Open 54
- Heart Attack – Angioplasty/Stent..... 56
- Hip Fracture – Surgical Repair..... 58
- Hysterectomy – Abdominal..... 60
- Hysterectomy – Vaginal..... 62
- Prostatectomy – Radical 64
- Prostatectomy – Transurethral..... 66
- Removal of Blockage of Neck Vessels..... 68



Key Findings

- The overall mortality rate for conditions reported for both 2004 and 2006 decreased significantly, from 4.7% in 2004 to 4.4% in 2006.
- Patient mortality decreased significantly in 18 of the 26 treatment categories between 2004 and 2006 (in categories where three years of mortality data were available). The largest decline was in Respiratory Failure without Mechanical Ventilation, where the mortality rate decreased from 17.0% in 2004 to 13.5% in 2006.
- Among the conditions reported, Respiratory Failure with Mechanical Ventilation had the highest mortality rate at 29.1%, and Removal of Blockage of Neck Vessels had the lowest rate at 0.2%.
- The average length of stay decreased significantly for 18 of the 30 treatment categories between 2004 and 2006. The largest decline was in Respiratory Failure with Mechanical Ventilation, where the average length of stay decreased from 10.5 days in 2004 to 9.7 days in 2006.
- There was wide variation in length of stay among hospitals. The condition with the most variation was Respiratory Failure with Mechanical Ventilation, where hospitals' average length of stay ranged from 4.1 to 16.1 days after taking patient risk factors into account.
- The overall readmission rate for conditions reported for both 2004 and 2006 increased significantly, rising from 18.7% in 2004 to 19.1% in 2006. The largest increase was in Respiratory Failure without Mechanical Ventilation, where the readmission rate increased from 24.3% in 2004 to 26.2% in 2006.
- There were 57,993 readmissions for any reason in 2006 (for the categories covered in the report). These readmissions amounted to approximately \$2.3 billion in charges and 352,000 hospital days.
- Among the conditions reported, Respiratory Failure with Mechanical Ventilation had the highest readmission rate at 27.6%, and Hysterectomy - Vaginal had the lowest rate at 3.3%.
- There were 15,057 readmissions for complication or infection in 2006 (for the categories covered in the report). These readmissions amounted to approximately \$734 million in charges and 111,000 hospital days.
- The condition with the highest readmission rate for complication or infection was Respiratory Failure without Mechanical Ventilation (12.7%). The condition with the lowest rate was Hysterectomy - Vaginal (2.1%).
- There was wide variation in charges among hospitals. The condition with the most variation was Respiratory Failure with Mechanical Ventilation, where hospitals' average charges ranged from \$10,956 to \$261,899.



Understanding this Report

Foreword

The Pennsylvania Health Care Cost Containment Council (PHC4) was established as an independent state agency by the General Assembly and the Governor of the Commonwealth of Pennsylvania in 1986. To help improve the quality and restrain the cost of health care, PHC4 promotes health care competition through the collection, analysis and public dissemination of uniform cost and quality-related information. Thanks to the vision of its General Assembly, Pennsylvania has begun to build a new health care marketplace where purchasers, consumers, providers, payors, and policymakers can make more informed decisions about the delivery of health care. This Hospital Performance Report is one of a series of public reports designed to achieve this goal. Information about additional treatment and surgical categories is posted on the PHC4 Web site at www.phc4.org.

What is the purpose of the report?

Before we make a major purchase, we normally familiarize ourselves with as much information as we can gather about the available products or services. By comparing what we can learn about the quality of the product as well as what will be charged for it, we decide on what we believe is the best quality product for the best possible price. It should be the same with health care services. Unfortunately, the information available to consumers and purchasers to make such decisions is limited and often not widely accessible. PHC4's Hospital Performance Report can help to fill that vacuum of information and assist consumers and purchasers in making more informed health care decisions. This report can also serve as an aid to providers in highlighting additional opportunities for quality improvement and cost containment. It should not be used in emergency situations.

About this report

- This report includes 31 conditions based on ICD-9-CM (International Classification of Diseases, Ninth Revision, Clinical Modification) codes, which specify the clinical reason(s) for a patient's hospitalization. Of the 31 code-based conditions, there are 19 diagnoses and 12 procedures. Descriptions of these conditions are on pages 6 and 7.
- This report covers inpatient hospital discharges during Federal Fiscal Year (FFY) 2006, which includes data from October 1, 2005 through September 30, 2006.
- This report is divided into three regional versions and is hospital-specific.
- All Pennsylvania general acute care and most specialty general acute care hospitals, regardless of size, are included.
- The hospital names have been shortened in many cases for formatting purposes. Hospital names may be different today than during the time period covered in this report due to mergers and name changes. A list of changes can be found on the PHC4 Web site at www.phc4.org.

Where does the data come from?

Pennsylvania hospitals are required by law to submit certain information to PHC4. The data compiled for the purpose of this publication is reported as it was submitted to PHC4 by Pennsylvania hospitals. The data was subject to standard verification processes by PHC4. In addition, hospitals are required to submit data indicating, in simple terms, "how sick the patient was" or, in technical jargon, a "severity score." The data is then risk-adjusted.



Accounting for high-risk patients

Even though two patients may be admitted to the hospital with the same illness, there may be differences in the seriousness of their conditions. In order to report fair comparisons among hospitals, PHC4 uses a complex mathematical formula to “risk-adjust” the mortality, length of stay and readmission data, meaning that hospitals receive “extra credit” for treating patients that are more seriously ill or at a greater risk than others. Risk-adjusting the data is important because sicker patients may be more likely to die, stay in the hospital longer, or be readmitted.

A sophisticated patient risk classification system called Atlas Outcomes™ is used to collect clinical information about hospital patients and to predict each patient’s chance of mortality and expected length of stay. Atlas Outcomes™ is a clinical information system developed by MediQual Systems, Inc.®, a business of Cardinal Health. This system is based on electronically available admit/discharge/transfer and laboratory data, as well as selected clinical data abstracted from the patient record, including EKG readings, vital signs, medical history, imaging, pathology and operative results. PHC4 also independently adjusts for other risk factors, such as poverty rate or the presence of cancer in the patient population included in this report.

A comprehensive description of the risk-adjustment techniques used for this report can be found in the *Technical Notes* on PHC4’s Web site at www.phc4.org.

What is measured in the report and why is it important?

PHC4’s mission is to provide the public with information that will help to improve the quality of health care services while also providing opportunities to restrain costs. The measurement of quality in health care is not an exact science. There may be a number of ways to define quality; however, for the purposes of this report, six measures are suggested. With the exception of volume of cases, each of these measures has been adjust-

ed for patient risk. (For more information, see the previous section titled, Accounting for high-risk patients.)

- **Volume of Cases** – For each hospital, the number of cases for each condition, after exclusions, is reported. This can give a patient or a purchaser an idea of the experience each facility has in treating such patients. Studies have suggested that, in at least some areas, the volume of cases treated by a physician or hospital can be a factor in the success of the treatment. The number of cases represents separate hospital admissions, not individual patients. A patient readmitted several times would be included each time in the number of cases. Outcome data are not reported for hospitals that had fewer than five cases evaluated for a measure; such low volume cannot be considered meaningful and, as such, the outcome data are not displayed. Not Reported (NR) appears in the table when this occurs.
Note: Small or specialty hospitals may report low volume due to the unique patient population they serve or geographic location.
- **Risk-Adjusted Mortality** – PHC4 has used risk-adjusted mortality statistics as a measure of quality since it began publishing reports in 1989. To determine the mortality rating, PHC4 compares the number of patients one could reasonably expect to die in a given hospital in a given condition with the actual number of deaths.
- **Risk-Adjusted Length of Stay** – The length of time a patient stays in the hospital can reflect how successful the hospital is in providing treatment and has an impact on the resources used in delivering treatment.
- **Risk-Adjusted Length of Stay Outliers** – Length of stay “outliers” are abnormally short or long hospitalizations – those individual hospitalizations where the difference between the actual and expected length of stay was in the top (long length of stay outliers) or bottom (short length of stay outliers) 5% of all statewide hospitalizations. They are the



hospitalizations where the difference between the actual and expected length of stay was above or below the normal range for all hospitalizations in the state. For any one hospital, the outlier rate is the number of outliers divided by the total number of hospitalizations. Length of stay may be an important quality of care indicator; however, many factors affect length of stay, some of which are beyond the hospital's control. Abnormally short or long hospital stays may result from factors, such as payor expectations, complications, clinical treatment advancements, or avoidable admissions due to inadequate health and social support in the community. Reported ratings should be interpreted cautiously and do not necessarily indicate high or low quality care.

- **Risk-Adjusted Readmissions** – A readmission is defined as a subsequent acute care hospitalization, for any reason in any Pennsylvania hospital, where the admit date is within 30 days of the discharge date of the original hospitalization. To determine the risk-adjusted readmission rating, PHC4 compares the number of patients one could reasonably expect to be readmitted in a given hospital in a given condition with the actual number of readmissions. The methodology was designed to limit planned readmissions; however, some may still be included. While some re-hospitalizations can be expected, high quality care may lessen the need for subsequent hospitalizations.
- **Risk-Adjusted Readmissions for Complication/Infection** – The risk-adjusted readmission rating (discussed above) takes into consideration all subsequent hospitalizations within 30 days of the discharge date of the original hospitalization.

However, this measure includes only readmissions with a principal diagnosis of a complication/infection (see the *Technical Notes* on the PHC4 Web site, www.phc4.org, for a detailed description).

Other data issues

- **Do Not Resuscitate Cases** – The mortality analysis includes Do Not Resuscitate (DNR) cases. Since DNR is defined and utilized differently across Pennsylvania hospitals, such records are retained in the analysis to avoid potential biases in mortality ratings.
- Not all data is reported for all measures. For example, readmission rates are not reported for Heart Attack – Medical Management because subsequent admissions are often planned.

Hospital charges

This report also includes the average hospital charge for each of the 31 code-based conditions. While charges are what the hospital reports on the billing form, they may not accurately represent the amount a hospital receives in payment for the services it delivers. Hospitals usually receive less in actual payments than the listed charge.

A look at the financial data submitted by hospitals to PHC4 can shed some light on the relationship between the amount hospitals charge or bill for inpatient services, and the amount they receive in Net Patient Revenue (NPR). Pennsylvania hospitals received, on average statewide, \$.27 in NPR for every dollar that they charged in Fiscal Year 2006 (7/1/05 through 6/30/06).

Within the geographic area covered in this report, hospitals received, on average, \$.22 in NPR for every dollar charged. Broken down even

Understanding the Symbols

Symbols representing ratings for risk-adjusted mortality, readmissions, and length of stay outliers are displayed in the report. These symbols reflect a comparison of a hospital's actual rate and what is expected.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.



further, hospitals within the city of Philadelphia received, on average, \$.22 in NPR for every dollar charged, suburban Philadelphia hospitals received an average of \$.17 on the dollar, and hospitals in the Lehigh Valley/Reading area received an average of \$.35 on the dollar.

These regional figures are aggregate only and cannot be applied to individual hospitals or individual average charges for conditions to calculate actual payment figures. This is due to substantial variation in hospital charges from hospital to hospital and from insurance product line to product line. There is also substantial variation in actual payments that hospitals receive for specific services. Actual payments to hospitals are imposed by Medicare and Medicaid, or result from negotiations with insurance companies, other third-party payors, and even individual patients.

How to use the report

- **Patients/Consumers** can use this report as an aid in making decisions about where to seek treatment for the conditions detailed in this report. As with any health care decision, PHC4 urges the reader to use this report in conjunction with a physician or other health care provider when making a health care decision.
- **Group Benefits Purchasers/Insurers** can use this report as part of a process in determining where employees, subscribers, members, or participants should go for their health care.
- **Health Care Providers** can use this report as an aid in identifying opportunities for quality improvement and cost containment.
- **Policymakers/Public Officials** can use this report to enhance their understanding of health care issues, to ask provocative questions, to raise public awareness of important issues and to help constituents identify quality health care options.

- **All of the previously mentioned groups** can use this information to raise important questions about why differences exist in the quality and efficiency of care.

This report can be used as a tool. It should not be used to generalize about the overall quality of care at a hospital, but instead to examine hospital performance in specific treatment categories. The measurement of quality is highly complex, and the information used to capture such measures is limited. A hospital death is frequently an unavoidable consequence of a patient's medical condition. Hospitals and physicians may do everything right, and the patient can still die. However, the statistical methods used eliminate many of the clinical and medical differences among the patients in different hospitals, thereby allowing us to explore the real differences in the measures presented in this report. The pursuit of these issues can play an important and constructive role in raising the quality while restraining the cost of health care in the Commonwealth of Pennsylvania.

Non-compliant hospitals

Hospitals are required under Pennsylvania law (Act 14) to submit timely, accurate health care data to PHC4. PHC4, acting upon the advice of its Technical Advisory Group, a panel of physicians and other health care experts, has determined that hospitals missing the required UB-92 data or patient severity scores in excess of or equal to 10% of all records for which severity scores are required to be reported are non-compliant with state law and are excluded from this report. These hospitals are listed below. Although hospitalization data specific to non-compliant hospitals is not shown in this report, these records have been included in the overall analysis for the measures included in this report (unless noted otherwise), and thus are reflected in the statewide and regional totals.

Hospitals excluded from this report due to non-compliance

No hospitals in the Southeastern Pennsylvania area were excluded due to non-compliance.



Code-Based Diagnosis Descriptions

Abnormal Heartbeat: Abnormal heart rate or rhythm including tachycardia, bradycardia, fibrillation, flutter and heart block. Does not include heart attack, congenital heart defects, or heart valve disorders.

Blood Clot in Extremities: Inflammation of a blood vessel with the formation of a thrombus (blood clot) in a deep or superficial vein involving the legs, arms, and other parts of the body. Includes deep vein thrombosis (DVT).

Blood Clot in Lung: The formation of a thrombus (blood clot) and/or infarction (damage or death) of the lung tissue. Often called pulmonary embolism or pulmonary infarct.

Chronic Obstructive Pulmonary Disease (COPD): Chronic lung disease where breathing is difficult due to airway narrowing, excess mucus production or inflammation. It is caused most frequently by bronchitis, asthma, or emphysema.

Congestive Heart Failure (CHF): Heart failure occurs when the heart loses its ability to pump enough blood through the body. Heart failure usually worsens over time as the heart gradually loses its pumping ability and works less efficiently, resulting in high blood pressure and fluid collection in the lungs.

Diabetes with Amputation: Includes patients who have diabetes and undergo an amputation of the arm, leg, or toe.

Diabetes – Medical Management: Includes patients hospitalized for control of blood sugar. Conditions include coma, high blood sugar crisis, and fluid imbalances. Kidney, eye, nerve, or blood vessel damage related to diabetes are included.

Heart Attack – Medical Management: A heart attack (myocardial infarction) occurs when there is blockage or obstruction in the blood vessels that supply oxygen to the heart muscle causing an infarction (damage or death) to an area of the heart. Included are heart attack patients who were treated without a balloon (angioplasty) procedure or open heart surgery.

Intestinal Obstruction: Partial or complete blockage of the intestine often caused by scar tissue, tumors, twisting and kinking, or decreased blood supply that prevents the contents in the intestine from passing beyond the blockage.

Kidney Failure: Short and long-term kidney (renal) failure due to high blood pressure, heart disease, or damage to kidney tissue. Does not include dialysis or transplants.

Kidney and Urinary Tract Infections: Acute and chronic infections of the kidney and urinary tract. Does not include urinary stone or urinary symptoms, such as frequency, bleeding, or pain.

Pneumonia – Aspiration: Inflammation of the lungs and bronchial tubes caused by inhaling foreign material, such as food, drink, vomit, or secretions from the mouth into the lungs. Does not include infectious pneumonia.

Pneumonia – Infectious: Simple pneumonia (inflammation of the lung) includes viral and bacterial pneumonia, as well as pleurisy, an inflammation of the membrane surrounding the lungs.

Respiratory Failure with Mechanical Ventilation: Failure of the lungs to support the exchange of essential gases (oxygen and carbon dioxide), making the use of mechanical ventilation necessary. A mechanical ventilator (“breathing machine”) delivers oxygen through a tube placed in the mouth or nose into the trachea (windpipe). The breathing machine can be set to help or completely control breathing.

Respiratory Failure without Mechanical Ventilation: Inability of the lungs to support the exchange of essential gases (oxygen and carbon dioxide) without the need for mechanical ventilation.

Stomach and Intestinal Bleeding: Bleeding from ulcers or areas of inflammation in the stomach, small or large intestine, rectum, or esophagus (muscular tube that connects the mouth to the stomach).

Septicemia: Also known as blood poisoning, is a system-wide infection of the patient’s blood. Does not include post-operative or post-injury infections.

Stroke – Hemorrhagic: Stroke is a cardiovascular disease that affects the blood vessels supplying blood to the brain. In hemorrhagic strokes, a blood vessel in the brain breaks or ruptures and causes bleeding (hemorrhage) within or around the brain.

Stroke – Non-hemorrhagic: In ischemic (non-hemorrhagic) strokes, a blood clot blocks a blood vessel in the brain or an artery leading to the brain. This is the most common type of stroke. Transient ischemic attack (temporary stroke symptoms) is not included.



Code-Based Procedure Descriptions

Abdominal Aortic Aneurysm Repair – Endovascular (EVAR):

An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This procedure repairs the aneurysm in a minimally invasive manner. A covered stent (mesh tube) or 'endograft' is inserted through small incisions in the groin and advanced through the blood vessels to the weakened or bulging area of the abdominal aorta using X-rays to guide the placement. This endograft reinforces the weakened area of the aorta and prevents rupture of the aneurysm.

Abdominal Aortic Aneurysm Repair – Open: An abdominal aortic aneurysm (AAA) is a bulging or weakened area of the aorta (the aorta is the main blood vessel coming from the heart that supplies blood to all organs) in the abdomen. This 'open' procedure is performed through an incision in the abdomen. A synthetic graft is sutured (sewn) into the aorta to replace the weakened section.

Colorectal Procedures: The majority of colorectal procedures are performed in relation to the presence of cancer or diverticulitis (inflammation of part of the lower digestive tract). Does not include patients with abdominal trauma.

Gallbladder Removal – Laparoscopic: Cholecystectomy is the operation for removal of the gallbladder. Included are patients who underwent this type of surgery carried out with a laparoscope (microscopic camera) through 3 or 4 small incisions.

Gallbladder Removal – Open: Traditional gallbladder removal surgery that is carried out through an incision in the right side of the upper abdomen.

Heart Attack – Angioplasty/Stent: Treatment (called percutaneous transluminal coronary angioplasty or PTCA) of a heart attack using special balloons to open up obstructed arteries and increase blood flow to the heart. Often, a stent (a mesh tube) is inserted in the blocked or narrowed artery to open it wider and prevent re-narrowing or recurring blockage. Does not include coronary artery bypass graft surgery (CABG).

Hip Fracture – Surgical Repair: Fracture ("broken bone") of the hip involves the top portion of the femur (thigh bone). Surgical repair includes inserting a pin, rod or screw into the bone to hold the fracture together for healing or may also include a partial or total hip joint replacement.

Hysterectomy – Abdominal: An operation, performed through an abdominal incision, to remove the uterus (womb) and sometimes the ovaries and fallopian tubes. This type of surgery is performed when vaginal or laparoscopic approaches are deemed inappropriate for a variety of conditions, including female cancers, uterine fibroids, endometriosis, pelvic trauma, and uterine or vaginal prolapse.

Hysterectomy – Vaginal: Includes hysterectomy through a vaginal approach and those laparoscopically (use of microscopic camera) assisted. Includes hysterectomy performed for a variety of conditions such as female cancers, pelvic trauma, uterine fibroids, and endometriosis.

Prostatectomy – Radical: Radical prostatectomy is the surgical removal of the entire prostate. This type of surgery is usually performed when localized cancer is present.

Prostatectomy – Transurethral: This type of surgery involves the surgical removal of part of the prostate gland and is usually done to relieve urinary symptoms caused by benign (non-cancerous) enlargement of the prostate.

Removal of Blockage of Neck Vessels: This procedure, also known as a carotid endarterectomy, is performed to prevent strokes. It involves removal of blockages, complete or partial, in the two arteries (carotid arteries) that supply the brain with blood and oxygen.

Information about additional treatment and surgical categories is posted on the Web site at www.phc4.org



Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	988	⊙	3.5	3.3	⊙	5.9	⊙	⊙	⊙	\$41,220
Albert Einstein	517	⊙	3.4	7.4	●	9.4	●	⊙	⊙	\$43,122
Brandywine	213	⊙	3.3	2.3	⊙	2.8	⊙	⊙	⊙	\$43,380
Central Montgomery	179	⊙	2.8	4.5	⊙	2.8	⊙	⊙	⊙	\$31,631
Chester County	439	⊙	3.1	4.4	⊙	3.4	⊙	⊙	⊙	\$17,437
Chestnut Hill	236	⊙	2.8	7.2	⊙	4.7	⊙	⊙	⊙	\$33,991
Crozer-Chester	298	⊙	3.1	3.4	⊙	5.1	⊙	⊙	⊙	\$53,330
Delaware County Memorial	241	⊙	3.7	5.1	⊙	8.0	⊙	⊙	⊙	\$57,258
Doylestown	342	⊙	3.0	2.9	⊙	3.5	⊙	⊙	⊙	\$23,776
Easton	325	⊙	3.4	5.3	⊙	4.7	⊙	⊙	⊙	\$34,800
Frankford	840	⊙	4.8	1.9	⊙	14.8	●	⊙	⊙	\$28,775
Gnaden Huetten Memorial	72	⊙	2.2	12.5	●	0.0	⊙	⊙	⊙	\$9,183
Good Samaritan Regional	211	⊙	3.5	3.9	⊙	4.3	⊙	⊙	⊙	\$11,436
Graduate	133	⊙	3.2	3.0	⊙	4.5	⊙	⊙	⊙	\$73,781
Grand View	329	⊙	3.4	2.7	⊙	3.4	⊙	⊙	⊙	\$29,473
Hahnemann University	362	⊙	4.1	3.6	⊙	14.7	●	●	⊙	\$66,459
Holy Redeemer	344	⊙	3.6	1.8	⊙	2.7	⊙	⊙	⊙	\$49,921
Hospital Fox Chase Cancer	18	⊙	2.7	0.0	⊙	0.0	⊙	⊙	⊙	\$20,802
Hospital University PA	564	⊙	3.8	2.1	⊙	3.9	⊙	⊙	⊙	\$62,598
Jeanes	312	⊙	3.9	2.3	⊙	8.4	●	⊙	⊙	\$80,995
Jennersville Regional	104	⊙	3.2	2.9	⊙	2.9	⊙	⊙	⊙	\$31,136
Lehigh Valley	775	⊙	3.2	5.0	⊙	2.2	⊙	⊙	⊙	\$32,903
Lehigh Valley/Muhlenberg	309	⊙	3.6	4.2	⊙	5.8	⊙	⊙	⊙	\$36,177
Main Line Bryn Mawr	441	⊙	2.9	5.3	⊙	3.2	⊙	⊙	⊙	\$32,346
Main Line Lankenau	829	⊙	2.7	6.2	⊙	1.5	⊙	⊙	⊙	\$32,354
Main Line Paoli	290	⊙	2.9	6.9	⊙	1.0	⊙	⊙	⊙	\$30,470
Mercy Fitzgerald	224	⊙	3.0	9.4	●	3.6	⊙	●	⊙	\$41,383
Mercy Philadelphia	159	⊙	3.0	8.2	⊙	7.0	⊙	●	⊙	\$50,114
Mercy Suburban	179	⊙	2.9	4.0	⊙	4.0	⊙	⊙	⊙	\$36,413

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Abnormal Heartbeat

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	224	⊙	3.6	3.6	⊙	13.5	●	●	⊙	\$42,698
Montgomery	189	⊙	3.0	4.3	⊙	3.7	⊙	●	⊙	\$23,645
Nazareth	323	⊙	4.5	3.1	⊙	13.2	●	⊙	⊙	\$51,225
Palmerton	57	⊙	2.4	12.3	●	1.8	⊙	⊙	⊙	\$12,582
Penn Presbyterian	562	⊙	3.6	2.7	⊙	2.0	⊙	⊙	⊙	\$41,643
Pennsylvania	221	⊙	3.1	4.1	⊙	5.1	⊙	⊙	⊙	\$44,856
Phoenixville	216	⊙	3.1	4.7	⊙	2.8	⊙	⊙	●	\$22,965
Pottstown Memorial	277	⊙	2.6	5.1	⊙	2.2	⊙	●	●	\$27,004
Pottsville Warne Clinic	149	⊙	3.7	2.7	⊙	9.5	●	⊙	⊙	\$10,945
Reading	503	⊙	3.4	5.5	⊙	6.1	⊙	⊙	⊙	\$15,336
Riddle Memorial	240	⊙	2.8	5.9	⊙	4.7	⊙	⊙	⊙	\$43,509
Roxborough Memorial	143	⊙	3.9	2.1	⊙	5.0	⊙	⊙	⊙	\$29,065
Sacred Heart/Allentown	102	⊙	3.7	1.0	⊙	7.1	⊙	⊙	⊙	\$21,735
Saint Catherine	20	⊙	3.1	0.0	⊙	5.0	⊙	⊙	⊙	\$16,033
Springfield	55	⊙	3.4	7.3	⊙	5.5	⊙	⊙	⊙	\$55,888
St Joseph/Reading	223	⊙	2.6	15.4	●	1.8	⊙	⊙	⊙	\$15,517
St Joseph's/Philadelphia	39	⊙	3.6	0.0	⊙	10.3	⊙	⊙	⊙	\$21,306
St Luke's Miners	47	⊙	4.5	0.0	⊙	13.0	●	⊙	⊙	\$21,970
St Luke's Quakertown	80	⊙	2.7	5.0	⊙	1.3	⊙	⊙	⊙	\$19,903
St Luke's/Bethlehem	636	⊙	2.9	7.1	●	1.1	⊙	⊙	⊙	\$18,988
St Mary	720	⊙	3.5	3.8	⊙	6.0	⊙	⊙	⊙	\$24,870
Taylor	214	⊙	4.0	0.9	⊙	8.0	⊙	⊙	⊙	\$59,946
Temple East	168	⊙	4.2	3.0	⊙	16.3	●	⊙	⊙	\$53,612
Temple Lower Bucks	176	⊙	3.9	1.7	⊙	12.1	●	●	⊙	\$52,345
Temple University	350	⊙	3.3	7.0	⊙	9.6	●	●	⊙	\$79,520
Thomas Jefferson Univ	483	⊙	3.5	4.4	⊙	7.9	●	●	⊙	\$41,428
Warminster	92	⊙	3.6	5.6	⊙	4.4	⊙	⊙	⊙	\$49,581
Southeastern Pennsylvania	16,802		3.4	4.5		5.7				\$37,711
TOTAL: Statewide	38,651		3.3	5.0		5.0				\$26,132

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Abington Memorial	163	⊙	4.7	4.3	⊙	5.6	⊙	\$39,789
Albert Einstein	102	⊙	3.8	9.8	●	8.8	⊙	\$22,829
Brandywine	27	⊙	4.7	7.7	⊙	11.5	⊙	\$32,343
Central Montgomery	30	⊙	4.5	3.3	⊙	6.7	⊙	\$19,593
Chester County	65	⊙	4.5	1.6	⊙	7.8	⊙	\$12,338
Chestnut Hill	54	⊙	4.6	5.6	⊙	1.9	⊙	\$22,041
Crozer-Chester	85	⊙	3.0	10.6	●	4.7	⊙	\$34,720
Delaware County Memorial	57	⊙	5.3	0.0	⊙	7.1	⊙	\$50,765
Doylestown	59	⊙	3.7	6.8	⊙	0.0	⊙	\$16,394
Easton	75	⊙	4.4	5.3	⊙	5.3	⊙	\$14,346
Frankford	157	⊙	4.6	2.6	⊙	9.6	●	\$20,672
Gnaden Huetten Memorial	14	⊙	4.1	0.0	⊙	0.0	⊙	\$5,356
Good Samaritan Regional	32	⊙	5.1	3.1	⊙	9.4	⊙	\$6,860
Graduate	31	⊙	5.3	0.0	⊙	19.4	●	\$53,600
Grand View	38	⊙	3.1	15.8	●	7.9	⊙	\$21,284
Hahnemann University	60	⊙	4.9	3.3	⊙	20.0	●	\$52,993
Holy Redeemer	73	⊙	4.4	2.7	⊙	6.8	⊙	\$37,902
Hospital Fox Chase Cancer	22	⊙	3.4	22.7	●	4.5	⊙	\$14,210
Hospital University PA	126	⊙	4.3	5.6	⊙	12.8	●	\$26,813
Jeanes	81	⊙	4.6	1.3	⊙	5.0	⊙	\$41,906
Jennersville Regional	21	⊙	3.8	0.0	⊙	0.0	⊙	\$12,580
Lehigh Valley	148	⊙	3.4	7.4	⊙	2.0	⊙	\$13,356
Lehigh Valley/Muhlenberg	57	⊙	3.4	5.3	⊙	3.5	⊙	\$12,646
Main Line Bryn Mawr	54	⊙	3.2	13.0	●	1.9	⊙	\$22,943
Main Line Lankenau	79	⊙	4.5	5.1	⊙	5.1	⊙	\$28,448
Main Line Paoli	22	⊙	3.7	13.6	⊙	4.5	⊙	\$23,496
Mercy Fitzgerald	42	⊙	4.0	4.8	⊙	2.4	⊙	\$33,034
Mercy Philadelphia	59	⊙	4.3	8.5	⊙	6.8	⊙	\$28,188
Mercy Suburban	45	⊙	4.0	2.3	⊙	4.5	⊙	\$27,493

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Blood Clot in Extremities

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Methodist Division/TJUH	45	⊙	5.2	2.2	⊙	11.1	⊙	\$29,131
Montgomery	37	⊙	4.4	5.4	⊙	5.4	⊙	\$17,736
Nazareth	54	⊙	4.8	5.6	⊙	7.4	⊙	\$27,337
Palmerton	19	⊙	3.3	15.8	⊙	0.0	⊙	\$5,284
Penn Presbyterian	50	⊙	3.8	10.0	⊙	8.0	⊙	\$20,704
Pennsylvania	44	⊙	3.7	6.8	⊙	6.8	⊙	\$28,154
Phoenixville	37	⊙	3.5	5.4	⊙	0.0	⊙	\$15,788
Pottstown Memorial	42	⊙	3.8	7.1	⊙	4.8	⊙	\$15,025
Pottsville Warne Clinic	48	⊙	3.9	8.3	⊙	2.1	⊙	\$5,852
Reading	172	⊙	4.7	3.5	⊙	4.7	⊙	\$9,516
Riddle Memorial	63	⊙	4.9	1.6	⊙	3.2	⊙	\$34,897
Roxborough Memorial	33	⊙	4.5	6.1	⊙	3.0	⊙	\$14,140
Sacred Heart/Allentown	56	⊙	4.5	0.0	⊙	3.6	⊙	\$9,231
Saint Catherine	13	⊙	4.3	0.0	⊙	0.0	⊙	\$7,336
Springfield	14	⊙	4.3	7.1	⊙	0.0	⊙	\$54,704
St Joseph/Reading	56	⊙	4.5	7.3	⊙	1.8	⊙	\$8,540
St Joseph's/Philadelphia	10	⊙	6.0	0.0	⊙	20.0	⊙	\$15,964
St Luke's Miners	15	⊙	5.8	0.0	⊙	6.7	⊙	\$14,591
St Luke's Quakertown	16	⊙	4.0	0.0	⊙	0.0	⊙	\$14,581
St Luke's/Bethlehem	168	⊙	3.4	3.6	⊙	1.8	⊙	\$12,336
St Mary	84	⊙	4.9	2.4	⊙	2.4	⊙	\$18,577
Taylor	31	⊙	4.5	3.2	⊙	3.2	⊙	\$53,398
Temple East	36	⊙	5.4	0.0	⊙	5.7	⊙	\$37,043
Temple Lower Bucks	27	⊙	4.9	0.0	⊙	3.7	⊙	\$37,320
Temple University	61	⊙	4.4	6.6	⊙	11.5	●	\$58,865
Thomas Jefferson Univ	118	⊙	4.4	9.3	⊙	12.7	●	\$29,657
Warminster	13	⊙	3.7	15.4	⊙	0.0	⊙	\$31,458
Southeastern Pennsylvania	3,242		4.2	5.3		6.0		\$24,486
TOTAL: Statewide	7,674		4.3	5.0		5.0		\$15,987

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Abington Memorial	99	⊖	6.8	2.0	⊖	9.2	⊖	\$68,276
Albert Einstein	89	⊖	5.2	9.8	⊖	7.3	⊖	\$34,519
Brandywine	41	⊖	6.4	2.4	⊖	4.9	⊖	\$65,585
Central Montgomery	29	⊖	5.3	3.4	⊖	3.4	⊖	\$34,834
Chester County	46	⊖	5.3	2.2	⊖	4.4	⊖	\$20,454
Chestnut Hill	44	⊖	5.1	4.7	⊖	4.7	⊖	\$37,257
Crozer-Chester	43	⊖	5.3	4.9	⊖	7.3	⊖	\$78,111
Delaware County Memorial	35	⊖	6.1	6.1	⊖	3.0	⊖	\$71,958
Doylestown	61	⊖	5.0	8.3	⊖	3.3	⊖	\$22,864
Easton	36	⊖	5.7	2.8	⊖	2.8	⊖	\$27,934
Frankford	93	⊖	5.9	3.3	⊖	8.7	⊖	\$31,362
Gnaden Huetten Memorial	7	⊖	4.7	0.0	⊖	0.0	⊖	\$9,737
Good Samaritan Regional	26	⊖	7.3	0.0	⊖	15.4	●	\$15,328
Graduate	11	⊖	6.1	0.0	⊖	18.2	⊖	\$69,400
Grand View	38	⊖	4.9	13.9	●	5.6	⊖	\$32,517
Hahnemann University	35	⊖	5.8	5.9	⊖	11.8	⊖	\$75,695
Holy Redeemer	42	⊖	6.3	0.0	⊖	2.4	⊖	\$76,352
Hospital Fox Chase Cancer	11	⊖	4.3	0.0	⊖	0.0	⊖	\$22,429
Hospital University PA	92	⊖	5.4	7.6	⊖	6.5	⊖	\$43,341
Jeanes	20	⊖	6.7	0.0	⊖	10.0	⊖	\$80,645
Jennersville Regional	9	⊖	5.6	0.0	⊖	11.1	⊖	\$30,091
Lehigh Valley	147	⊖	5.2	7.8	⊖	3.5	⊖	\$26,833
Lehigh Valley/Muhlenberg	69	⊖	5.0	1.4	⊖	2.9	⊖	\$28,826
Main Line Bryn Mawr	52	⊖	4.4	17.6	●	2.0	⊖	\$39,965
Main Line Lankenau	56	⊖	5.5	5.6	⊖	1.9	⊖	\$46,192
Main Line Paoli	52	⊖	4.6	7.7	⊖	3.8	⊖	\$42,973
Mercy Fitzgerald	41	⊖	5.0	5.1	⊖	5.1	⊖	\$57,265
Mercy Philadelphia	31	⊖	5.3	3.3	⊖	3.3	⊖	\$43,721
Mercy Suburban	15	⊖	5.4	0.0	⊖	6.7	⊖	\$46,412

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Blood Clot in Lung

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Methodist Division/TJUH	22	⊙	6.1	0.0	⊙	0.0	⊙	\$42,987
Montgomery	22	⊙	6.5	0.0	⊙	13.6	⊙	\$33,392
Nazareth	34	⊙	6.6	3.2	⊙	6.5	⊙	\$47,750
Palmerton	4	NR	NR	NR	NR	NR	NR	NR
Penn Presbyterian	37	⊙	5.5	5.4	⊙	5.4	⊙	\$39,827
Pennsylvania	38	⊙	5.7	5.6	⊙	5.6	⊙	\$46,690
Phoenixville	38	⊙	4.4	7.9	⊙	2.6	⊙	\$24,650
Pottstown Memorial	27	⊙	4.4	3.8	⊙	3.8	⊙	\$26,945
Pottsville Warne Clinic	35	⊙	5.0	14.7	●	0.0	⊙	\$9,456
Reading	155	⊙	6.2	2.0	⊙	10.1	●	\$17,103
Riddle Memorial	40	⊙	5.4	2.6	⊙	2.6	⊙	\$54,929
Roxborough Memorial	5	⊙	NR	NR	NR	NR	NR	\$21,387
Sacred Heart/Allentown	16	⊙	6.1	0.0	⊙	12.5	⊙	\$17,448
Saint Catherine	6	⊙	4.4	16.7	⊙	0.0	⊙	\$12,369
Springfield	8	⊙	6.5	0.0	⊙	14.3	⊙	\$95,008
St Joseph/Reading	29	⊙	5.7	3.7	⊙	3.7	⊙	\$15,884
St Joseph's/Philadelphia	8	●	6.9	0.0	⊙	33.3	●	\$26,540
St Luke's Miners	4	NR	NR	NR	NR	NR	NR	NR
St Luke's Quakertown	10	⊙	4.4	0.0	⊙	0.0	⊙	\$19,586
St Luke's/Bethlehem	128	⊙	5.4	5.6	⊙	3.2	⊙	\$23,895
St Mary	72	⊙	6.2	0.0	⊙	5.6	⊙	\$27,265
Taylor	47	⊙	5.7	4.4	⊙	6.7	⊙	\$86,513
Temple East	25	⊙	7.0	0.0	⊙	16.0	●	\$59,403
Temple Lower Bucks	14	⊙	6.4	0.0	⊙	7.1	⊙	\$65,584
Temple University	71	⊙	5.2	8.5	⊙	12.7	●	\$84,974
Thomas Jefferson Univ	92	⊙	4.9	4.5	⊙	9.1	⊙	\$44,171
Warminster	13	⊙	6.3	0.0	⊙	7.7	⊙	\$80,145
Southeastern Pennsylvania	2,371		5.6	4.9		6.2		\$40,609
TOTAL: Statewide	6,397		5.5	5.0		5.0		\$26,313

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	372	⊙	4.1	7.0	⊙	4.6	⊙	⊙	⊙	\$39,531
Albert Einstein	350	⊙	3.4	14.6	●	3.4	⊙	⊙	⊙	\$21,688
Brandywine	199	⊙	5.1	2.5	⊙	7.6	⊙	⊙	⊙	\$49,046
Central Montgomery	126	⊙	4.3	5.6	⊙	4.8	⊙	⊙	⊙	\$31,330
Chester County	224	⊙	5.0	2.3	⊙	9.9	●	⊙	⊙	\$17,822
Chestnut Hill	122	⊙	3.9	5.8	⊙	1.7	⊙	⊙	⊙	\$34,061
Crozer-Chester	311	⊙	4.1	5.9	⊙	5.6	⊙	●	⊙	\$55,799
Delaware County Memorial	222	●	5.3	2.8	⊙	11.3	●	⊙	⊙	\$57,427
Doylestown	155	⊙	5.3	7.2	⊙	11.2	●	⊙	⊙	\$28,892
Easton	197	⊙	4.5	3.1	⊙	4.6	⊙	⊙	⊙	\$20,038
Frankford	686	⊙	4.9	1.8	○	7.0	●	●	⊙	\$30,864
Gnaden Huetten Memorial	93	⊙	4.0	7.7	⊙	2.2	⊙	⊙	⊙	\$8,367
Good Samaritan Regional	203	●	4.6	4.1	⊙	6.1	⊙	⊙	⊙	\$9,533
Graduate	109	⊙	4.4	2.8	⊙	4.6	⊙	⊙	⊙	\$50,004
Grand View	103	⊙	4.6	1.0	⊙	3.9	⊙	⊙	⊙	\$29,063
Hahnemann University	87	⊙	5.3	7.0	⊙	12.8	●	⊙	⊙	\$58,365
Holy Redeemer	170	⊙	4.6	1.2	○	5.9	⊙	⊙	⊙	\$44,319
Hospital Fox Chase Cancer	15	⊙	3.5	6.7	⊙	0.0	⊙	⊙	⊙	\$11,881
Hospital University PA	147	⊙	4.1	7.5	⊙	9.6	●	●	⊙	\$34,114
Jeanes	186	⊙	4.7	3.3	⊙	4.9	⊙	⊙	⊙	\$50,649
Jennersville Regional	102	⊙	4.0	4.9	⊙	2.0	⊙	⊙	⊙	\$20,891
Lehigh Valley	339	○	4.3	8.6	●	4.4	⊙	⊙	⊙	\$20,757
Lehigh Valley/Muhlenberg	176	⊙	3.5	8.7	⊙	1.7	○	⊙	⊙	\$17,374
Main Line Bryn Mawr	249	⊙	4.3	7.9	⊙	5.0	⊙	⊙	⊙	\$35,922
Main Line Lankenau	232	⊙	4.4	10.5	●	3.5	⊙	●	⊙	\$33,143
Main Line Paoli	141	⊙	3.7	8.9	⊙	0.7	○	○	○	\$29,702
Mercy Fitzgerald	249	⊙	3.9	6.1	⊙	5.7	⊙	⊙	⊙	\$40,531
Mercy Philadelphia	318	⊙	3.6	4.1	⊙	2.8	⊙	●	⊙	\$30,777
Mercy Suburban	168	⊙	4.3	5.5	⊙	4.9	⊙	⊙	⊙	\$34,809

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Chronic Obstructive Pulmonary Disease (COPD)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	288	⊙	5.6	2.8	⊙	14.4	●	●	⊙	\$35,010
Montgomery	199	⊙	5.3	3.1	⊙	10.2	●	●	⊙	\$26,926
Nazareth	217	⊙	4.5	2.8	⊙	5.1	⊙	⊙	⊙	\$37,646
Palmerton	71	⊙	3.9	4.3	⊙	1.4	⊙	⊙	⊙	\$8,077
Penn Presbyterian	111	⊙	3.5	9.9	●	2.7	⊙	⊙	⊙	\$20,928
Pennsylvania	110	⊙	4.8	5.5	⊙	7.3	⊙	⊙	⊙	\$38,981
Phoenixville	156	⊙	4.2	3.9	⊙	3.9	⊙	●	⊙	\$23,846
Pottstown Memorial	249	⊙	4.1	6.1	⊙	2.0	○	⊙	⊙	\$24,332
Pottsville Warne Clinic	189	⊙	5.3	2.2	⊙	9.7	●	⊙	⊙	\$8,903
Reading	225	⊙	5.2	5.5	⊙	12.8	●	⊙	○	\$15,357
Riddle Memorial	208	⊙	5.1	3.9	⊙	9.7	●	○	⊙	\$43,476
Roxborough Memorial	175	⊙	5.5	3.5	⊙	7.5	⊙	●	⊙	\$20,707
Sacred Heart/Allentown	95	⊙	4.1	8.5	⊙	2.1	⊙	○	○	\$11,995
Saint Catherine	64	⊙	4.0	4.8	⊙	1.6	⊙	⊙	⊙	\$9,674
Springfield	35	⊙	4.8	5.9	⊙	11.8	⊙	⊙	⊙	\$58,521
St Joseph/Reading	153	⊙	4.4	6.0	⊙	4.7	⊙	⊙	⊙	\$12,630
St Joseph's/Philadelphia	79	⊙	4.7	1.3	⊙	3.8	⊙	●	⊙	\$15,591
St Luke's Miners	77	⊙	5.2	2.6	⊙	3.9	⊙	⊙	⊙	\$14,632
St Luke's Quakertown	75	⊙	3.6	4.0	⊙	0.0	○	⊙	⊙	\$17,861
St Luke's/Bethlehem	382	⊙	4.0	8.2	●	4.5	⊙	⊙	⊙	\$17,098
St Mary	334	⊙	4.8	4.2	⊙	6.6	⊙	⊙	⊙	\$23,302
Taylor	236	⊙	5.0	4.7	⊙	7.8	⊙	⊙	⊙	\$64,006
Temple East	343	⊙	5.6	1.5	○	8.2	●	●	⊙	\$39,279
Temple Lower Bucks	173	⊙	4.2	4.7	⊙	2.9	⊙	⊙	○	\$41,933
Temple University	467	⊙	4.1	6.9	⊙	5.8	⊙	●	⊙	\$57,116
Thomas Jefferson Univ	166	⊙	4.4	6.6	⊙	9.6	●	●	⊙	\$36,490
Warminster	89	⊙	4.8	4.6	⊙	5.7	⊙	⊙	⊙	\$52,145
Southeastern Pennsylvania	11,017		4.5	5.3		6.1				\$32,010
TOTAL: Statewide	27,958		4.4	5.0		5.0				\$19,697

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	851	⊙	4.8	3.0	⊙	5.2	⊙	⊙	⊙	\$47,036
Albert Einstein	816	⊙	4.4	11.8	●	5.6	⊙	●	⊙	\$32,519
Brandywine	175	⊙	5.4	3.5	⊙	7.0	⊙	⊙	⊙	\$51,682
Central Montgomery	198	⊙	4.3	10.2	●	3.1	⊙	⊙	⊙	\$36,473
Chester County	414	⊙	5.2	4.5	⊙	4.0	⊙	⊙	⊙	\$18,421
Chestnut Hill	315	⊙	4.2	5.7	⊙	1.0	⊙	⊙	⊙	\$38,790
Crozer-Chester	488	⊙	4.5	4.6	⊙	5.5	⊙	⊙	⊙	\$61,638
Delaware County Memorial	407	●	5.8	2.9	⊙	9.9	●	⊙	⊙	\$61,836
Doylestown	299	⊙	5.2	1.4	⊙	4.1	⊙	⊙	⊙	\$26,767
Easton	494	⊙	5.0	2.5	⊙	4.9	⊙	●	●	\$22,726
Frankford	980	⊙	6.3	0.9	⊙	8.6	●	●	●	\$33,280
Gnaden Huetten Memorial	167	⊙	3.6	9.6	●	0.0	⊙	⊙	⊙	\$8,068
Good Samaritan Regional	443	⊙	5.2	3.6	⊙	3.8	⊙	⊙	⊙	\$10,994
Graduate	344	⊙	5.6	0.9	⊙	8.8	●	●	⊙	\$60,518
Grand View	286	⊙	5.1	3.2	⊙	4.3	⊙	⊙	⊙	\$37,345
Hahnemann University	558	⊙	5.3	5.8	⊙	8.0	●	●	⊙	\$69,562
Holy Redeemer	483	⊙	5.5	3.8	⊙	7.8	●	⊙	⊙	\$56,694
Hospital Fox Chase Cancer	5	⊙	2.1	40.0	●	0.0	⊙	NR	NR	\$13,821
Hospital University PA	624	⊙	5.6	3.6	⊙	11.1	●	⊙	⊙	\$46,061
Jeanes	297	⊙	5.6	2.7	⊙	7.2	⊙	⊙	⊙	\$67,410
Jennersville Regional	158	⊙	4.5	7.2	⊙	2.6	⊙	⊙	⊙	\$23,798
Lehigh Valley	778	⊙	4.8	5.9	⊙	4.4	⊙	⊙	⊙	\$23,845
Lehigh Valley/Muhlenberg	319	⊙	4.6	8.9	●	3.5	⊙	⊙	⊙	\$25,843
Main Line Bryn Mawr	354	⊙	4.7	4.4	⊙	3.2	⊙	⊙	⊙	\$39,891
Main Line Lankenau	659	⊙	4.6	8.9	●	4.1	⊙	⊙	⊙	\$39,704
Main Line Paoli	267	⊙	3.8	6.9	⊙	2.3	⊙	⊙	⊙	\$34,256
Mercy Fitzgerald	393	⊙	3.9	7.0	⊙	2.6	⊙	●	⊙	\$42,364
Mercy Philadelphia	436	⊙	3.6	3.9	⊙	1.8	⊙	●	⊙	\$35,375
Mercy Suburban	194	⊙	4.4	5.5	⊙	2.2	⊙	⊙	⊙	\$37,779

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Congestive Heart Failure (CHF)

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	472	⊙	6.2	2.2	⊙	12.0	●	●	⊙	\$41,834
Montgomery	253	⊙	4.8	2.8	⊙	2.4	⊙	⊙	⊙	\$24,621
Nazareth	590	⊙	5.5	2.9	⊙	6.9	●	⊙	⊙	\$47,706
Palmerton	180	⊙	4.6	1.8	⊙	0.6	⊙	⊙	⊙	\$9,048
Penn Presbyterian	675	●	4.8	5.8	⊙	4.7	⊙	⊙	⊙	\$28,560
Pennsylvania	322	⊙	6.0	3.5	⊙	10.8	●	⊙	⊙	\$50,278
Phoenixville	147	⊙	5.0	5.6	⊙	3.5	⊙	⊙	⊙	\$25,184
Pottstown Memorial	374	⊙	4.3	3.9	⊙	3.3	⊙	●	⊙	\$23,127
Pottsville Warne Clinic	194	⊙	5.5	2.2	⊙	4.9	⊙	●	⊙	\$9,115
Reading	716	⊙	5.4	5.9	⊙	8.0	●	⊙	⊙	\$15,817
Riddle Memorial	318	⊙	5.1	6.6	⊙	6.6	⊙	⊙	⊙	\$48,099
Roxborough Memorial	350	⊙	5.1	2.7	⊙	4.4	⊙	●	●	\$22,817
Sacred Heart/Allentown	256	⊙	5.6	2.4	⊙	5.9	⊙	⊙	⊙	\$18,222
Saint Catherine	86	⊙	4.1	2.5	⊙	0.0	⊙	⊙	⊙	\$11,814
Springfield	84	⊙	4.5	3.9	⊙	2.6	⊙	⊙	⊙	\$65,864
St Joseph/Reading	297	⊙	4.2	14.2	●	2.8	⊙	⊙	⊙	\$15,649
St Joseph's/Philadelphia	56	⊙	6.2	0.0	⊙	8.9	⊙	●	⊙	\$22,512
St Luke's Miners	91	⊙	5.4	3.4	⊙	6.8	⊙	⊙	⊙	\$15,699
St Luke's Quakertown	100	⊙	3.7	8.2	⊙	0.0	⊙	⊙	⊙	\$18,638
St Luke's/Bethlehem	814	⊙	4.6	8.8	●	4.1	⊙	⊙	⊙	\$20,156
St Mary	494	⊙	5.5	1.9	⊙	7.1	●	⊙	⊙	\$27,623
Taylor	325	⊙	5.2	5.4	⊙	7.4	⊙	⊙	⊙	\$70,394
Temple East	370	⊙	6.3	0.8	⊙	10.1	●	●	⊙	\$51,207
Temple Lower Bucks	277	⊙	5.3	4.5	⊙	5.2	⊙	⊙	⊙	\$56,272
Temple University	995	⊙	4.9	2.5	⊙	7.8	●	●	⊙	\$70,953
Thomas Jefferson Univ	613	⊙	5.4	3.7	⊙	12.0	●	●	⊙	\$46,662
Warminster	117	⊙	4.3	11.5	●	4.4	⊙	⊙	⊙	\$48,292
Southeastern Pennsylvania	21,770		5.0	4.7		6.0				\$38,067
TOTAL: Statewide	53,542		4.9	5.0		5.0				\$24,138

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	36	⊖	10.4	⊖	⊖	\$101,327
Albert Einstein	83	⊖	10.8	⊖	⊖	\$88,818
Brandywine	17	⊖	13.4	⊖	⊖	\$139,845
Central Montgomery	19	⊖	8.8	⊖	⊖	\$57,928
Chester County	9	⊖	10.0	⊖	⊖	\$35,576
Chestnut Hill	9	⊖	6.8	⊖	⊖	\$65,912
Crozer-Chester	36	⊖	10.6	⊖	⊖	\$161,784
Delaware County Memorial	18	⊖	16.5	⊖	⊖	\$149,266
Doylestown	11	⊖	8.0	⊖	⊖	\$37,745
Easton	22	⊖	9.5	⊖	⊖	\$65,035
Frankford	61	⊖	10.2	⊖	⊖	\$57,180
Gnaden Huetten Memorial	7	⊖	6.5	⊖	⊖	\$15,152
Good Samaritan Regional	18	⊖	9.7	⊖	⊖	\$15,018
Graduate	3	NR	NR	NR	NR	NR
Grand View	6	⊖	8.4	⊖	⊖	\$85,128
Hahnemann University	21	⊖	9.7	⊖	⊖	\$133,363
Holy Redeemer	11	⊖	8.0	⊖	⊖	\$77,795
Hospital Fox Chase Cancer	0	NR	NR	NR	NR	NR
Hospital University PA	30	⊖	11.9	⊖	⊖	\$103,186
Jeanes	15	⊖	7.9	⊖	⊖	\$94,489
Jennersville Regional	5	⊖	5.4	NR	NR	\$25,648
Lehigh Valley	44	⊖	13.6	⊖	⊖	\$81,714
Lehigh Valley/Muhlenberg	16	⊖	12.0	⊖	⊖	\$62,143
Main Line Bryn Mawr	8	⊖	8.4	⊖	⊖	\$91,260
Main Line Lankenau	25	⊖	9.2	⊖	⊖	\$81,827
Main Line Paoli	8	⊖	8.4	⊖	⊖	\$101,005
Mercy Fitzgerald	28	⊖	9.2	⊖	⊖	\$98,667
Mercy Philadelphia	24	⊖	12.2	⊖	⊖	\$118,655
Mercy Suburban	16	⊖	11.1	⊖	⊖	\$100,366

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Diabetes with Amputation

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Methodist Division/TJUH	9	⊖	11.4	⊖	⊖	\$98,912
Montgomery	7	⊖	6.1	⊖	⊖	\$25,227
Nazareth	7	⊖	13.4	⊖	⊖	\$124,106
Palmerton	2	NR	NR	NR	NR	NR
Penn Presbyterian	29	⊖	10.1	⊖	⊖	\$82,560
Pennsylvania	29	⊖	11.5	⊖	⊖	\$92,928
Phoenixville	6	⊖	10.7	⊖	⊖	\$61,512
Pottstown Memorial	17	⊖	6.4	⊖	⊖	\$35,857
Pottsville Warne Clinic	10	⊖	12.4	⊖	⊖	\$23,790
Reading	54	⊖	10.5	⊖	⊖	\$34,161
Riddle Memorial	13	⊖	14.0	⊖	⊖	\$141,658
Roxborough Memorial	9	⊖	8.1	⊖	⊖	\$41,253
Sacred Heart/Allentown	4	NR	NR	NR	NR	NR
Saint Catherine	0	NR	NR	NR	NR	NR
Springfield	3	NR	NR	NR	NR	NR
St Joseph/Reading	23	●	9.6	⊖	●	\$42,855
St Joseph's/Philadelphia	3	NR	NR	NR	NR	NR
St Luke's Miners	0	NR	NR	NR	NR	NR
St Luke's Quakertown	12	⊖	7.8	⊖	⊖	\$36,616
St Luke's/Bethlehem	34	⊖	11.0	⊖	⊖	\$62,130
St Mary	32	⊖	12.1	⊖	⊖	\$71,814
Taylor	7	⊖	13.0	⊖	⊖	\$204,820
Temple East	42	⊖	10.4	⊖	⊖	\$109,870
Temple Lower Bucks	5	⊖	NR	NR	NR	\$173,253
Temple University	65	●	9.7	⊖	⊖	\$193,508
Thomas Jefferson Univ	40	⊖	13.6	⊖	⊖	\$120,455
Warminster	9	⊖	7.1	⊖	⊖	\$80,528
Southeastern Pennsylvania	1,077		10.6			\$91,004
TOTAL: Statewide	2,206		9.9			\$61,311

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	275	⊙	3.6	3.7	⊙	4.8	⊙	●	⊙	\$39,485
Albert Einstein	612	○	3.4	8.0	●	4.6	⊙	●	⊙	\$24,091
Brandywine	83	⊙	4.2	4.9	⊙	7.4	⊙	⊙	⊙	\$44,919
Central Montgomery	79	⊙	3.7	7.6	⊙	2.5	⊙	⊙	⊙	\$27,211
Chester County	102	⊙	3.9	3.9	⊙	2.9	⊙	⊙	⊙	\$12,876
Chestnut Hill	141	⊙	3.4	5.7	⊙	5.0	⊙	⊙	⊙	\$21,071
Crozer-Chester	216	⊙	3.8	3.3	⊙	6.0	⊙	⊙	⊙	\$47,134
Delaware County Memorial	96	●	4.3	2.2	⊙	7.6	⊙	⊙	⊙	\$44,421
Doylestown	49	⊙	4.0	0.0	⊙	0.0	⊙	⊙	⊙	\$19,131
Easton	148	⊙	3.8	7.5	⊙	4.1	⊙	⊙	⊙	\$17,170
Frankford	492	⊙	4.4	1.6	○	7.0	⊙	⊙	⊙	\$20,366
Gnaden Huetten Memorial	42	⊙	3.1	4.8	⊙	0.0	⊙	⊙	⊙	\$6,407
Good Samaritan Regional	98	⊙	4.3	6.1	⊙	6.1	⊙	⊙	⊙	\$8,019
Graduate	70	⊙	3.8	0.0	⊙	10.0	⊙	⊙	⊙	\$36,064
Grand View	68	⊙	3.9	1.5	⊙	4.4	⊙	⊙	⊙	\$24,938
Hahnemann University	193	⊙	4.3	4.2	⊙	12.1	●	⊙	⊙	\$52,802
Holy Redeemer	61	⊙	3.6	3.3	⊙	6.6	⊙	⊙	⊙	\$39,263
Hospital Fox Chase Cancer	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA	293	⊙	3.5	5.1	⊙	4.8	⊙	⊙	⊙	\$26,695
Jeanes	107	⊙	4.0	3.7	⊙	5.6	⊙	⊙	⊙	\$41,595
Jennersville Regional	43	⊙	3.2	0.0	⊙	2.4	⊙	⊙	⊙	\$14,426
Lehigh Valley	276	⊙	3.6	8.5	●	5.9	⊙	⊙	⊙	\$19,385
Lehigh Valley/Muhlenberg	107	⊙	3.2	5.6	⊙	2.8	⊙	⊙	⊙	\$20,144
Main Line Bryn Mawr	132	⊙	3.6	6.1	⊙	6.1	⊙	⊙	⊙	\$31,784
Main Line Lankenau	217	⊙	3.4	7.9	⊙	3.3	⊙	⊙	⊙	\$28,115
Main Line Paoli	60	⊙	3.4	8.5	⊙	0.0	⊙	⊙	⊙	\$31,833
Mercy Fitzgerald	195	⊙	3.4	6.2	⊙	5.6	⊙	●	⊙	\$35,408
Mercy Philadelphia	229	⊙	3.5	7.0	⊙	6.6	⊙	●	⊙	\$29,559
Mercy Suburban	117	⊙	3.4	3.4	⊙	4.3	⊙	⊙	⊙	\$26,350

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Diabetes - Medical Management

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	145	⊙	4.3	4.1	⊙	12.4	●	⊙	⊙	\$27,557
Montgomery	77	⊙	3.9	3.9	⊙	5.3	⊙	⊙	⊙	\$17,551
Nazareth	86	⊙	3.9	3.5	⊙	5.8	⊙	⊙	⊙	\$28,992
Palmerton	37	⊙	3.1	13.9	●	0.0	⊙	⊙	⊙	\$5,976
Penn Presbyterian	143	⊙	3.5	5.7	⊙	3.5	⊙	⊙	⊙	\$21,079
Pennsylvania	103	⊙	4.6	4.9	⊙	6.9	⊙	⊙	⊙	\$35,497
Phoenixville	84	⊙	3.2	6.0	⊙	3.6	⊙	⊙	⊙	\$18,465
Pottstown Memorial	148	⊙	3.4	1.4	⊙	4.7	⊙	●	⊙	\$17,708
Pottsville Warne Clinic	68	⊙	4.3	4.5	⊙	13.4	●	⊙	⊙	\$7,101
Reading	169	⊙	4.7	1.8	⊙	11.9	●	⊙	⊙	\$14,146
Riddle Memorial	102	⊙	3.9	4.9	⊙	3.9	⊙	⊙	⊙	\$33,530
Roxborough Memorial	97	⊙	3.1	5.2	⊙	2.1	⊙	⊙	⊙	\$12,838
Sacred Heart/Allentown	61	⊙	3.2	8.5	⊙	0.0	⊙	⊙	⊙	\$11,098
Saint Catherine	13	⊙	3.6	0.0	⊙	0.0	⊙	⊙	⊙	\$8,148
Springfield	31	⊙	3.4	6.5	⊙	0.0	⊙	⊙	⊙	\$39,613
St Joseph/Reading	99	⊙	3.1	12.2	●	3.1	⊙	⊙	⊙	\$10,451
St Joseph's/Philadelphia	167	⊙	4.3	3.0	⊙	7.2	⊙	●	⊙	\$13,904
St Luke's Miners	34	⊙	3.5	8.8	⊙	5.9	⊙	⊙	⊙	\$10,250
St Luke's Quakertown	41	⊙	3.1	7.3	⊙	0.0	⊙	⊙	⊙	\$15,596
St Luke's/Bethlehem	298	⊙	3.5	6.4	⊙	5.1	⊙	⊙	⊙	\$14,520
St Mary	172	⊙	3.6	4.1	⊙	5.8	⊙	⊙	⊙	\$19,190
Taylor	83	⊙	3.7	2.4	⊙	3.6	⊙	⊙	⊙	\$46,124
Temple East	253	⊙	4.0	7.5	⊙	6.7	⊙	⊙	⊙	\$29,750
Temple Lower Bucks	97	⊙	4.0	0.0	⊙	0.0	⊙	⊙	⊙	\$40,999
Temple University	463	⊙	3.2	5.0	⊙	4.3	⊙	●	⊙	\$45,301
Thomas Jefferson Univ	222	⊙	3.8	3.6	⊙	6.8	⊙	⊙	⊙	\$30,781
Warminster	39	⊙	3.2	2.6	⊙	2.6	⊙	⊙	⊙	\$36,975
Southeastern Pennsylvania	7,947		3.7	5.1		5.5				\$26,920
TOTAL: Statewide	16,251		3.8	5.0		5.0				\$18,845

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating	%	Rating	
Abington Memorial*	183	0.6	⊖	5.6	7.5	⊖	3.8	⊖	\$74,299
Albert Einstein*	143	3.6	⊖	6.1	9.1	●	7.6	⊖	\$52,434
Brandywine*	58	3.8	⊖	6.7	0.0	⊖	11.8	●	\$80,474
Central Montgomery	69	44.6	⊖	5.8	8.9	⊖	1.8	⊖	\$43,989
Chester County*	110	1.9	⊖	5.6	3.9	⊖	2.9	⊖	\$22,161
Chestnut Hill	64	50.8	⊖	5.6	5.3	⊖	7.0	⊖	\$48,772
Crozer-Chester*	151	2.3	⊖	5.4	2.3	⊖	3.8	⊖	\$87,310
Delaware County Memorial	63	59.2	⊖	6.6	0.0	⊖	6.1	⊖	\$86,516
Doylestown*	95	1.1	⊖	5.0	4.5	⊖	3.4	⊖	\$40,218
Easton*	125	5.0	⊖	5.3	2.6	⊖	3.5	⊖	\$30,953
Frankford*	252	16.9	⊖	7.7	0.9	⊖	15.4	●	\$41,901
Gnaden Huetten Memorial	30	46.3	⊖	4.2	22.7	●	4.5	⊖	\$9,112
Good Samaritan Regional	78	50.8	⊖	6.2	1.6	⊖	4.9	⊖	\$12,685
Graduate*	29	18.2	⊖	5.2	0.0	⊖	7.4	⊖	\$96,760
Grand View*	44	58.7	⊖	6.7	2.3	⊖	9.3	⊖	\$50,208
Hahnemann University*	94	1.1	⊖	6.1	5.7	⊖	11.5	●	\$101,946
Holy Redeemer*	59	33.3	⊖	6.6	3.8	⊖	11.5	●	\$84,497
Hospital Fox Chase Cancer	1	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA*	52	4.1	⊖	5.4	4.3	⊖	6.4	⊖	\$78,110
Jeanes*	88	25.5	⊖	6.8	1.3	⊖	10.3	⊖	\$92,555
Jennersville Regional	4	NR	NR	NR	NR	NR	NR	NR	NR
Lehigh Valley*	291	1.1	⊖	5.2	7.4	⊖	4.4	⊖	\$32,928
Lehigh Valley/Muhlenberg*	102	2.2	⊖	5.5	3.3	⊖	4.4	⊖	\$38,789
Main Line Bryn Mawr*	68	3.4	⊖	5.5	5.3	⊖	1.8	⊖	\$48,376
Main Line Lankenau*	107	2.1	⊖	4.9	8.5	⊖	4.3	⊖	\$56,873
Main Line Paoli*	75	7.2	⊖	5.1	3.1	⊖	1.6	⊖	\$50,443
Mercy Fitzgerald*	81	11.1	⊖	4.6	5.1	⊖	3.8	⊖	\$70,438
Mercy Philadelphia	67	54.7	⊖	5.3	1.7	⊖	5.1	⊖	\$58,317
Mercy Suburban	39	58.7	⊖	6.4	0.0	⊖	9.7	⊖	\$56,129

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Heart Attack - Medical Management

Hospital	Cases	Transfer to Acute Care	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
					Short Length of Stay		Long Length of Stay		
					%	Rating	%	Rating	
Methodist Division/TJUH	67	46.4	⊖	8.1	1.8	⊖	25.0	●	\$61,435
Montgomery*	51	31.7	⊖	6.5	4.9	⊖	4.9	⊖	\$41,156
Nazareth	139	49.3	⊖	7.0	2.6	⊖	9.5	●	\$51,930
Palmerton	14	42.9	⊖	5.0	0.0	⊖	0.0	⊖	\$11,275
Penn Presbyterian*	175	1.2	○	4.7	5.9	⊖	3.6	⊖	\$50,848
Pennsylvania*	37	0.0	⊖	6.6	5.6	⊖	16.7	●	\$76,917
Phoenixville*	65	7.1	●	5.7	3.8	⊖	3.8	⊖	\$42,319
Pottstown Memorial	38	73.3	⊖	5.9	0.0	⊖	9.7	⊖	\$33,440
Pottsville Warne Clinic	30	60.0	⊖	6.3	0.0	⊖	8.3	⊖	\$11,465
Reading*	166	1.4	⊖	6.2	4.3	⊖	10.7	●	\$23,740
Riddle Memorial*	76	28.6	⊖	6.1	1.7	⊖	5.1	⊖	\$59,643
Roxborough Memorial	41	53.4	⊖	5.2	2.9	⊖	0.0	⊖	\$24,622
Sacred Heart/Allentown*	43	12.2	○	5.6	0.0	⊖	2.3	⊖	\$22,358
Saint Catherine	13	47.8	⊖	4.4	16.7	⊖	0.0	⊖	\$13,088
Springfield	22	5.9	⊖	4.7	12.5	⊖	0.0	⊖	\$81,294
St Joseph/Reading*	74	0.0	⊖	4.9	6.1	⊖	1.5	⊖	\$22,361
St Joseph's/Philadelphia	29	55.4	⊖	8.3	0.0	⊖	28.0	●	\$36,979
St Luke's Miners	33	47.1	⊖	6.1	3.7	⊖	3.7	⊖	\$19,036
St Luke's Quakertown	17	54.5	⊖	4.0	6.7	⊖	0.0	⊖	\$19,567
St Luke's/Bethlehem*	247	4.3	⊖	5.0	7.2	⊖	4.5	⊖	\$25,093
St Mary*	134	2.3	⊖	6.1	0.8	○	2.4	⊖	\$33,439
Taylor	70	25.9	⊖	6.4	1.6	⊖	8.1	⊖	\$108,427
Temple East	27	70.1	⊖	5.9	0.0	⊖	4.3	⊖	\$50,098
Temple Lower Bucks*	47	8.9	⊖	6.4	2.5	⊖	7.5	⊖	\$81,407
Temple University*	128	1.8	⊖	5.0	6.3	⊖	7.1	⊖	\$101,162
Thomas Jefferson Univ*	108	0.0	○	6.6	2.9	⊖	12.5	●	\$67,859
Warminster	39	52.4	⊖	5.4	2.9	⊖	2.9	⊖	\$68,051
Southeastern Pennsylvania	4,552	23.1		5.8	4.3		6.6		\$51,207
TOTAL: Statewide	12,732	25.5		5.4	5.0		5.0		\$31,537

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

* Indicates hospitals that provided advanced cardiac services (angioplasty/stent procedures for heart attack) during the report period. This information is provided since patients admitted to facilities that do not provide advanced cardiac services may be transferred, for further diagnosis and treatment, to facilities that provide these services.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Abington Memorial	178	⊖	4.2	6.3	⊖	4.5	⊖	\$36,712
Albert Einstein	111	⊖	4.7	4.6	⊖	4.6	⊖	\$28,635
Brandywine	40	⊖	4.6	5.0	⊖	2.5	⊖	\$36,569
Central Montgomery	51	⊖	3.9	16.0	●	0.0	⊖	\$29,576
Chester County	86	●	5.0	0.0	○	6.1	⊖	\$14,125
Chestnut Hill	86	⊖	4.5	3.6	⊖	7.2	⊖	\$29,516
Crozer-Chester	84	⊖	5.4	2.4	⊖	19.5	●	\$55,567
Delaware County Memorial	55	⊖	5.3	0.0	⊖	5.6	⊖	\$46,205
Doylestown	66	⊖	4.3	3.1	⊖	6.2	⊖	\$18,025
Easton	84	⊖	3.9	2.4	⊖	9.5	⊖	\$14,888
Frankford	176	⊖	4.7	2.9	⊖	4.1	⊖	\$23,926
Gnaden Huetten Memorial	19	⊖	3.2	0.0	⊖	0.0	⊖	\$5,501
Good Samaritan Regional	49	⊖	4.6	6.4	⊖	2.1	⊖	\$7,172
Graduate	28	⊖	6.3	0.0	⊖	21.4	●	\$65,286
Grand View	62	⊖	5.6	1.6	⊖	11.5	●	\$32,978
Hahnemann University	38	⊖	4.8	7.9	⊖	13.2	●	\$53,747
Holy Redeemer	79	⊖	3.9	4.0	⊖	2.7	⊖	\$37,601
Hospital Fox Chase Cancer	38	⊖	5.2	21.1	●	10.5	⊖	\$18,545
Hospital University PA	115	⊖	5.0	4.4	⊖	8.8	⊖	\$31,270
Jeanes	76	⊖	4.5	2.7	⊖	2.7	⊖	\$43,947
Jennersville Regional	9	⊖	5.2	0.0	⊖	0.0	⊖	\$19,487
Lehigh Valley	215	⊖	4.3	1.4	○	5.1	⊖	\$16,723
Lehigh Valley/Muhlenberg	78	⊖	3.6	13.0	●	2.6	⊖	\$18,591
Main Line Bryn Mawr	130	⊖	4.1	3.9	⊖	5.4	⊖	\$30,269
Main Line Lankenau	101	⊖	4.1	5.0	⊖	5.0	⊖	\$32,246
Main Line Paoli	122	⊖	3.8	8.3	⊖	2.5	⊖	\$30,136
Mercy Fitzgerald	62	⊖	3.7	5.0	⊖	8.3	⊖	\$33,376
Mercy Philadelphia	60	⊖	4.2	8.6	⊖	6.9	⊖	\$36,665
Mercy Suburban	41	⊖	4.8	5.0	⊖	12.5	●	\$32,111

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Intestinal Obstruction

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Methodist Division/TJUH	52	⊙	4.7	2.0	⊙	5.9	⊙	\$32,480
Montgomery	42	⊙	4.2	4.8	⊙	2.4	⊙	\$20,572
Nazareth	56	⊙	5.4	3.6	⊙	10.7	⊙	\$37,311
Palmerton	13	⊙	3.7	7.7	⊙	0.0	⊙	\$7,160
Penn Presbyterian	53	⊙	4.6	2.0	⊙	7.8	⊙	\$25,817
Pennsylvania	50	⊙	5.5	2.0	⊙	16.3	●	\$38,287
Phoenixville	62	⊙	4.0	3.5	⊙	1.8	⊙	\$17,674
Pottstown Memorial	77	⊙	4.1	4.0	⊙	8.0	⊙	\$23,282
Pottsville Warne Clinic	49	●	4.2	0.0	⊙	9.5	⊙	\$8,636
Reading	112	⊙	4.5	5.5	⊙	7.3	⊙	\$12,096
Riddle Memorial	93	⊙	4.4	4.7	⊙	7.0	⊙	\$39,270
Roxborough Memorial	27	⊙	5.1	0.0	⊙	3.7	⊙	\$16,091
Sacred Heart/Allentown	23	⊙	4.3	4.3	⊙	4.3	⊙	\$11,715
Saint Catherine	15	⊙	3.9	6.7	⊙	0.0	⊙	\$10,370
Springfield	14	⊙	3.5	14.3	⊙	0.0	⊙	\$42,337
St Joseph/Reading	41	⊙	4.3	9.8	⊙	7.3	⊙	\$11,239
St Joseph's/Philadelphia	6	⊙	5.8	16.7	⊙	16.7	⊙	\$22,919
St Luke's Miners	9	⊙	5.6	0.0	⊙	0.0	⊙	\$14,505
St Luke's Quakertown	23	⊙	3.2	31.8	●	0.0	⊙	\$16,394
St Luke's/Bethlehem	133	⊙	3.6	6.1	⊙	2.3	⊙	\$14,071
St Mary	144	⊙	4.4	6.3	⊙	4.2	⊙	\$22,094
Taylor	37	⊙	5.8	2.7	⊙	13.5	●	\$61,722
Temple East	51	⊙	4.6	3.9	⊙	5.9	⊙	\$37,024
Temple Lower Bucks	33	⊙	4.9	6.1	⊙	6.1	⊙	\$40,571
Temple University	83	⊙	4.5	10.8	●	8.4	⊙	\$57,388
Thomas Jefferson Univ	125	⊙	4.8	2.4	⊙	11.3	●	\$38,782
Warminster	23	⊙	4.7	4.3	⊙	4.3	⊙	\$42,153
Southeastern Pennsylvania	3,792		4.5	4.9		6.3		\$28,483
TOTAL: Statewide	8,797		4.3	5.0		5.0		\$18,944

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Kidney Failure

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	290	⊙	5.8	⊙	⊙	\$63,489
Albert Einstein	559	⊙	5.5	⊙	⊙	\$35,592
Brandywine	100	⊙	6.6	●	⊙	\$56,001
Central Montgomery	76	⊙	5.0	⊙	⊙	\$38,885
Chester County	98	⊙	6.1	⊙	⊙	\$23,113
Chestnut Hill	97	⊙	5.6	⊙	⊙	\$42,394
Crozer-Chester	199	⊙	6.3	⊙	⊙	\$74,374
Delaware County Memorial	82	●	7.2	⊙	⊙	\$75,331
Doylestown	75	⊙	4.9	⊙	⊙	\$22,944
Easton	291	⊙	5.1	⊙	⊙	\$22,926
Frankford	398	⊙	6.5	⊙	⊙	\$32,654
Gnaden Huetten Memorial	32	⊙	5.0	⊙	⊙	\$10,407
Good Samaritan Regional	136	⊙	6.5	⊙	⊙	\$12,820
Graduate	105	⊙	5.9	⊙	⊙	\$67,510
Grand View	70	⊙	6.5	⊙	⊙	\$44,009
Hahnemann University	162	⊙	6.7	●	⊙	\$76,597
Holy Redeemer	111	⊙	6.4	⊙	⊙	\$66,102
Hospital Fox Chase Cancer	22	●	5.3	●	⊙	\$23,621
Hospital University PA	331	⊙	6.2	⊙	⊙	\$43,448
Jeanes	109	⊙	5.7	⊙	⊙	\$70,385
Jennersville Regional	25	⊙	7.5	⊙	⊙	\$32,085
Lehigh Valley	340	⊙	5.3	⊙	⊙	\$24,707
Lehigh Valley/Muhlenberg	169	⊙	5.0	⊙	⊙	\$26,460
Main Line Bryn Mawr	131	⊙	5.7	⊙	⊙	\$48,743
Main Line Lankenau	269	⊙	5.0	⊙	⊙	\$42,240
Main Line Paoli	117	⊙	5.3	⊙	⊙	\$45,296
Mercy Fitzgerald	199	⊙	5.4	●	⊙	\$51,990
Mercy Philadelphia	154	⊙	5.8	⊙	⊙	\$50,163
Mercy Suburban	96	⊙	5.8	⊙	⊙	\$43,218

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Kidney Failure

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Methodist Division/TJUH	312	⊙	6.2	⊙	⊙	\$44,308
Montgomery	92	⊙	5.9	⊙	⊙	\$26,959
Nazareth	223	⊙	6.9	⊙	⊙	\$56,192
Palmerton	48	⊙	5.5	⊙	⊙	\$10,684
Penn Presbyterian	181	⊙	4.7	⊙	⊙	\$28,840
Pennsylvania	115	⊙	5.5	⊙	⊙	\$43,116
Phoenixville	66	⊙	5.3	⊙	⊙	\$24,640
Pottstown Memorial	180	●	5.1	⊙	●	\$31,112
Pottsville Warne Clinic	46	⊙	6.4	⊙	⊙	\$9,037
Reading	228	⊙	6.8	⊙	⊙	\$20,025
Riddle Memorial	73	⊙	7.4	⊙	⊙	\$62,455
Roxborough Memorial	133	⊙	5.9	⊙	⊙	\$22,667
Sacred Heart/Allentown	80	⊙	5.6	⊙	⊙	\$14,961
Saint Catherine	16	⊙	4.9	⊙	⊙	\$13,757
Springfield	16	⊙	6.6	⊙	⊙	\$83,765
St Joseph/Reading	108	⊙	5.6	⊙	⊙	\$17,858
St Joseph's/Philadelphia	129	⊙	6.8	●	⊙	\$21,601
St Luke's Miners	26	⊙	6.1	⊙	⊙	\$17,585
St Luke's Quakertown	20	⊙	3.7	⊙	⊙	\$23,009
St Luke's/Bethlehem	419	⊙	5.3	⊙	⊙	\$23,351
St Mary	133	⊙	6.0	⊙	⊙	\$37,243
Taylor	105	⊙	6.4	⊙	⊙	\$82,618
Temple East	103	⊙	7.3	⊙	⊙	\$52,944
Temple Lower Bucks	72	⊙	5.4	⊙	⊙	\$57,115
Temple University	514	⊙	5.5	●	⊙	\$72,481
Thomas Jefferson Univ	325	⊙	5.6	⊙	⊙	\$46,356
Warminster	62	⊙	5.7	⊙	⊙	\$51,567
Southeastern Pennsylvania	8,673		5.8			\$41,699
TOTAL: Statewide	20,685		5.7			\$27,879

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	598	⊕	3.8	5.5	⊕	2.7	⊖	⊕	⊕	\$38,086
Albert Einstein	382	⊕	3.7	16.4	●	4.2	⊕	⊕	⊕	\$24,480
Brandywine	122	⊕	4.8	2.5	⊕	5.9	⊕	●	⊕	\$37,027
Central Montgomery	108	⊕	3.8	4.6	⊕	0.9	⊖	⊕	⊕	\$27,204
Chester County	266	⊕	4.4	1.9	⊖	5.3	⊕	⊕	⊕	\$15,021
Chestnut Hill	217	⊕	3.9	9.8	●	3.7	⊕	⊕	⊕	\$24,839
Crozer-Chester	234	⊕	4.1	6.5	⊕	7.3	⊕	⊕	⊕	\$47,242
Delaware County Memorial	175	⊕	6.1	1.2	⊖	19.4	●	⊕	⊕	\$58,596
Doylestown	227	⊕	4.8	3.2	⊕	5.0	⊕	⊕	⊕	\$20,536
Easton	163	⊕	4.5	1.9	⊕	3.7	⊕	⊕	⊕	\$16,845
Frankford	496	●	4.9	4.1	⊕	7.0	⊕	⊕	⊕	\$24,035
Gnaden Huetten Memorial	37	⊕	4.2	5.6	⊕	2.8	⊕	⊕	⊕	\$7,706
Good Samaritan Regional	151	⊕	4.7	1.3	⊖	6.7	⊕	⊕	⊕	\$8,014
Graduate	146	⊕	5.4	0.7	⊖	16.8	●	⊕	⊕	\$52,070
Grand View	85	⊕	3.4	9.4	⊕	2.4	⊕	⊖	⊕	\$21,843
Hahnemann University	119	⊕	5.1	2.6	⊕	12.0	●	⊕	⊕	\$56,651
Holy Redeemer	216	⊕	4.3	1.9	⊖	5.2	⊕	⊕	⊕	\$39,976
Hospital Fox Chase Cancer	14	⊕	5.1	0.0	⊕	0.0	⊕	●	⊕	\$19,742
Hospital University PA	264	●	4.3	1.5	⊖	7.3	⊕	●	⊕	\$28,932
Jeanes	153	⊕	4.5	3.3	⊕	4.6	⊕	⊕	⊕	\$45,125
Jennersville Regional	167	⊕	4.2	3.6	⊕	4.2	⊕	⊕	⊕	\$15,338
Lehigh Valley	354	⊕	4.3	3.1	⊕	6.6	⊕	⊕	⊕	\$18,856
Lehigh Valley/Muhlenberg	177	⊕	3.9	9.1	●	2.3	⊕	⊕	⊕	\$19,508
Main Line Bryn Mawr	288	⊕	4.0	7.0	⊕	2.5	⊖	⊕	⊕	\$30,579
Main Line Lankenau	328	⊕	3.7	6.7	⊕	2.4	⊖	⊕	⊕	\$29,440
Main Line Paoli	195	⊕	3.8	6.7	⊕	3.1	⊕	⊕	⊕	\$30,782
Mercy Fitzgerald	195	⊕	4.3	3.6	⊕	6.7	⊕	⊕	⊕	\$40,451
Mercy Philadelphia	161	⊕	4.5	5.6	⊕	10.0	●	⊕	⊕	\$35,753
Mercy Suburban	159	⊕	3.9	9.6	●	2.5	⊕	⊕	⊕	\$28,279

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Kidney and Urinary Tract Infections

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	184	⊙	5.1	3.9	⊙	13.3	●	●	⊙	\$33,860
Montgomery	134	⊙	4.2	6.0	⊙	0.7	○	●	⊙	\$18,415
Nazareth	161	⊙	5.0	3.1	⊙	7.5	⊙	⊙	⊙	\$35,480
Palmerton	108	⊙	4.5	2.9	⊙	4.8	⊙	⊙	⊙	\$8,278
Penn Presbyterian	186	⊙	4.1	8.9	●	7.8	⊙	⊙	⊙	\$27,626
Pennsylvania	138	⊙	4.6	1.4	⊙	10.9	●	⊙	⊙	\$33,608
Phoenixville	157	⊙	3.9	7.0	⊙	1.9	⊙	⊙	⊙	\$17,229
Pottstown Memorial	131	⊙	3.9	4.6	⊙	3.1	⊙	⊙	⊙	\$18,019
Pottsville Warne Clinic	130	⊙	4.9	3.9	⊙	7.8	⊙	⊙	⊙	\$7,277
Reading	256	⊙	5.5	2.0	○	10.6	●	⊙	⊙	\$13,594
Riddle Memorial	216	⊙	4.5	5.1	⊙	5.6	⊙	⊙	⊙	\$36,448
Roxborough Memorial	95	⊙	4.0	5.4	⊙	4.3	⊙	⊙	⊙	\$14,721
Sacred Heart/Allentown	89	⊙	3.8	5.7	⊙	1.1	⊙	⊙	○	\$9,913
Saint Catherine	26	⊙	3.7	0.0	⊙	0.0	⊙	⊙	⊙	\$6,878
Springfield	29	⊙	4.3	6.9	⊙	6.9	⊙	⊙	⊙	\$47,348
St Joseph/Reading	98	⊙	4.0	8.2	⊙	4.1	⊙	⊙	⊙	\$10,949
St Joseph's/Philadelphia	88	⊙	4.9	0.0	○	12.5	●	●	⊙	\$15,735
St Luke's Miners	59	⊙	5.2	0.0	⊙	8.5	⊙	⊙	⊙	\$12,713
St Luke's Quakertown	42	⊙	3.5	16.7	●	4.8	⊙	⊙	⊙	\$17,344
St Luke's/Bethlehem	306	⊙	4.1	6.3	⊙	4.3	⊙	⊙	⊙	\$16,212
St Mary	379	⊙	4.3	7.2	⊙	6.7	⊙	⊙	⊙	\$20,802
Taylor	123	⊙	4.6	1.6	⊙	5.7	⊙	⊙	⊙	\$52,058
Temple East	125	⊙	4.9	0.0	○	6.5	⊙	⊙	⊙	\$33,688
Temple Lower Bucks	127	⊙	4.1	4.0	⊙	1.6	⊙	⊙	⊙	\$39,940
Temple University	232	⊙	3.9	9.1	●	7.8	⊙	⊙	⊙	\$55,640
Thomas Jefferson Univ	315	⊙	4.3	6.1	⊙	8.0	●	⊙	⊙	\$34,492
Warminster	77	⊙	4.0	3.9	⊙	1.3	⊙	⊙	⊙	\$38,977
Southeastern Pennsylvania	10,232		4.3	5.2		5.9				\$28,223
TOTAL: Statewide	22,205		4.2	5.0		5.0				\$18,818

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	147	⊙	7.2	2.2	⊙	5.9	⊙	⊙	⊙	\$72,771
Albert Einstein	165	⊙	5.2	15.2	●	5.3	⊙	●	●	\$33,357
Brandywine	51	⊙	6.7	4.8	⊙	7.1	⊙	⊙	⊙	\$60,422
Central Montgomery	48	⊙	6.2	2.5	⊙	0.0	⊙	⊙	⊙	\$40,164
Chester County	99	⊙	8.4	2.2	⊙	8.8	⊙	⊙	⊙	\$27,979
Chestnut Hill	94	⊙	5.7	4.8	⊙	1.2	⊙	⊙	⊙	\$43,094
Crozer-Chester	54	⊙	7.5	2.1	⊙	8.5	⊙	⊙	⊙	\$94,660
Delaware County Memorial	54	⊙	9.7	0.0	⊙	11.1	⊙	⊙	⊙	\$90,236
Doylestown	53	⊙	7.3	0.0	⊙	0.0	⊙	⊙	⊙	\$42,413
Easton	59	⊙	7.0	1.8	⊙	7.1	⊙	⊙	⊙	\$27,625
Frankford	98	⊙	7.1	1.1	⊙	6.7	⊙	●	⊙	\$41,812
Gnaden Huetten Memorial	8	⊙	3.6	14.3	⊙	0.0	⊙	⊙	⊙	\$6,980
Good Samaritan Regional	52	⊙	8.0	2.3	⊙	4.7	⊙	⊙	⊙	\$14,255
Graduate	19	⊙	6.4	0.0	⊙	0.0	⊙	⊙	⊙	\$65,206
Grand View	33	⊙	6.9	3.2	⊙	9.7	⊙	⊙	⊙	\$40,752
Hahnemann University	18	⊙	8.7	5.6	⊙	11.1	⊙	⊙	⊙	\$104,524
Holy Redeemer	114	⊙	7.7	3.8	⊙	5.8	⊙	⊙	⊙	\$72,010
Hospital Fox Chase Cancer	9	⊙	5.4	14.3	⊙	0.0	⊙	NR	NR	\$20,297
Hospital University PA	101	⊙	7.0	6.4	⊙	6.4	⊙	●	⊙	\$53,660
Jeanes	122	⊙	7.3	0.9	⊙	7.4	⊙	⊙	⊙	\$64,153
Jennersville Regional	35	⊙	7.1	3.2	⊙	6.5	⊙	⊙	⊙	\$27,857
Lehigh Valley	73	⊙	6.8	3.1	⊙	3.1	⊙	⊙	⊙	\$36,758
Lehigh Valley/Muhlenberg	89	⊙	6.2	3.8	⊙	3.8	⊙	⊙	⊙	\$31,066
Main Line Bryn Mawr	119	⊙	7.8	1.9	⊙	7.6	⊙	⊙	⊙	\$60,769
Main Line Lankenau	99	⊙	6.3	5.4	⊙	3.3	⊙	⊙	●	\$54,355
Main Line Paoli	100	⊙	5.7	4.5	⊙	0.0	⊙	⊙	⊙	\$49,324
Mercy Fitzgerald	63	⊙	5.9	16.9	●	3.4	⊙	⊙	⊙	\$62,376
Mercy Philadelphia	53	⊙	6.9	10.0	⊙	6.0	⊙	●	●	\$56,880
Mercy Suburban	77	⊙	6.0	9.1	⊙	3.0	⊙	⊙	⊙	\$43,024

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pneumonia - Aspiration

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	76	⊙	8.5	1.4	⊙	15.3	●	⊙	●	\$46,389
Montgomery	27	⊙	7.0	4.3	⊙	0.0	⊙	⊙	⊙	\$36,574
Nazareth	82	⊙	6.9	1.4	⊙	6.9	⊙	●	⊙	\$52,053
Palmerton	18	⊙	6.9	6.7	⊙	0.0	⊙	⊙	⊙	\$11,350
Penn Presbyterian	75	⊙	5.3	7.5	⊙	1.5	⊙	⊙	⊙	\$32,744
Pennsylvania	21	⊙	9.0	4.8	⊙	14.3	⊙	●	●	\$67,752
Phoenixville	57	⊙	6.8	8.9	⊙	4.4	⊙	⊙	⊙	\$30,822
Pottstown Memorial	37	●	6.3	14.3	●	10.7	⊙	⊙	⊙	\$33,021
Pottsville Warne Clinic	28	⊙	8.4	0.0	⊙	8.7	⊙	⊙	⊙	\$13,535
Reading	102	⊙	7.5	5.9	⊙	11.8	●	⊙	⊙	\$19,793
Riddle Memorial	135	⊙	8.7	0.0	⊙	8.5	⊙	⊙	⊙	\$64,879
Roxborough Memorial	64	⊙	7.4	5.4	⊙	3.6	⊙	●	⊙	\$24,202
Sacred Heart/Allentown	16	⊙	5.6	7.1	⊙	7.1	⊙	⊙	⊙	\$17,522
Saint Catherine	8	⊙	5.9	0.0	⊙	0.0	⊙	⊙	⊙	\$12,971
Springfield	33	⊙	8.5	0.0	⊙	16.7	●	⊙	⊙	\$97,080
St Joseph/Reading	32	●	7.2	0.0	⊙	4.5	⊙	⊙	⊙	\$19,943
St Joseph's/Philadelphia	26	⊙	9.3	0.0	⊙	12.0	⊙	●	●	\$35,583
St Luke's Miners	17	⊙	8.7	0.0	⊙	6.7	⊙	⊙	⊙	\$23,605
St Luke's Quakertown	21	⊙	5.9	5.0	⊙	10.0	⊙	⊙	⊙	\$34,214
St Luke's/Bethlehem	145	⊙	6.5	6.0	⊙	3.0	⊙	⊙	⊙	\$27,057
St Mary	71	⊙	6.7	6.6	⊙	9.8	⊙	⊙	⊙	\$34,212
Taylor	45	⊙	7.3	0.0	⊙	14.6	●	⊙	⊙	\$97,159
Temple East	24	⊙	7.0	0.0	⊙	4.2	⊙	⊙	⊙	\$55,668
Temple Lower Bucks	14	⊙	4.9	18.2	⊙	0.0	⊙	⊙	⊙	\$48,062
Temple University	68	⊙	8.1	9.8	⊙	14.8	●	●	⊙	\$92,816
Thomas Jefferson Univ	46	⊙	6.2	4.4	⊙	8.9	⊙	⊙	⊙	\$50,794
Warminster	24	⊙	6.4	9.1	⊙	9.1	⊙	⊙	⊙	\$61,462
Southeastern Pennsylvania	3,426		7.0	4.7		6.4				\$47,782
TOTAL: Statewide	8,681		6.8	5.0		5.0				\$30,766

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	661	⊙	4.7	6.5	⊙	5.9	⊙	⊙	⊙	\$48,606
Albert Einstein	327	⊙	4.3	12.7	●	4.1	⊙	⊙	⊙	\$28,207
Brandywine	258	⊙	5.1	4.9	⊙	4.5	⊙	⊙	⊙	\$52,925
Central Montgomery	315	⊙	4.7	8.2	●	4.6	⊙	⊙	⊙	\$35,492
Chester County	394	⊙	5.4	4.4	⊙	5.7	⊙	⊙	⊙	\$19,068
Chestnut Hill	221	⊙	4.7	5.1	⊙	4.7	⊙	⊙	⊙	\$38,647
Crozer-Chester	411	⊙	5.1	4.0	⊙	10.5	●	⊙	⊙	\$69,302
Delaware County Memorial	371	⊙	6.6	1.7	○	12.1	●	⊙	⊙	\$72,311
Doylestown	362	⊙	5.7	2.6	○	8.2	●	⊙	⊙	\$29,128
Easton	291	⊙	5.3	3.8	⊙	7.6	⊙	⊙	⊙	\$21,919
Frankford	845	⊙	5.8	1.6	○	7.4	●	●	⊙	\$34,225
Gnaden Huetten Memorial	123	⊙	4.7	4.1	⊙	2.5	⊙	⊙	⊙	\$9,140
Good Samaritan Regional	210	●	5.6	2.6	⊙	7.4	⊙	⊙	⊙	\$11,142
Graduate	156	⊙	4.9	3.9	⊙	6.6	⊙	●	⊙	\$59,700
Grand View	311	⊙	5.4	5.3	⊙	6.6	⊙	⊙	⊙	\$37,730
Hahnemann University	241	○	5.8	2.9	⊙	8.7	●	⊙	⊙	\$70,580
Holy Redeemer	277	⊙	5.4	4.4	⊙	7.7	⊙	⊙	⊙	\$54,217
Hospital Fox Chase Cancer	45	⊙	3.8	31.0	●	0.0	⊙	⊙	⊙	\$14,621
Hospital University PA	247	⊙	4.4	4.5	⊙	5.3	⊙	⊙	⊙	\$32,454
Jeanes	199	⊙	5.6	3.6	⊙	8.9	●	⊙	⊙	\$61,394
Jennersville Regional	216	⊙	4.7	3.8	⊙	4.7	⊙	⊙	⊙	\$22,104
Lehigh Valley	410	⊙	5.0	4.7	⊙	4.0	⊙	⊙	⊙	\$23,925
Lehigh Valley/Muhlenberg	227	⊙	4.4	10.0	●	3.2	⊙	⊙	⊙	\$22,764
Main Line Bryn Mawr	326	⊙	5.1	5.1	⊙	5.1	⊙	⊙	⊙	\$41,171
Main Line Lankenau	357	⊙	4.7	6.1	⊙	4.0	⊙	⊙	⊙	\$39,912
Main Line Paoli	300	⊙	4.3	6.9	⊙	2.1	○	⊙	⊙	\$36,410
Mercy Fitzgerald	228	⊙	4.3	3.6	⊙	2.7	⊙	●	⊙	\$45,108
Mercy Philadelphia	213	⊙	4.9	5.3	⊙	5.8	⊙	●	⊙	\$39,938
Mercy Suburban	185	⊙	4.8	5.7	⊙	2.8	⊙	●	●	\$38,259

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pneumonia - Infectious

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	320	⊙	5.6	1.3	○	9.5	●	⊙	⊙	\$35,945
Montgomery	206	⊙	4.9	2.5	⊙	4.0	⊙	⊙	⊙	\$25,280
Nazareth	231	⊙	4.9	2.6	⊙	3.9	⊙	⊙	⊙	\$38,294
Palmerton	124	⊙	4.6	3.2	⊙	3.2	⊙	⊙	⊙	\$8,561
Penn Presbyterian	147	⊙	4.7	3.5	⊙	2.8	⊙	⊙	⊙	\$25,847
Pennsylvania	145	⊙	5.6	2.1	⊙	8.5	⊙	⊙	⊙	\$42,158
Phoenixville	278	⊙	5.3	4.1	⊙	6.4	⊙	⊙	⊙	\$27,030
Pottstown Memorial	428	⊙	4.6	6.3	⊙	4.8	⊙	●	●	\$28,648
Pottsville Warne Clinic	181	⊙	6.1	3.4	⊙	11.9	●	⊙	⊙	\$10,289
Reading	584	⊙	5.7	5.5	⊙	9.0	●	○	○	\$16,938
Riddle Memorial	318	⊙	5.6	4.2	⊙	7.1	⊙	⊙	⊙	\$48,794
Roxborough Memorial	180	⊙	5.2	5.1	⊙	4.0	⊙	●	⊙	\$20,646
Sacred Heart/Allentown	207	⊙	5.0	4.9	⊙	3.4	⊙	⊙	⊙	\$14,004
Saint Catherine	101	⊙	4.2	9.3	⊙	0.0	○	⊙	●	\$9,957
Springfield	97	⊙	5.6	1.1	⊙	5.5	⊙	⊙	⊙	\$78,267
St Joseph/Reading	228	⊙	4.6	12.2	●	2.7	⊙	⊙	⊙	\$12,732
St Joseph's/Philadelphia	85	⊙	7.1	0.0	○	12.0	●	⊙	⊙	\$20,491
St Luke's Miners	129	⊙	5.8	0.8	○	4.0	⊙	⊙	⊙	\$15,853
St Luke's Quakertown	128	⊙	4.2	4.8	⊙	1.6	⊙	○	⊙	\$19,771
St Luke's/Bethlehem	552	⊙	4.6	8.7	●	3.5	⊙	○	⊙	\$19,700
St Mary	379	⊙	5.5	2.5	○	8.2	●	⊙	⊙	\$27,812
Taylor	279	●	6.2	0.7	○	10.9	●	⊙	⊙	\$79,852
Temple East	295	⊙	5.7	1.7	○	5.1	⊙	●	⊙	\$40,318
Temple Lower Bucks	131	⊙	5.0	0.0	○	3.1	⊙	⊙	⊙	\$50,371
Temple University	384	⊙	4.6	5.5	⊙	5.3	⊙	⊙	○	\$66,084
Thomas Jefferson Univ	330	⊙	4.9	6.4	⊙	6.1	⊙	⊙	⊙	\$38,604
Warminster	141	⊙	5.5	5.0	⊙	7.2	⊙	⊙	⊙	\$57,172
Southeastern Pennsylvania	15,380		5.1	4.7		6.1				\$36,235
TOTAL: Statewide	41,423		5.1	5.0		5.0				\$22,300

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	88	⊙	11.6	6.5	⊙	8.1	⊙	⊙	⊙	\$151,888
Albert Einstein	232	⊙	9.2	5.9	⊙	5.3	⊙	●	●	\$80,046
Brandywine	31	⊙	9.7	5.6	⊙	16.7	⊙	⊙	⊙	\$157,585
Central Montgomery	43	⊙	8.1	11.1	⊙	0.0	⊙	⊙	⊙	\$81,054
Chester County	25	⊙	9.2	7.1	⊙	0.0	⊙	⊙	⊙	\$49,044
Chestnut Hill	47	⊙	8.2	0.0	⊙	0.0	⊙	⊙	⊙	\$103,590
Crozer-Chester	79	⊙	10.4	3.2	⊙	6.3	⊙	⊙	⊙	\$184,447
Delaware County Memorial	11	⊙	16.1	0.0	⊙	28.6	●	NR	NR	\$261,899
Doylestown	29	⊙	11.1	0.0	⊙	9.1	⊙	⊙	⊙	\$84,217
Easton	62	⊙	9.2	2.3	⊙	2.3	⊙	⊙	⊙	\$57,921
Frankford	248	⊙	9.1	6.6	⊙	3.8	⊙	⊙	⊙	\$72,983
Gnaden Huetten Memorial	8	⊙	4.3	25.0	⊙	0.0	⊙	⊙	⊙	\$13,858
Good Samaritan Regional	37	⊙	8.4	13.6	⊙	0.0	⊙	⊙	⊙	\$21,006
Graduate	20	⊙	10.9	0.0	⊙	5.9	⊙	⊙	⊙	\$146,201
Grand View	18	⊙	9.6	0.0	⊙	6.7	⊙	⊙	⊙	\$123,565
Hahnemann University	31	⊙	13.3	4.3	⊙	21.7	●	⊙	⊙	\$161,855
Holy Redeemer	43	⊙	11.6	0.0	⊙	8.1	⊙	⊙	●	\$156,476
Hospital Fox Chase Cancer	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA	58	●	10.1	0.0	⊙	5.9	⊙	⊙	⊙	\$144,697
Jeanes	29	⊙	13.9	0.0	⊙	0.0	⊙	⊙	⊙	\$179,509
Jennersville Regional	11	⊙	11.9	0.0	⊙	10.0	⊙	⊙	⊙	\$66,027
Lehigh Valley	91	⊙	8.3	8.6	⊙	0.0	⊙	⊙	⊙	\$61,446
Lehigh Valley/Muhlenberg	27	⊙	7.3	10.0	⊙	0.0	⊙	⊙	⊙	\$61,840
Main Line Bryn Mawr	57	⊙	11.7	6.5	⊙	12.9	⊙	⊙	⊙	\$136,846
Main Line Lankenau	68	⊙	9.6	2.0	⊙	2.0	⊙	⊙	⊙	\$109,770
Main Line Paoli	19	⊙	8.0	0.0	⊙	0.0	⊙	⊙	⊙	\$64,623
Mercy Fitzgerald	55	⊙	9.1	5.3	⊙	7.9	⊙	⊙	⊙	\$115,105
Mercy Philadelphia	48	⊙	7.4	0.0	⊙	3.1	⊙	⊙	⊙	\$74,529
Mercy Suburban	56	⊙	9.1	5.0	⊙	2.5	⊙	●	⊙	\$95,588

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Respiratory Failure with Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	109	⊙	10.1	7.3	⊙	11.0	●	⊙	⊙	\$84,794
Montgomery	53	⊙	10.6	5.1	⊙	10.3	⊙	⊙	⊙	\$72,272
Nazareth	84	⊙	10.6	6.1	⊙	3.0	⊙	⊙	⊙	\$85,487
Palmerton	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Penn Presbyterian	48	⊙	10.9	2.9	⊙	11.4	⊙	⊙	⊙	\$82,495
Pennsylvania	25	⊙	11.2	0.0	⊙	5.6	⊙	⊙	⊙	\$133,699
Phoenixville	21	⊙	8.5	0.0	⊙	0.0	⊙	⊙	⊙	\$66,333
Pottstown Memorial	42	⊙	8.3	6.5	⊙	3.2	⊙	⊙	⊙	\$70,577
Pottsville Warne Clinic	25	⊙	11.7	4.2	⊙	16.7	●	⊙	⊙	\$29,800
Reading	70	⊙	11.5	6.4	⊙	8.5	⊙	⊙	⊙	\$46,136
Riddle Memorial	25	⊙	10.9	0.0	⊙	12.5	⊙	⊙	⊙	\$158,691
Roxborough Memorial	48	⊙	10.0	2.8	⊙	2.8	⊙	⊙	⊙	\$55,039
Sacred Heart/Allentown	21	⊙	6.0	13.3	⊙	0.0	⊙	⊙	⊙	\$30,340
Saint Catherine	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Springfield	6	⊙	NR	NR	NR	NR	NR	NR	NR	\$230,071
St Joseph/Reading	39	⊙	7.2	15.2	●	0.0	⊙	⊙	⊙	\$32,308
St Joseph's/Philadelphia	65	⊙	11.5	5.1	⊙	10.3	⊙	⊙	⊙	\$52,644
St Luke's Miners	8	⊙	12.3	0.0	⊙	0.0	⊙	NR	NR	\$46,672
St Luke's Quakertown	7	⊙	4.1	40.0	●	0.0	⊙	⊙	⊙	\$39,279
St Luke's/Bethlehem	100	⊙	9.8	1.5	⊙	4.5	⊙	⊙	⊙	\$57,453
St Mary	40	⊙	8.4	3.3	⊙	0.0	⊙	⊙	⊙	\$60,162
Taylor	30	⊙	10.4	0.0	⊙	9.5	⊙	⊙	●	\$196,681
Temple East	93	⊙	9.8	3.0	⊙	6.0	⊙	⊙	⊙	\$88,896
Temple Lower Bucks	30	⊙	9.1	0.0	⊙	4.8	⊙	⊙	⊙	\$110,552
Temple University	225	⊙	10.4	4.0	⊙	12.6	●	⊙	⊙	\$175,993
Thomas Jefferson Univ	41	⊙	13.2	7.4	⊙	14.8	●	⊙	⊙	\$133,027
Warminster	21	⊙	8.4	0.0	⊙	0.0	⊙	⊙	⊙	\$129,165
Southeastern Pennsylvania	2,859		9.8	4.8		6.3				\$97,189
TOTAL: Statewide	6,712		9.7	5.0		5.0				\$69,425

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	101	⊖	7.6	5.7	⊖	13.8	●	●	⊖	\$79,143
Albert Einstein	98	⊖	6.2	5.7	⊖	0.0	○	⊖	⊖	\$38,865
Brandywine	52	⊖	6.6	0.0	⊖	4.3	⊖	●	⊖	\$69,052
Central Montgomery	35	⊖	4.9	29.6	●	3.7	⊖	⊖	⊖	\$43,843
Chester County	29	⊖	8.6	9.5	⊖	19.0	●	⊖	⊖	\$30,816
Chestnut Hill	79	⊖	6.3	5.9	⊖	1.5	⊖	⊖	⊖	\$53,446
Crozer-Chester	23	⊖	7.8	0.0	⊖	6.3	⊖	●	⊖	\$123,694
Delaware County Memorial	7	⊖	11.1	0.0	⊖	20.0	⊖	⊖	⊖	\$106,260
Doylestown	42	⊖	7.8	0.0	⊖	8.6	⊖	⊖	⊖	\$38,360
Easton	95	⊖	6.6	1.2	⊖	4.7	⊖	⊖	⊖	\$31,333
Frankford	34	⊖	6.8	0.0	⊖	3.8	⊖	⊖	⊖	\$44,804
Gnaden Huettgen Memorial	5	⊖	NR	NR	NR	NR	NR	NR	NR	\$9,528
Good Samaritan Regional	72	⊖	6.3	6.5	⊖	6.5	⊖	⊖	⊖	\$12,549
Graduate	10	⊖	6.3	0.0	⊖	12.5	⊖	⊖	⊖	\$95,315
Grand View	13	⊖	8.4	9.1	⊖	18.2	⊖	⊖	⊖	\$77,227
Hahnemann University	26	⊖	9.0	4.8	⊖	9.5	⊖	⊖	⊖	\$136,889
Holy Redeemer	34	⊖	8.2	0.0	⊖	7.1	⊖	●	●	\$85,889
Hospital Fox Chase Cancer	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA	37	⊖	8.3	0.0	⊖	13.8	⊖	⊖	⊖	\$84,654
Jeanes	39	⊖	7.1	6.1	⊖	9.1	⊖	●	⊖	\$86,622
Jennersville Regional	12	⊖	7.9	16.7	⊖	8.3	⊖	⊖	⊖	\$40,826
Lehigh Valley	61	⊖	7.2	6.0	⊖	8.0	⊖	⊖	⊖	\$36,400
Lehigh Valley/Muhlenberg	43	⊖	4.6	6.1	⊖	0.0	⊖	⊖	⊖	\$28,188
Main Line Bryn Mawr	103	⊖	7.7	5.1	⊖	12.7	●	⊖	⊖	\$71,335
Main Line Lankenau	39	⊖	6.1	3.1	⊖	0.0	⊖	⊖	⊖	\$56,126
Main Line Paoli	8	⊖	4.0	20.0	⊖	0.0	⊖	NR	NR	\$37,413
Mercy Fitzgerald	23	⊖	6.8	0.0	⊖	5.0	⊖	⊖	⊖	\$74,149
Mercy Philadelphia	12	⊖	4.8	0.0	⊖	0.0	⊖	●	⊖	\$50,788
Mercy Suburban	30	⊖	5.9	0.0	⊖	0.0	⊖	⊖	⊖	\$46,772

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Respiratory Failure without Mechanical Ventilation

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	7	⊙	8.3	16.7	⊙	16.7	⊙	NR	NR	\$41,423
Montgomery	9	⊙	7.3	0.0	⊙	12.5	⊙	⊙	⊙	\$34,368
Nazareth	14	●	3.8	0.0	⊙	0.0	⊙	NR	NR	\$41,923
Palmerton	5	⊙	4.5	0.0	⊙	0.0	⊙	⊙	⊙	\$13,458
Penn Presbyterian	10	⊙	7.0	12.5	⊙	0.0	⊙	⊙	⊙	\$53,314
Pennsylvania	14	⊙	6.6	0.0	⊙	0.0	⊙	⊙	⊙	\$74,039
Phoenixville	60	⊙	6.4	0.0	⊙	5.5	⊙	⊙	⊙	\$35,483
Pottstown Memorial	11	⊙	4.9	0.0	⊙	0.0	⊙	⊙	⊙	\$25,183
Pottsville Warne Clinic	116	⊙	7.9	5.8	⊙	14.4	●	⊙	⊙	\$13,686
Reading	176	⊙	7.4	6.7	⊙	6.7	⊙	⊙	⊙	\$21,136
Riddle Memorial	29	⊙	7.7	11.5	⊙	19.2	●	⊙	⊙	\$80,135
Roxborough Memorial	12	●	7.0	0.0	⊙	0.0	⊙	⊙	⊙	\$28,175
Sacred Heart/Allentown	16	⊙	6.3	0.0	⊙	0.0	⊙	⊙	⊙	\$16,766
Saint Catherine	5	⊙	NR	NR	NR	NR	NR	NR	NR	\$13,072
Springfield	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Joseph/Reading	150	⊙	5.1	10.3	●	2.8	⊙	⊙	⊙	\$16,029
St Joseph's/Philadelphia	57	⊙	8.2	1.9	⊙	7.5	⊙	⊙	⊙	\$29,154
St Luke's Miners	14	⊙	10.8	0.0	⊙	23.1	●	⊙	⊙	\$33,930
St Luke's Quakertown	21	⊙	5.0	11.1	⊙	0.0	⊙	⊙	⊙	\$24,034
St Luke's/Bethlehem	62	⊙	6.7	5.7	⊙	7.5	⊙	⊙	⊙	\$30,081
St Mary	30	⊙	5.8	4.8	⊙	0.0	⊙	⊙	⊙	\$27,276
Taylor	8	●	NR	NR	NR	NR	NR	NR	NR	\$95,714
Temple East	39	⊙	7.4	0.0	⊙	5.4	⊙	●	⊙	\$63,879
Temple Lower Bucks	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Temple University	123	⊙	7.1	3.4	⊙	14.4	●	⊙	⊙	\$123,114
Thomas Jefferson Univ	18	⊙	9.7	6.3	⊙	18.8	●	⊙	⊙	\$83,199
Warminster	26	⊙	6.6	0.0	⊙	4.8	⊙	⊙	⊙	\$70,069
Southeastern Pennsylvania	2,205		6.9	5.0		7.3				\$48,700
TOTAL: Statewide	7,660		6.4	5.0		5.0				\$28,348

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Abington Memorial	204	⊖	8.5	7.2	⊖	10.5	●	\$102,731
Albert Einstein	243	⊖	7.9	8.2	⊖	10.3	●	\$64,436
Brandywine	49	⊖	7.0	5.4	⊖	0.0	⊖	\$62,146
Central Montgomery	88	⊖	7.7	7.0	⊖	4.2	⊖	\$56,636
Chester County	132	⊖	8.4	1.9	⊖	7.5	⊖	\$30,689
Chestnut Hill	246	⊖	7.4	5.2	⊖	3.6	⊖	\$74,316
Crozer-Chester	88	⊖	9.2	1.7	⊖	10.0	⊖	\$136,986
Delaware County Memorial	55	⊖	9.3	5.4	⊖	8.1	⊖	\$100,037
Doylestown	163	⊖	8.7	3.8	⊖	10.8	●	\$48,262
Easton	358	⊖	7.6	1.4	⊖	5.8	⊖	\$36,365
Frankford	191	⊖	8.9	2.8	⊖	9.8	●	\$58,258
Gnaden Huetten Memorial	56	⊖	5.7	10.9	⊖	6.5	⊖	\$11,568
Good Samaritan Regional	172	⊖	7.2	4.4	⊖	2.2	⊖	\$12,899
Graduate	35	●	8.8	4.2	⊖	20.8	●	\$150,338
Grand View	129	⊖	7.0	1.8	⊖	2.7	⊖	\$49,649
Hahnemann University	93	⊖	9.3	3.8	⊖	19.2	●	\$161,385
Holy Redeemer	111	●	8.6	5.1	⊖	10.3	⊖	\$95,416
Hospital Fox Chase Cancer	16	●	6.3	0.0	⊖	0.0	⊖	\$20,294
Hospital University PA	165	●	9.8	1.2	⊖	16.9	●	\$119,016
Jeanes	81	⊖	8.4	1.8	⊖	5.3	⊖	\$103,027
Jennersville Regional	28	⊖	7.0	4.5	⊖	4.5	⊖	\$28,375
Lehigh Valley	344	⊖	8.0	3.4	⊖	6.4	⊖	\$38,121
Lehigh Valley/Muhlenberg	187	⊖	6.9	5.2	⊖	3.2	⊖	\$39,412
Main Line Bryn Mawr	175	⊖	8.0	5.9	⊖	5.9	⊖	\$76,311
Main Line Lankenau	159	⊖	7.5	8.7	⊖	7.1	⊖	\$75,743
Main Line Paoli	121	⊖	7.4	10.4	●	7.3	⊖	\$73,607
Mercy Fitzgerald	151	⊖	8.3	7.7	⊖	8.8	⊖	\$85,749
Mercy Philadelphia	132	⊖	7.6	5.9	⊖	12.7	●	\$90,400
Mercy Suburban	194	⊖	7.2	7.5	⊖	4.1	⊖	\$69,230

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Septicemia

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Methodist Division/TJUH	102	⊙	9.8	3.5	⊙	27.1	●	\$73,220
Montgomery	87	⊙	6.9	4.2	⊙	4.2	⊙	\$39,131
Nazareth	175	⊙	7.4	4.0	⊙	4.7	⊙	\$52,310
Palmerton	41	●	5.9	0.0	⊙	0.0	⊙	\$11,089
Penn Presbyterian	65	●	8.5	11.1	⊙	11.1	⊙	\$86,001
Pennsylvania	44	⊙	10.9	3.3	⊙	23.3	●	\$104,788
Phoenixville	111	⊙	6.4	6.5	⊙	3.2	⊙	\$33,315
Pottstown Memorial	127	⊙	7.2	1.0	⊙	8.3	⊙	\$50,668
Pottsville Warne Clinic	52	⊙	8.3	0.0	⊙	2.6	⊙	\$11,069
Reading	456	⊙	7.8	4.7	⊙	5.2	⊙	\$24,274
Riddle Memorial	163	⊙	8.2	2.2	⊙	4.4	⊙	\$66,702
Roxborough Memorial	112	⊙	7.8	2.3	⊙	8.0	⊙	\$35,351
Sacred Heart/Allentown	62	⊙	7.3	9.1	⊙	5.5	⊙	\$24,790
Saint Catherine	50	⊙	5.2	15.2	●	0.0	⊙	\$12,541
Springfield	21	⊙	8.7	0.0	⊙	17.6	⊙	\$104,816
St Joseph/Reading	101	⊙	7.4	8.3	⊙	9.7	⊙	\$24,733
St Joseph's/Philadelphia	138	⊙	9.8	1.6	⊙	19.7	●	\$38,433
St Luke's Miners	30	⊙	8.5	3.7	⊙	3.7	⊙	\$22,942
St Luke's Quakertown	30	⊙	5.9	7.1	⊙	0.0	⊙	\$26,588
St Luke's/Bethlehem	332	⊙	7.5	7.6	⊙	4.3	⊙	\$35,733
St Mary	135	●	7.4	4.4	⊙	6.6	⊙	\$48,445
Taylor	87	⊙	8.5	6.0	⊙	6.0	⊙	\$110,291
Temple East	45	⊙	7.8	0.0	⊙	10.7	⊙	\$57,194
Temple Lower Bucks	40	⊙	6.4	20.0	●	3.3	⊙	\$79,457
Temple University	159	⊙	8.0	8.6	⊙	9.5	⊙	\$161,314
Thomas Jefferson Univ	81	⊙	10.6	1.6	⊙	22.6	●	\$124,937
Warminster	49	⊙	8.2	5.6	⊙	11.1	⊙	\$86,029
Southeastern Pennsylvania	7,070		7.9	5.0		7.6		\$60,837
TOTAL: Statewide	22,089		7.2	5.0		5.0		\$33,875

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	318	○	4.3	4.7	○	7.3	○	○	\$48,133	
Albert Einstein	351	○	4.0	6.4	○	4.1	○	●	\$32,451	
Brandywine	107	○	4.3	3.8	○	5.7	○	○	\$48,537	
Central Montgomery	96	○	4.3	6.3	○	5.3	○	○	\$33,654	
Chester County	172	○	4.0	3.0	○	3.6	○	○	\$18,122	
Chestnut Hill	177	○	3.7	6.9	○	1.7	○	○	\$27,817	
Crozer-Chester	167	●	5.1	1.3	○	8.2	○	○	\$66,197	
Delaware County Memorial	146	○	5.1	0.7	○	11.2	●	○	\$58,311	
Doylestown	186	○	5.0	2.2	○	6.0	○	○	\$27,127	
Easton	204	○	4.4	2.5	○	5.0	○	○	\$30,180	
Frankford	466	○	5.1	2.0	○	7.6	●	○	\$29,571	
Gnaden Huetten Memorial	45	○	3.8	4.4	○	0.0	○	○	\$7,888	
Good Samaritan Regional	145	○	4.5	6.4	○	5.0	○	○	\$10,626	
Graduate	120	○	4.3	0.9	○	4.3	○	○	\$64,743	
Grand View	111	○	4.8	3.7	○	12.0	●	○	\$33,987	
Hahnemann University	124	○	4.6	8.1	○	12.2	●	○	\$68,517	
Holy Redeemer	125	○	4.2	4.1	○	4.9	○	○	\$43,708	
Hospital Fox Chase Cancer	23	○	3.5	13.0	○	8.7	○	○	\$20,740	
Hospital University PA	156	○	4.3	4.6	○	7.3	○	○	\$45,272	
Jeanes	167	○	4.5	2.4	○	3.0	○	○	\$53,812	
Jennersville Regional	58	○	3.7	3.5	○	1.8	○	○	\$20,174	
Lehigh Valley	336	○	4.5	7.1	○	4.6	○	○	\$26,712	
Lehigh Valley/Muhlenberg	123	○	4.3	3.4	○	6.7	○	○	\$25,784	
Main Line Bryn Mawr	238	○	4.0	6.4	○	4.7	○	○	\$32,778	
Main Line Lankenau	227	○	4.1	4.9	○	4.0	○	○	\$36,818	
Main Line Paoli	138	○	3.8	4.3	○	2.9	○	○	\$35,029	
Mercy Fitzgerald	92	○	4.0	6.6	○	4.4	○	○	\$41,672	
Mercy Philadelphia	94	○	4.5	3.2	○	8.5	○	●	\$46,492	
Mercy Suburban	85	●	4.3	3.8	○	5.1	○	○	\$40,665	
Methodist Division/TJUH	96	○	4.6	3.2	○	10.6	●	○	\$34,221	

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stomach and Intestinal Bleeding

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Montgomery	106	⊙	3.8	3.8	⊙	3.8	⊙	⊙	⊙	\$24,451
Nazareth	149	⊙	5.4	2.7	⊙	9.5	●	⊙	⊙	\$40,722
Palmerton	51	⊙	3.8	10.0	⊙	2.0	⊙	⊙	⊙	\$8,527
Penn Presbyterian	112	⊙	3.9	4.5	⊙	1.8	⊙	⊙	⊙	\$30,775
Pennsylvania	113	⊙	4.5	0.9	⊙	5.3	⊙	●	⊙	\$38,237
Phoenixville	155	●	3.9	4.7	⊙	2.7	⊙	⊙	⊙	\$22,968
Pottstown Memorial	125	⊙	4.1	0.8	⊙	4.9	⊙	⊙	⊙	\$23,484
Pottsville Warne Clinic	125	⊙	4.1	11.0	●	9.3	⊙	⊙	⊙	\$11,227
Reading	307	⊙	4.9	5.3	⊙	9.9	●	⊙	⊙	\$16,305
Riddle Memorial	152	⊙	5.7	4.7	⊙	14.8	●	⊙	⊙	\$51,735
Roxborough Memorial	88	⊙	4.8	3.5	⊙	7.0	⊙	⊙	⊙	\$22,670
Sacred Heart/Allentown	117	⊙	4.3	3.5	⊙	2.6	⊙	⊙	⊙	\$15,383
Saint Catherine	26	⊙	3.3	4.0	⊙	0.0	⊙	⊙	⊙	\$15,096
Springfield	23	⊙	3.6	8.7	⊙	0.0	⊙	⊙	⊙	\$40,622
St Joseph/Reading	184	⊙	4.0	7.9	⊙	3.4	⊙	⊙	⊙	\$15,800
St Joseph's/Philadelphia	62	⊙	5.3	1.7	⊙	10.0	⊙	●	●	\$24,431
St Luke's Miners	34	⊙	4.9	6.1	⊙	12.1	⊙	⊙	⊙	\$17,386
St Luke's Quakertown	34	⊙	4.5	6.1	⊙	0.0	⊙	⊙	⊙	\$19,976
St Luke's/Bethlehem	298	⊙	3.7	6.8	⊙	3.4	⊙	⊙	⊙	\$18,077
St Mary	214	⊙	4.6	3.3	⊙	4.8	⊙	⊙	⊙	\$27,337
Taylor	107	⊙	4.9	1.9	⊙	7.6	⊙	⊙	●	\$62,416
Temple East	100	⊙	5.0	1.0	⊙	4.1	⊙	⊙	⊙	\$46,827
Temple Lower Bucks	87	⊙	4.8	4.8	⊙	6.0	⊙	⊙	⊙	\$52,292
Temple University	268	⊙	4.2	4.9	⊙	7.2	⊙	⊙	⊙	\$63,348
Thomas Jefferson Univ	179	⊙	4.9	3.4	⊙	10.7	●	⊙	⊙	\$44,753
Warminster	57	⊙	4.2	3.6	⊙	5.4	⊙	⊙	⊙	\$47,934
Southeastern Pennsylvania	8,167		4.4	4.4		6.0				\$34,444
TOTAL: Statewide	20,929		4.3	5.0		5.0				\$22,191

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	76	⊙	6.1	8.5	⊙	3.4	⊙	⊙	⊙	\$63,944
Albert Einstein	73	⊙	6.2	0.0	⊙	2.0	⊙	⊙	⊙	\$44,001
Brandywine	10	⊙	NR	NR	NR	NR	NR	NR	NR	\$27,289
Central Montgomery	7	⊙	7.6	0.0	⊙	16.7	⊙	⊙	⊙	\$41,678
Chester County	18	⊙	4.3	0.0	⊙	0.0	⊙	⊙	⊙	\$15,720
Chestnut Hill	11	⊙	5.5	0.0	⊙	0.0	⊙	⊙	⊙	\$32,238
Crozer-Chester	58	⊙	6.6	2.4	⊙	7.1	⊙	⊙	⊙	\$76,014
Delaware County Memorial	7	⊙	NR	NR	NR	NR	NR	NR	NR	\$55,312
Doylestown	18	⊙	5.1	0.0	⊙	0.0	⊙	⊙	⊙	\$21,754
Easton	13	⊙	7.4	10.0	⊙	20.0	⊙	⊙	⊙	\$28,268
Frankford	55	⊙	6.1	2.6	⊙	0.0	⊙	⊙	⊙	\$31,441
Gnaden Huetten Memorial	6	⊙	NR	NR	NR	NR	NR	NR	NR	\$5,458
Good Samaritan Regional	10	⊙	7.4	0.0	⊙	20.0	⊙	⊙	⊙	\$7,541
Graduate	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Grand View	12	⊙	5.6	0.0	⊙	0.0	⊙	⊙	⊙	\$29,923
Hahnemann University	29	⊙	9.9	0.0	⊙	33.3	●	⊙	⊙	\$103,194
Holy Redeemer	19	⊙	11.0	0.0	⊙	31.3	●	⊙	⊙	\$80,738
Hospital Fox Chase Cancer	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA	100	⊙	6.9	6.6	⊙	6.6	⊙	⊙	⊙	\$66,656
Jeanes	10	⊙	5.4	0.0	⊙	0.0	⊙	⊙	⊙	\$56,830
Jennersville Regional	5	⊙	7.0	0.0	⊙	0.0	⊙	NR	NR	\$36,547
Lehigh Valley	110	⊙	6.4	2.6	⊙	2.6	⊙	⊙	⊙	\$34,188
Lehigh Valley/Muhlenberg	12	⊙	4.5	0.0	⊙	0.0	⊙	⊙	⊙	\$23,454
Main Line Bryn Mawr	33	⊙	7.3	3.7	⊙	3.7	⊙	⊙	⊙	\$54,855
Main Line Lankenau	49	⊙	6.4	0.0	⊙	0.0	⊙	⊙	⊙	\$50,389
Main Line Paoli	22	⊙	5.2	5.6	⊙	5.6	⊙	●	⊙	\$46,147
Mercy Fitzgerald	33	⊙	5.4	3.8	⊙	3.8	⊙	⊙	●	\$43,986
Mercy Philadelphia	30	⊙	6.0	8.0	⊙	8.0	⊙	⊙	●	\$76,764
Mercy Suburban	5	⊙	4.0	20.0	⊙	0.0	⊙	⊙	⊙	\$29,338

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stroke - Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Montgomery	10	⊙	NR	NR	NR	NR	NR	NR	NR	\$24,091
Nazareth	28	⊙	5.6	0.0	⊙	4.3	⊙	⊙	⊙	\$41,553
Palmerton	3	NR	NR	NR	NR	NR	NR	NR	NR	NR
Penn Presbyterian	5	⊙	NR	NR	NR	NR	NR	NR	NR	\$19,678
Pennsylvania	17	⊙	5.7	0.0	⊙	9.1	⊙	⊙	⊙	\$53,430
Phoenixville	18	⊙	4.1	12.5	⊙	0.0	⊙	⊙	⊙	\$17,870
Pottstown Memorial	11	⊙	NR	NR	NR	NR	NR	NR	NR	\$11,856
Pottsville Warne Clinic	8	⊙	NR	NR	NR	NR	NR	NR	NR	\$7,671
Reading	76	⊙	6.7	15.5	●	5.2	⊙	⊙	⊙	\$19,996
Riddle Memorial	20	⊙	6.7	0.0	⊙	7.7	⊙	⊙	⊙	\$48,642
Roxborough Memorial	7	⊙	NR	NR	NR	NR	NR	NR	NR	\$17,116
Sacred Heart/Allentown	7	⊙	7.0	0.0	⊙	0.0	⊙	⊙	⊙	\$27,719
Saint Catherine	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
Springfield	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Joseph/Reading	13	⊙	4.7	0.0	⊙	0.0	⊙	⊙	⊙	\$23,603
St Joseph's/Philadelphia	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Luke's Miners	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Luke's Quakertown	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
St Luke's/Bethlehem	114	⊙	6.4	8.5	⊙	2.4	⊙	⊙	⊙	\$35,560
St Mary	51	⊙	6.0	12.9	⊙	3.2	⊙	⊙	⊙	\$31,121
Taylor	6	⊙	NR	NR	NR	NR	NR	NR	NR	\$67,993
Temple East	1	NR	NR	NR	NR	NR	NR	NR	NR	NR
Temple Lower Bucks	6	⊙	NR	NR	NR	NR	NR	NR	NR	\$85,961
Temple University	151	⊙	7.4	0.9	⊙	9.6	●	⊙	⊙	\$125,619
Thomas Jefferson Univ	289	⊙	6.2	5.0	⊙	3.6	⊙	⊙	⊙	\$59,682
Warminster	5	⊙	NR	NR	NR	NR	NR	NR	NR	\$26,252
Southeastern Pennsylvania	1,701		6.4	5.1		5.4				\$53,628
TOTAL: Statewide	3,683		6.3	5.0		5.0				\$39,573

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Abington Memorial	350	⊙	4.8	6.6	⊙	5.4	⊙	⊙	⊙	\$55,427
Albert Einstein	300	⊙	5.3	3.6	⊙	7.1	⊙	⊙	⊙	\$38,694
Brandywine	98	⊙	5.2	4.3	⊙	6.5	⊙	⊙	⊙	\$56,402
Central Montgomery	112	⊙	5.0	8.1	⊙	3.6	⊙	⊙	⊙	\$45,650
Chester County	126	⊙	5.2	2.5	⊙	5.9	⊙	⊙	⊙	\$23,585
Chestnut Hill	173	⊙	4.6	4.2	⊙	4.2	⊙	⊙	⊙	\$36,755
Crozer-Chester	212	⊙	5.0	2.0	⊙	8.0	⊙	⊙	⊙	\$78,636
Delaware County Memorial	122	⊙	6.1	1.7	⊙	12.1	●	⊙	⊙	\$70,956
Doylestown	166	⊙	5.2	2.0	⊙	3.3	⊙	⊙	⊙	\$35,908
Easton	124	⊙	5.0	4.2	⊙	5.0	⊙	⊙	⊙	\$23,781
Frankford	342	⊙	6.4	3.6	⊙	8.8	●	●	⊙	\$32,591
Gnaden Huetten Memorial	37	⊙	3.6	12.1	⊙	0.0	⊙	⊙	⊙	\$9,225
Good Samaritan Regional	127	⊙	5.1	5.0	⊙	5.0	⊙	⊙	⊙	\$12,538
Graduate	55	⊙	5.2	0.0	⊙	13.2	●	⊙	⊙	\$71,112
Grand View	135	⊙	5.0	0.8	⊙	6.9	⊙	⊙	⊙	\$40,479
Hahnemann University	128	⊙	7.2	0.0	⊙	25.0	●	⊙	⊙	\$112,097
Holy Redeemer	141	⊙	5.3	5.9	⊙	5.9	⊙	⊙	⊙	\$57,193
Hospital Fox Chase Cancer	2	NR	NR	NR	NR	NR	NR	NR	NR	NR
Hospital University PA	214	⊙	6.1	3.5	⊙	13.9	●	⊙	⊙	\$61,469
Jeanes	90	⊙	5.1	4.5	⊙	3.4	⊙	⊙	⊙	\$66,610
Jennersville Regional	40	⊙	4.7	5.0	⊙	2.5	⊙	⊙	⊙	\$28,941
Lehigh Valley	387	⊙	5.2	2.8	⊙	5.0	⊙	⊙	⊙	\$30,459
Lehigh Valley/Muhlenberg	146	⊙	4.6	7.1	⊙	2.1	⊙	⊙	⊙	\$30,561
Main Line Bryn Mawr	200	⊙	5.1	5.8	⊙	4.7	⊙	⊙	⊙	\$52,510
Main Line Lankenau	214	⊙	4.8	6.9	⊙	3.4	⊙	⊙	⊙	\$43,225
Main Line Paoli	168	⊙	4.7	1.9	⊙	1.9	⊙	⊙	⊙	\$45,928
Mercy Fitzgerald	128	⊙	4.8	8.0	⊙	9.6	●	⊙	⊙	\$53,585
Mercy Philadelphia	125	⊙	4.5	8.2	⊙	9.0	⊙	⊙	⊙	\$48,371
Mercy Suburban	79	⊙	5.2	5.5	⊙	4.1	⊙	⊙	⊙	\$47,004

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Stroke - Non-Hemorrhagic

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Readmission Rating		Average Charge
				Short Length of Stay		Long Length of Stay		For Any Reason	For Complication or Infection	
				%	Rating	%	Rating			
Methodist Division/TJUH	75	⊙	5.5	1.4	⊙	6.8	⊙	⊙	⊙	\$47,005
Montgomery	100	⊙	4.4	4.3	⊙	2.2	⊙	⊙	⊙	\$24,809
Nazareth	264	⊙	5.2	5.8	⊙	7.4	⊙	●	⊙	\$51,930
Palmerton	30	⊙	4.8	8.0	⊙	4.0	⊙	⊙	⊙	\$12,245
Penn Presbyterian	116	⊙	5.6	3.5	⊙	8.8	⊙	⊙	⊙	\$40,116
Pennsylvania	80	⊙	5.4	2.6	⊙	6.5	⊙	⊙	⊙	\$52,447
Phoenixville	85	⊙	5.0	3.6	⊙	4.8	⊙	⊙	⊙	\$23,937
Pottstown Memorial	126	●	4.3	2.6	⊙	2.6	⊙	⊙	⊙	\$26,621
Pottsville Warne Clinic	84	⊙	5.5	2.7	⊙	9.6	⊙	⊙	⊙	\$14,751
Reading	414	⊙	5.2	5.7	⊙	6.4	⊙	⊙	⊙	\$17,397
Riddle Memorial	158	⊙	5.2	2.7	⊙	4.8	⊙	⊙	⊙	\$53,520
Roxborough Memorial	63	⊙	4.0	6.6	⊙	1.6	⊙	⊙	⊙	\$21,845
Sacred Heart/Allentown	77	⊙	4.3	8.0	⊙	1.3	⊙	⊙	⊙	\$18,821
Saint Catherine	26	⊙	4.9	8.0	⊙	8.0	⊙	⊙	⊙	\$15,413
Springfield	21	●	5.1	5.6	⊙	0.0	⊙	⊙	⊙	\$84,092
St Joseph/Reading	119	⊙	5.0	4.5	⊙	3.6	⊙	⊙	⊙	\$19,825
St Joseph's/Philadelphia	33	⊙	7.0	0.0	⊙	21.2	●	⊙	⊙	\$26,583
St Luke's Miners	34	⊙	5.3	9.7	⊙	12.9	⊙	⊙	⊙	\$18,187
St Luke's Quakertown	41	⊙	4.3	12.5	●	0.0	⊙	⊙	⊙	\$24,686
St Luke's/Bethlehem	279	⊙	5.3	3.8	⊙	3.8	⊙	⊙	⊙	\$26,483
St Mary	225	⊙	5.2	3.2	⊙	4.6	⊙	⊙	⊙	\$30,139
Taylor	106	⊙	5.5	2.9	⊙	6.7	⊙	⊙	⊙	\$81,336
Temple East	103	⊙	5.3	2.0	⊙	11.0	●	⊙	⊙	\$51,075
Temple Lower Bucks	87	⊙	6.0	2.4	⊙	3.7	⊙	⊙	⊙	\$70,681
Temple University	280	⊙	4.9	4.1	⊙	11.6	●	⊙	⊙	\$90,775
Thomas Jefferson Univ	300	⊙	5.8	2.1	⊙	10.0	●	●	⊙	\$58,101
Warminster	49	⊙	5.0	6.4	⊙	6.4	⊙	⊙	⊙	\$56,234
Southeastern Pennsylvania	7,918		5.2	4.2		6.6				\$43,907
TOTAL: Statewide	19,682		5.0	5.0		5.0				\$28,841

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Abdominal Aortic Aneurysm Repair - Endovascular

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (endovascular) during the report period.

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Abington Memorial	37	3.3	⊖	⊖	\$100,271
Albert Einstein	9	3.6	⊖	⊖	\$132,372
Chester County	23	2.1	⊖	⊖	\$36,176
Crozer-Chester	15	2.4	⊖	⊖	\$146,755
Delaware County Memorial	6	4.5	⊖	⊖	\$180,966
Doylestown	13	3.2	⊖	⊖	\$69,999
Easton	5	3.3	NR	NR	\$108,483
Frankford	22	4.3	⊖	⊖	\$61,165
Graduate	2	NR	NR	NR	NR
Hahnemann University	6	4.1	⊖	⊖	\$143,913
Holy Redeemer	8	3.1	⊖	⊖	\$130,887
Hospital University PA	145	4.0	⊖	⊖	\$111,677
Jeanes	4	NR	NR	NR	NR
Lehigh Valley	53	1.9	⊖	⊖	\$116,387
Main Line Bryn Mawr	34	1.4	⊖	⊖	\$62,046
Main Line Lankenau	25	3.0	⊖	⊖	\$74,244
Main Line Paoli	0	NR	NR	NR	NR
Mercy Fitzgerald	11	4.4	⊖	⊖	\$121,896
Mercy Philadelphia	1	NR	NR	NR	NR
Methodist Division/TJUH	11	3.3	●	⊖	\$120,476
Nazareth	7	4.2	⊖	⊖	\$132,953
Penn Presbyterian	20	4.0	⊖	⊖	\$94,993
Pennsylvania	33	2.2	⊖	⊖	\$101,187
Pottstown Memorial	1	NR	NR	NR	NR
Pottsville Warne Clinic	3	NR	NR	NR	NR
Reading	4	NR	NR	NR	NR
Sacred Heart/Allentown	6	3.3	⊖	⊖	\$79,771
St Joseph/Reading	8	3.2	⊖	⊖	\$53,041

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Abdominal Aortic Aneurysm Repair - Endovascular

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
St Luke's/Bethlehem	26	2.2	⊙	⊙	\$61,159
St Mary	24	3.8	⊙	⊙	\$77,429
Temple Lower Bucks	5	3.2	⊙	⊙	\$109,479
Temple University	12	4.0	⊙	⊙	\$204,646
Thomas Jefferson Univ	25	3.9	⊙	⊙	\$127,902
Warminster	1	NR	NR	NR	NR
Southeastern Pennsylvania	605	3.3			\$100,988
TOTAL: Statewide	1,471	2.9			\$86,757

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Abdominal Aortic Aneurysm Repair - Open

The facilities listed below are those that performed Abdominal Aortic Aneurysm Repair (open) during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	5	⊙	6.6	⊙	⊙	NR
Albert Einstein	2	NR	NR	NR	NR	NR
Chester County	7	⊙	7.9	⊙	⊙	\$41,951
Crozer-Chester	19	⊙	9.2	⊙	⊙	\$187,790
Delaware County Memorial	3	NR	NR	NR	NR	NR
Doylestown	2	NR	NR	NR	NR	NR
Easton	3	NR	NR	NR	NR	NR
Frankford	3	NR	NR	NR	NR	NR
Good Samaritan Regional	4	NR	NR	NR	NR	NR
Hahnemann University	3	NR	NR	NR	NR	NR
Holy Redeemer	3	NR	NR	NR	NR	NR
Hospital University PA	41	⊙	10.4	⊙	⊙	\$164,936
Jeanes	1	NR	NR	NR	NR	NR
Lehigh Valley	28	⊙	6.7	⊙	⊙	\$87,486
Main Line Bryn Mawr	1	NR	NR	NR	NR	NR
Main Line Lankenau	2	NR	NR	NR	NR	NR
Mercy Fitzgerald	4	NR	NR	NR	NR	NR
Mercy Suburban	1	NR	NR	NR	NR	NR
Montgomery	6	⊙	8.3	⊙	⊙	\$69,468
Nazareth	2	NR	NR	NR	NR	NR
Penn Presbyterian	2	NR	NR	NR	NR	NR
Pennsylvania	5	⊙	6.8	NR	NR	\$96,244
Phoenixville	6	⊙	11.4	⊙	⊙	\$101,276
Pottstown Memorial	4	NR	NR	NR	NR	NR
Reading	24	⊙	6.6	⊙	⊙	\$36,247
Riddle Memorial	2	NR	NR	NR	NR	NR
Sacred Heart/Allentown	12	⊙	7.3	⊙	⊙	\$49,224

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Abdominal Aortic Aneurysm Repair - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
St Joseph/Reading	2	NR	NR	NR	NR	NR
St Luke's/Bethlehem	20	⊙	6.5	⊙	⊙	\$63,530
St Mary	18	⊙	8.7	⊙	⊙	\$95,943
Temple Lower Bucks	4	NR	NR	NR	NR	NR
Temple University	4	NR	NR	NR	NR	NR
Thomas Jefferson Univ	10	⊙	10.2	⊙	⊙	\$148,912
Warminster	2	NR	NR	NR	NR	NR
Southeastern Pennsylvania	255		8.5			\$109,492
TOTAL: Statewide	691		7.7			\$78,404

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Abington Memorial	342	⊙	7.5	\$103,259
Albert Einstein	164	⊙	8.6	\$87,275
Brandywine	64	⊙	10.2	\$128,442
Central Montgomery	61	⊙	7.9	\$68,595
Chester County	152	⊙	9.7	\$43,538
Chestnut Hill	98	⊙	9.4	\$91,574
Crozer-Chester	68	⊙	10.3	\$155,402
Delaware County Memorial	151	⊙	11.5	\$134,144
Doylestown	109	⊙	9.4	\$55,656
Easton	83	⊙	8.0	\$94,708
Frankford	231	⊙	10.0	\$72,053
Gnaden Huetten Memorial	21	⊙	8.3	\$26,219
Good Samaritan Regional	67	⊙	9.2	\$23,037
Graduate	37	⊙	10.2	\$184,609
Grand View	127	⊙	9.7	\$69,007
Hahnemann University	88	⊙	9.9	\$186,789
Holy Redeemer	121	⊙	8.5	\$115,476
Hospital Fox Chase Cancer	91	⊙	9.8	\$44,705
Hospital University PA	382	⊙	10.0	\$104,758
Jeanes	87	⊙	8.4	\$121,931
Jennersville Regional	34	⊙	9.3	\$76,785
Lehigh Valley	393	⊙	9.1	\$62,857
Lehigh Valley/Muhlenberg	95	⊙	8.5	\$57,637
Main Line Bryn Mawr	100	⊙	9.1	\$79,879
Main Line Lankenau	213	⊙	7.2	\$84,711
Main Line Paoli	129	⊙	7.3	\$60,384
Mercy Fitzgerald	57	⊙	8.9	\$113,778
Mercy Philadelphia	43	⊙	9.4	\$120,065
Mercy Suburban	40	⊙	10.0	\$102,588

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Colorectal Procedures

Hospital	Cases	Mortality Rating	Length of Stay	Average Charge
Methodist Division/TJUH	50	⊖	9.9	\$83,174
Montgomery	43	●	7.4	\$61,359
Nazareth	66	⊖	12.5	\$92,941
Palmerton	19	⊖	7.8	\$27,412
Penn Presbyterian	147	⊖	8.8	\$71,908
Pennsylvania	129	⊖	9.6	\$88,501
Phoenixville	78	⊖	9.8	\$67,716
Pottstown Memorial	68	⊖	8.6	\$77,922
Pottsville Warne Clinic	63	⊖	9.5	\$22,878
Reading	349	⊖	8.8	\$35,788
Riddle Memorial	109	⊖	10.7	\$126,635
Roxborough Memorial	36	⊖	6.2	\$52,289
Sacred Heart/Allentown	73	⊖	8.9	\$36,917
Saint Catherine	11	●	7.1	\$32,869
Springfield	7	⊖	9.3	\$137,242
St Joseph/Reading	60	⊖	10.6	\$42,909
St Joseph's/Philadelphia	10	⊖	13.5	\$85,390
St Luke's Miners	20	⊖	10.7	\$56,667
St Luke's Quakertown	35	⊖	8.2	\$54,119
St Luke's/Bethlehem	227	⊖	7.3	\$45,334
St Mary	169	⊖	8.7	\$64,142
Taylor	62	⊖	10.7	\$172,731
Temple East	57	⊖	8.4	\$98,915
Temple Lower Bucks	46	⊖	10.9	\$131,320
Temple University	126	⊖	9.6	\$192,178
Thomas Jefferson Univ	243	⊖	8.6	\$100,019
Warminster	25	⊖	7.5	\$78,466
Southeastern Pennsylvania	5,977		9.1	\$83,526
TOTAL: Statewide	15,045		8.8	\$56,614

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	403	⊖	3.1	⊖	⊖	\$41,381
Albert Einstein	193	⊖	3.6	⊖	⊖	\$49,710
Brandywine	53	⊖	3.6	⊖	⊖	\$52,849
Central Montgomery	111	⊖	3.3	⊖	⊖	\$27,248
Chester County	237	⊖	3.5	⊖	⊖	\$16,769
Chestnut Hill	131	⊖	2.9	⊖	⊖	\$31,571
Crozer-Chester	68	⊖	4.6	⊖	⊖	\$89,033
Delaware County Memorial	87	⊖	3.9	⊖	⊖	\$62,936
Doylestown	221	⊖	3.0	⊖	⊖	\$28,284
Easton	108	⊖	3.2	⊖	⊖	\$55,108
Frankford	277	⊖	3.8	⊖	⊖	\$39,932
Gnaden Huetten Memorial	20	⊖	2.8	⊖	⊖	\$10,912
Good Samaritan Regional	83	⊖	3.8	⊖	⊖	\$12,691
Graduate	35	⊖	3.1	⊖	⊖	\$77,833
Grand View	142	⊖	3.7	⊖	⊖	\$36,344
Hahnemann University	87	⊖	3.6	⊖	⊖	\$86,646
Holy Redeemer	93	⊖	3.5	⊖	⊖	\$51,181
Hospital Fox Chase Cancer	4	NR	NR	NR	NR	NR
Hospital University PA	173	⊖	3.3	⊖	⊖	\$44,139
Jeanes	82	⊖	3.7	⊖	⊖	\$63,140
Jennersville Regional	40	⊖	3.3	⊖	⊖	\$32,015
Lehigh Valley	306	⊖	3.7	⊖	⊖	\$35,817
Lehigh Valley/Muhlenberg	130	⊖	3.3	⊖	⊖	\$29,911
Main Line Bryn Mawr	195	⊖	2.8	⊖	⊖	\$29,544
Main Line Lankenau	163	⊖	3.2	⊖	⊖	\$33,665
Main Line Paoli	268	⊖	2.4	⊖	⊖	\$16,885
Mercy Fitzgerald	78	⊖	3.4	⊖	⊖	\$64,917
Mercy Philadelphia	56	⊖	3.3	⊖	⊖	\$47,873
Mercy Suburban	28	⊖	3.2	●	⊖	\$45,107

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Gallbladder Removal - Laparoscopic

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Methodist Division/TJUH	75	⊙	3.5	⊙	⊙	\$36,464
Montgomery	37	⊙	3.4	●	⊙	\$31,885
Nazareth	115	●	4.0	⊙	●	\$37,928
Palmerton	8	⊙	2.5	⊙	⊙	\$10,799
Penn Presbyterian	80	⊙	3.0	⊙	⊙	\$30,621
Pennsylvania	100	●	3.4	⊙	⊙	\$35,713
Phoenixville	195	⊙	3.1	⊙	⊙	\$23,475
Pottstown Memorial	79	⊙	3.5	⊙	⊙	\$34,795
Pottsville Warne Clinic	88	⊙	2.8	⊙	●	\$13,467
Reading	243	⊙	3.4	⊙	⊙	\$16,289
Riddle Memorial	209	⊙	3.2	⊙	⊙	\$42,145
Roxborough Memorial	19	⊙	3.9	⊙	⊙	\$26,216
Sacred Heart/Allentown	30	⊙	3.4	⊙	⊙	\$14,141
Saint Catherine	9	⊙	2.8	⊙	⊙	\$19,252
Springfield	16	⊙	3.1	⊙	⊙	\$66,931
St Joseph/Reading	68	⊙	3.7	⊙	⊙	\$25,358
St Joseph's/Philadelphia	3	NR	NR	NR	NR	NR
St Luke's Miners	19	⊙	3.7	⊙	⊙	\$36,391
St Luke's Quakertown	23	⊙	3.3	⊙	⊙	\$24,928
St Luke's/Bethlehem	166	⊙	3.2	⊙	⊙	\$24,969
St Mary	140	⊙	3.7	⊙	⊙	\$31,312
Taylor	83	⊙	4.3	⊙	●	\$82,114
Temple East	97	⊙	3.4	⊙	⊙	\$44,543
Temple Lower Bucks	59	⊙	4.0	⊙	⊙	\$67,348
Temple University	119	⊙	3.3	⊙	⊙	\$101,531
Thomas Jefferson Univ	149	⊙	3.8	●	●	\$48,635
Warminster	35	⊙	2.9	⊙	⊙	\$50,558
Southeastern Pennsylvania	6,143		3.4			\$38,288
TOTAL: Statewide	13,773		3.6			\$28,460

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	42	⊙	7.1	⊙	⊙	\$81,146
Albert Einstein	35	⊙	8.0	⊙	⊙	\$105,052
Brandywine	18	⊙	6.6	⊙	⊙	\$107,834
Central Montgomery	8	⊙	6.2	⊙	⊙	\$49,400
Chester County	11	⊙	6.0	⊙	⊙	\$24,833
Chestnut Hill	26	⊙	6.2	⊙	⊙	\$65,348
Crozer-Chester	18	⊙	8.4	⊙	⊙	\$124,538
Delaware County Memorial	40	⊙	7.7	⊙	⊙	\$102,857
Doylestown	15	⊙	5.5	⊙	⊙	\$37,293
Easton	40	⊙	6.5	⊙	⊙	\$80,330
Frankford	43	⊙	6.9	⊙	⊙	\$66,262
Gnaden Huetten Memorial	7	⊙	4.2	⊙	⊙	\$19,488
Good Samaritan Regional	6	⊙	5.2	⊙	⊙	\$17,449
Graduate	12	⊙	7.0	⊙	⊙	\$130,527
Grand View	12	⊙	9.3	⊙	⊙	\$64,079
Hahnemann University	12	⊙	7.6	⊙	⊙	\$174,590
Holy Redeemer	33	⊙	7.7	⊙	⊙	\$91,134
Hospital Fox Chase Cancer	3	NR	NR	NR	NR	NR
Hospital University PA	55	⊙	6.4	⊙	⊙	\$82,573
Jeanes	32	⊙	7.5	⊙	⊙	\$93,971
Jennersville Regional	11	⊙	6.4	⊙	⊙	\$43,015
Lehigh Valley	29	⊙	7.2	⊙	⊙	\$50,363
Lehigh Valley/Muhlenberg	19	⊙	6.0	⊙	⊙	\$48,041
Main Line Bryn Mawr	16	⊙	7.1	⊙	⊙	\$81,789
Main Line Lankenau	22	⊙	6.1	⊙	⊙	\$53,094
Main Line Paoli	1	NR	NR	NR	NR	NR
Mercy Fitzgerald	21	⊙	8.1	⊙	⊙	\$94,413
Mercy Philadelphia	26	⊙	5.3	⊙	⊙	\$74,655
Mercy Suburban	25	⊙	6.7	⊙	⊙	\$67,247

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Gallbladder Removal - Open

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Methodist Division/TJUH	25	⊙	7.5	⊙	⊙	\$57,801
Montgomery	15	⊙	6.9	⊙	⊙	\$47,693
Nazareth	10	⊙	9.2	⊙	⊙	\$84,546
Palmerton	6	⊙	4.8	⊙	⊙	\$16,920
Penn Presbyterian	11	⊙	8.3	⊙	⊙	\$85,139
Pennsylvania	6	⊙	7.7	⊙	⊙	\$57,619
Phoenixville	5	⊙	4.6	⊙	⊙	\$29,246
Pottstown Memorial	17	⊙	5.6	⊙	⊙	\$49,573
Pottsville Warne Clinic	5	⊙	5.3	⊙	⊙	\$13,142
Reading	30	⊙	6.5	⊙	⊙	\$23,073
Riddle Memorial	35	⊙	7.8	⊙	⊙	\$88,986
Roxborough Memorial	9	⊙	7.7	⊙	⊙	\$46,212
Sacred Heart/Allentown	27	⊙	5.3	⊙	⊙	\$20,961
Saint Catherine	4	NR	NR	NR	NR	NR
Springfield	3	NR	NR	NR	NR	NR
St Joseph/Reading	14	⊙	7.5	⊙	⊙	\$35,329
St Joseph's/Philadelphia	6	⊙	9.1	NR	NR	\$43,622
St Luke's Miners	2	NR	NR	NR	NR	NR
St Luke's Quakertown	3	NR	NR	NR	NR	NR
St Luke's/Bethlehem	40	⊙	6.4	⊙	⊙	\$35,499
St Mary	28	⊙	7.0	⊙	⊙	\$53,422
Taylor	18	⊙	8.3	⊙	⊙	\$120,487
Temple East	22	⊙	6.6	⊙	⊙	\$79,530
Temple Lower Bucks	8	⊙	8.4	⊙	⊙	\$132,301
Temple University	23	⊙	6.9	⊙	⊙	\$144,255
Thomas Jefferson Univ	42	⊙	6.6	⊙	⊙	\$96,697
Warminster	2	NR	NR	NR	NR	NR
Southeastern Pennsylvania	1,054		6.9			\$73,576
TOTAL: Statewide	2,640		6.7			\$47,406

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Heart Attack - Angioplasty/Stent

The facilities listed below are those that provided advanced cardiac services (angioplasty/stent for heart attack) during the report period.

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
Abington Memorial	204	⊖	4.1	4.5	⊖	7.5	⊖	\$111,761
Albert Einstein	138	⊖	4.2	3.6	⊖	6.5	⊖	\$82,064
Brandywine	84	⊖	4.8	2.4	⊖	15.5	●	\$143,822
Chester County	102	⊖	4.6	1.0	⊖	8.0	⊖	\$38,740
Crozer-Chester	163	⊖	3.9	5.0	⊖	6.2	⊖	\$131,005
Doylestown	226	⊖	3.6	3.1	⊖	1.3	⊖	\$76,935
Easton	141	⊖	3.8	4.3	⊖	4.3	⊖	\$102,978
Frankford	211	⊖	5.6	2.4	⊖	17.1	●	\$45,792
Graduate	17	⊖	4.3	5.9	⊖	17.6	⊖	\$126,225
Grand View	2	NR	NR	NR	NR	NR	NR	NR
Hahnemann University	146	⊖	4.3	2.1	⊖	10.5	●	\$111,965
Holy Redeemer	73	⊖	4.4	1.4	⊖	12.7	●	\$158,165
Hospital University PA	85	⊖	3.3	2.4	⊖	3.6	⊖	\$134,647
Jeanes	57	⊖	5.1	5.4	⊖	17.9	●	\$129,990
Lehigh Valley	450	⊖	3.9	6.6	⊖	3.6	⊖	\$98,527
Lehigh Valley/Muhlenberg	116	⊖	4.2	3.4	⊖	7.8	⊖	\$90,271
Main Line Bryn Mawr	146	⊖	4.2	4.8	⊖	5.5	⊖	\$116,817
Main Line Lankenau	183	⊖	3.6	3.3	⊖	3.8	⊖	\$105,712
Main Line Paoli	141	⊖	3.4	4.3	⊖	2.9	⊖	\$101,040
Mercy Fitzgerald	58	⊖	3.8	1.7	⊖	5.2	⊖	\$140,816
Montgomery	60	⊖	4.4	1.7	⊖	6.7	⊖	\$72,234
Penn Presbyterian	325	⊖	3.5	8.1	●	3.4	⊖	\$102,566
Pennsylvania	69	⊖	4.1	7.2	⊖	8.7	⊖	\$117,378
Phoenixville	57	⊖	4.5	1.8	⊖	8.9	⊖	\$115,737
Reading	296	⊖	3.8	6.2	⊖	3.5	⊖	\$51,915
Riddle Memorial	26	⊖	3.8	0.0	⊖	3.8	⊖	\$109,988
Sacred Heart/Allentown	30	⊖	4.5	6.7	⊖	10.0	⊖	\$53,107
St Joseph/Reading	112	⊖	3.4	12.6	●	0.9	⊖	\$47,551

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Heart Attack - Angioplasty/Stent

Hospital	Cases	Mortality Rating	Length of Stay	Outlier Cases				Average Charge
				Short Length of Stay		Long Length of Stay		
				%	Rating	%	Rating	
St Luke's/Bethlehem	415	⊙	3.8	6.8	⊙	6.1	⊙	\$50,016
St Mary	200	●	4.1	0.5	○	5.1	⊙	\$69,731
Temple Lower Bucks	73	⊙	4.7	1.4	⊙	8.2	⊙	\$131,244
Temple University	184	⊙	4.5	4.4	⊙	11.1	●	\$157,960
Thomas Jefferson Univ	105	⊙	4.9	1.9	⊙	11.5	●	\$93,450
Southeastern Pennsylvania	4,695		4.0	4.6		6.5		\$92,567
TOTAL: Statewide	12,419		3.8	5.0		5.0		\$68,217

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	283	⊙	6.1	●	●	\$72,081
Albert Einstein	97	⊙	6.8	⊙	⊙	\$78,738
Brandywine	74	⊙	4.9	⊙	⊙	\$75,856
Central Montgomery	75	⊙	5.8	⊙	⊙	\$63,792
Chester County	127	⊙	5.7	⊙	⊙	\$26,438
Chestnut Hill	98	⊙	5.8	●	⊙	\$59,367
Crozer-Chester	65	⊙	6.0	●	⊙	\$91,371
Delaware County Memorial	83	⊙	7.8	⊙	⊙	\$86,963
Doylestown	114	⊙	6.0	⊙	⊙	\$45,891
Easton	105	⊙	5.2	●	⊙	\$65,600
Frankford	216	⊙	6.6	●	⊙	\$47,579
Gnaden Huetten Memorial	35	⊙	5.4	⊙	⊙	\$14,695
Good Samaritan Regional	85	⊙	5.0	⊙	⊙	\$17,358
Graduate	16	⊙	8.7	●	⊙	\$137,005
Grand View	103	⊙	5.4	⊙	⊙	\$45,749
Hahnemann University	42	⊙	9.0	⊙	⊙	\$184,427
Holy Redeemer	105	⊙	7.0	⊙	⊙	\$89,339
Hospital Fox Chase Cancer	0	NR	NR	NR	NR	NR
Hospital University PA	63	⊙	7.4	⊙	⊙	\$103,354
Jeanes	85	⊙	5.4	⊙	⊙	\$87,650
Jennersville Regional	19	⊙	8.6	⊙	⊙	\$55,342
Lehigh Valley	209	⊙	7.1	⊙	⊙	\$50,165
Lehigh Valley/Muhlenberg	89	⊙	5.9	⊙	⊙	\$42,284
Main Line Bryn Mawr	184	⊙	5.3	⊙	⊙	\$52,573
Main Line Lankenau	122	⊙	5.5	⊙	⊙	\$53,215
Main Line Paoli	107	⊙	5.5	⊙	⊙	\$52,536
Mercy Fitzgerald	41	⊙	7.2	⊙	⊙	\$85,059
Mercy Philadelphia	29	⊙	6.9	●	⊙	\$85,819
Mercy Suburban	54	⊙	6.4	⊙	○	\$74,094

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hip Fracture - Surgical Repair

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Methodist Division/TJUH	57	⊖	8.4	⊖	⊖	\$73,591
Montgomery	70	⊖	5.5	⊖	⊖	\$44,250
Nazareth	149	⊖	5.9	●	●	\$61,252
Palmerton	26	⊖	5.6	●	⊖	\$19,284
Penn Presbyterian	38	⊖	6.2	⊖	⊖	\$65,250
Pennsylvania	53	⊖	8.3	⊖	⊖	\$80,251
Phoenixville	97	⊖	6.5	⊖	⊖	\$45,147
Pottstown Memorial	114	⊖	5.7	⊖	⊖	\$52,866
Pottsville Warne Clinic	48	⊖	6.1	⊖	⊖	\$20,837
Reading	259	⊖	6.3	⊖	⊖	\$24,944
Riddle Memorial	133	⊖	6.6	⊖	⊖	\$71,686
Roxborough Memorial	40	⊖	6.3	●	⊖	\$34,881
Sacred Heart/Allentown	65	⊖	6.3	⊖	⊖	\$27,322
Saint Catherine	13	⊖	5.1	●	●	\$27,980
Springfield	26	⊖	5.5	⊖	⊖	\$88,818
St Joseph/Reading	94	⊖	5.5	⊖	⊖	\$27,179
St Joseph's/Philadelphia	5	⊖	NR	NR	NR	\$74,184
St Luke's Miners	29	⊖	7.5	⊖	⊖	\$31,265
St Luke's Quakertown	46	⊖	5.1	⊖	⊖	\$29,877
St Luke's/Bethlehem	200	⊖	6.4	⊖	⊖	\$36,595
St Mary	151	⊖	6.6	⊖	⊖	\$49,004
Taylor	55	⊖	6.9	⊖	⊖	\$103,607
Temple East	43	⊖	7.0	⊖	⊖	\$71,177
Temple Lower Bucks	68	⊖	5.8	⊖	⊖	\$91,929
Temple University	65	⊖	7.3	⊖	⊖	\$163,302
Thomas Jefferson Univ	99	⊖	7.2	⊖	○	\$89,189
Warminster	63	⊖	5.8	⊖	⊖	\$74,316
Southeastern Pennsylvania	4,831		6.3			\$58,475
TOTAL: Statewide	13,227		6.0			\$38,111

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hysterectomy - Abdominal

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating	%	Rating	
Abington Memorial	359	3.2	2.5	○	7.2	○	\$46,654
Albert Einstein	109	3.4	0.9	○	9.2	○	\$50,548
Brandywine	27	3.0	3.7	○	7.4	○	\$46,542
Central Montgomery	36	2.5	11.1	○	0.0	○	\$28,034
Chester County	119	2.8	2.5	○	5.0	○	\$17,541
Chestnut Hill	54	3.1	0.0	○	3.7	○	\$36,530
Crozer-Chester	199	3.7	1.9	○	15.5	●	\$71,272
Delaware County Memorial	91	2.8	5.4	○	5.4	○	\$53,059
Doylestown	96	2.5	2.1	○	2.1	○	\$21,922
Easton	164	2.8	0.0	○	6.1	○	\$51,589
Frankford	54	2.7	7.0	○	7.0	○	\$35,787
Gnaden Huetten Memorial	24	2.5	4.2	○	4.2	○	\$6,367
Good Samaritan Regional	23	2.2	4.3	○	0.0	○	\$8,391
Graduate	34	2.6	0.0	○	0.0	○	\$87,150
Grand View	110	2.4	1.8	○	1.8	○	\$25,150
Hahnemann University	123	3.0	8.6	○	10.9	●	\$105,810
Holy Redeemer	174	3.0	1.1	○	2.3	○	\$47,785
Hospital Fox Chase Cancer	91	3.7	3.3	○	15.4	●	\$20,373
Hospital University PA	444	3.3	2.2	○	10.9	●	\$48,061
Jeanes	193	2.7	1.0	○	3.6	○	\$48,372
Jennersville Regional	18	3.1	0.0	○	5.6	○	\$38,906
Lehigh Valley	245	3.1	9.1	●	11.5	●	\$24,743
Lehigh Valley/Muhlenberg	49	2.5	8.2	○	0.0	○	\$20,559
Main Line Bryn Mawr	97	2.2	4.1	○	2.1	○	\$26,298
Main Line Lankenau	265	2.8	7.1	○	6.4	○	\$26,598
Main Line Paoli	85	2.6	1.2	○	4.7	○	\$24,391
Mercy Fitzgerald	56	2.9	1.7	○	8.6	○	\$49,603
Mercy Philadelphia	35	2.6	2.9	○	2.9	○	\$38,701
Mercy Suburban	60	2.7	3.3	○	1.7	○	\$36,910

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hysterectomy - Abdominal

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating	%	Rating	
Methodist Division/TJUH	47	2.4	6.4	⊖	2.1	⊖	\$23,452
Montgomery	27	3.0	3.7	⊖	0.0	⊖	\$27,336
Nazareth	0	NR	NR	NR	NR	NR	NR
Palmerton	1	NR	NR	NR	NR	NR	NR
Penn Presbyterian	1	NR	NR	NR	NR	NR	NR
Pennsylvania	250	3.1	2.4	⊖	4.7	⊖	\$37,424
Phoenixville	41	3.0	0.0	⊖	2.4	⊖	\$21,745
Pottstown Memorial	84	2.5	0.0	⊖	1.2	⊖	\$29,015
Pottsville Warne Clinic	218	1.9	56.8	●	1.8	⊖	\$8,423
Reading	430	2.7	5.7	⊖	5.1	⊖	\$14,952
Riddle Memorial	99	2.8	1.0	⊖	3.0	⊖	\$52,576
Roxborough Memorial	29	2.6	0.0	⊖	3.4	⊖	\$22,065
Sacred Heart/Allentown	199	2.3	34.8	●	6.4	⊖	\$13,895
Saint Catherine	2	NR	NR	NR	NR	NR	NR
Springfield	0	NR	NR	NR	NR	NR	NR
St Joseph/Reading	84	3.2	2.4	⊖	6.0	⊖	\$15,933
St Joseph's/Philadelphia	8	3.9	0.0	⊖	25.0	⊖	\$19,586
St Luke's Miners	4	NR	0.0	⊖	40.0	●	\$19,861
St Luke's Quakertown	7	1.9	0.0	⊖	0.0	⊖	\$25,615
St Luke's/Bethlehem	257	2.4	11.2	●	2.3	⊖	\$21,448
St Mary	166	3.2	3.6	⊖	6.5	⊖	\$26,742
Taylor	24	3.8	0.0	⊖	20.8	●	\$62,607
Temple East	71	2.6	0.0	⊖	2.8	⊖	\$35,440
Temple Lower Bucks	57	3.2	0.0	⊖	3.5	⊖	\$40,685
Temple University	179	3.5	1.1	⊖	19.1	●	\$94,707
Thomas Jefferson Univ	220	2.9	6.7	⊖	7.2	⊖	\$52,817
Warminster	16	2.3	0.0	⊖	0.0	⊖	\$36,393
Southeastern Pennsylvania	5,955	2.9	6.7		6.6		\$37,726
TOTAL: Statewide	16,150	2.8	5.0		5.0		\$22,519

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊖ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Abington Memorial	77	1.5	○	○	\$43,509
Albert Einstein	66	1.9	○	○	\$52,041
Brandywine	7	1.2	○	○	\$32,016
Central Montgomery	9	1.4	○	○	\$28,225
Chester County	88	1.6	○	○	\$13,014
Chestnut Hill	5	1.3	○	○	\$26,893
Crozer-Chester	47	1.7	●	○	\$55,575
Delaware County Memorial	10	1.9	○	○	\$41,312
Doylestown	49	1.8	○	○	\$20,417
Easton	51	1.5	○	○	\$36,454
Frankford	21	2.0	○	○	\$22,765
Gnaden Huetten Memorial	75	1.1	○	○	\$4,454
Good Samaritan Regional	2	NR	NR	NR	NR
Graduate	66	1.2	○	○	\$61,367
Grand View	45	1.5	○	○	\$20,601
Hahnemann University	58	1.6	○	○	\$95,340
Holy Redeemer	48	2.1	○	○	\$40,582
Hospital Fox Chase Cancer	4	NR	NR	NR	NR
Hospital University PA	87	1.7	○	○	\$42,155
Jeanes	51	2.0	○	○	\$43,466
Jennersville Regional	35	1.1	○	○	\$28,282
Lehigh Valley	172	1.4	○	○	\$16,359
Lehigh Valley/Muhlenberg	45	1.2	●	●	\$13,330
Main Line Bryn Mawr	32	1.7	○	○	\$22,586
Main Line Lankenau	71	1.7	○	○	\$23,418
Main Line Paoli	40	1.6	○	○	\$20,958
Mercy Fitzgerald	11	1.8	●	●	\$38,548
Mercy Philadelphia	4	NR	NR	NR	NR
Mercy Suburban	15	1.7	○	○	\$36,041

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Hysterectomy - Vaginal

Hospital	Cases	Length of Stay	Readmission Rating		Average Charge
			For Any Reason	For Complication or Infection	
Methodist Division/TJUH	7	1.7	⊖	⊖	\$21,510
Montgomery	34	1.5	⊖	⊖	\$28,093
Nazareth	0	NR	NR	NR	NR
Palmerton	2	NR	NR	NR	NR
Penn Presbyterian	0	NR	NR	NR	NR
Pennsylvania	121	1.8	⊖	⊖	\$34,978
Phoenixville	12	1.8	⊖	⊖	\$17,208
Pottstown Memorial	14	1.2	⊖	⊖	\$22,982
Pottsville Warne Clinic	52	1.6	⊖	⊖	\$8,292
Reading	321	1.6	⊖	⊖	\$11,405
Riddle Memorial	20	2.0	⊖	⊖	\$41,999
Roxborough Memorial	1	NR	NR	NR	NR
Sacred Heart/Allentown	20	1.3	⊖	⊖	\$8,821
Saint Catherine	0	NR	NR	NR	NR
Springfield	0	NR	NR	NR	NR
St Joseph/Reading	20	2.4	⊖	⊖	\$16,484
St Joseph's/Philadelphia	0	NR	NR	NR	NR
St Luke's Miners	6	1.0	⊖	⊖	\$11,803
St Luke's Quakertown	5	1.3	⊖	⊖	\$17,768
St Luke's/Bethlehem	211	1.3	⊖	⊖	\$17,232
St Mary	36	2.2	⊖	⊖	\$25,497
Taylor	9	2.1	⊖	⊖	\$34,804
Temple East	6	1.5	⊖	⊖	\$28,988
Temple Lower Bucks	24	2.0	⊖	⊖	\$37,021
Temple University	85	2.0	●	●	\$76,916
Thomas Jefferson Univ	96	1.6	⊖	⊖	\$38,203
Warminster	7	0.9	⊖	⊖	\$27,733
Southeastern Pennsylvania	2,400	1.6			\$29,538
TOTAL: Statewide	7,375	1.6			\$17,553

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating	%	Rating	
Abington Memorial	10	3.5	0.0	⊖	0.0	⊖	\$58,037
Albert Einstein	61	3.3	1.6	⊖	6.5	⊖	\$69,551
Brandywine	5	2.7	0.0	⊖	0.0	⊖	\$52,610
Central Montgomery	7	4.7	0.0	⊖	25.0	⊖	\$39,934
Chester County	27	3.3	3.6	⊖	7.1	⊖	\$24,584
Chestnut Hill	1	NR	NR	NR	NR	NR	NR
Crozer-Chester	14	3.3	0.0	⊖	14.3	⊖	\$75,879
Delaware County Memorial	2	NR	NR	NR	NR	NR	NR
Doylestown	42	2.7	9.5	⊖	0.0	⊖	\$26,572
Easton	7	3.9	0.0	⊖	0.0	⊖	\$64,057
Frankford	34	3.6	0.0	⊖	17.1	●	\$36,407
Gnaden Huetten Memorial	0	NR	NR	NR	NR	NR	NR
Good Samaritan Regional	10	3.7	0.0	⊖	10.0	⊖	\$10,972
Graduate	7	2.2	0.0	⊖	14.3	⊖	\$63,758
Grand View	14	4.5	0.0	⊖	13.3	⊖	\$42,926
Hahnemann University	13	1.8	23.1	●	0.0	⊖	\$79,729
Holy Redeemer	8	4.0	0.0	⊖	0.0	⊖	\$63,495
Hospital Fox Chase Cancer	74	4.3	0.0	⊖	14.7	●	\$29,074
Hospital University PA	126	2.4	3.1	⊖	3.1	⊖	\$54,479
Jeanes	2	NR	NR	NR	NR	NR	NR
Jennersville Regional	4	NR	0.0	⊖	20.0	⊖	\$53,470
Lehigh Valley	82	2.0	4.9	⊖	0.0	⊖	\$27,377
Lehigh Valley/Muhlenberg	24	1.6	4.2	⊖	0.0	⊖	\$17,230
Main Line Bryn Mawr	47	1.4	6.4	⊖	0.0	⊖	\$28,943
Main Line Lankenau	126	1.4	10.3	●	0.8	⊖	\$30,966
Main Line Paoli	12	2.6	0.0	⊖	0.0	⊖	\$28,318
Mercy Fitzgerald	5	3.5	20.0	⊖	20.0	⊖	\$66,850
Mercy Philadelphia	0	NR	NR	NR	NR	NR	NR
Mercy Suburban	3	NR	NR	NR	NR	NR	NR

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Prostatectomy - Radical

Hospital	Cases	Length of Stay	Outlier Cases				Average Charge
			Short Length of Stay		Long Length of Stay		
			%	Rating	%	Rating	
Methodist Division/TJUH	1	NR	NR	NR	NR	NR	NR
Montgomery	5	3.6	0.0	⊖	0.0	⊖	\$32,568
Nazareth	2	NR	NR	NR	NR	NR	NR
Palmerton	0	NR	NR	NR	NR	NR	NR
Penn Presbyterian	252	1.1	25.4	●	0.4	⊖	\$36,130
Pennsylvania	55	3.6	1.7	⊖	12.1	●	\$46,672
Phoenixville	23	2.6	4.3	⊖	0.0	⊖	\$46,108
Pottstown Memorial	10	3.0	10.0	⊖	0.0	⊖	\$48,434
Pottsville Warne Clinic	16	3.1	0.0	⊖	0.0	⊖	\$10,301
Reading	56	2.8	0.0	⊖	1.8	⊖	\$16,123
Riddle Memorial	22	3.5	8.7	⊖	8.7	⊖	\$63,362
Roxborough Memorial	5	2.2	20.0	⊖	0.0	⊖	\$26,739
Sacred Heart/Allentown	5	2.6	0.0	⊖	0.0	⊖	\$15,595
Saint Catherine	0	NR	NR	NR	NR	NR	NR
Springfield	56	1.5	8.9	⊖	0.0	⊖	\$76,090
St Joseph/Reading	5	3.0	0.0	⊖	0.0	⊖	\$16,095
St Joseph's/Philadelphia	0	NR	NR	NR	NR	NR	NR
St Luke's Miners	3	NR	NR	NR	NR	NR	NR
St Luke's Quakertown	0	NR	NR	NR	NR	NR	NR
St Luke's/Bethlehem	68	2.9	1.5	⊖	4.4	⊖	\$40,248
St Mary	6	4.4	0.0	⊖	0.0	⊖	\$61,091
Taylor	2	NR	NR	NR	NR	NR	NR
Temple East	11	3.0	8.3	⊖	8.3	⊖	\$35,607
Temple Lower Bucks	0	NR	NR	NR	NR	NR	NR
Temple University	33	3.2	0.0	⊖	13.9	●	\$103,558
Thomas Jefferson Univ	100	2.7	1.0	⊖	4.9	⊖	\$68,393
Warminster	3	NR	NR	NR	NR	NR	NR
Southeastern Pennsylvania	1,506	2.5	7.4		4.4		\$43,896
TOTAL: Statewide	3,248	2.7	4.9		5.0		\$33,696

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
Abington Memorial	44	2.9	\$34,012
Albert Einstein	55	1.9	\$26,073
Brandywine	11	3.8	\$23,946
Central Montgomery	9	3.7	\$27,972
Chester County	17	3.7	\$16,597
Chestnut Hill	7	2.5	\$24,086
Crozer-Chester	20	2.4	\$44,631
Delaware County Memorial	32	2.3	\$30,281
Doylestown	61	2.8	\$20,638
Easton	35	2.5	\$27,081
Frankford	52	2.3	\$18,931
Gnaden Huetten Memorial	5	2.6	\$5,222
Good Samaritan Regional	10	2.6	\$5,236
Graduate	22	3.8	\$51,952
Grand View	35	1.6	\$16,465
Hahnemann University	14	2.2	\$53,139
Holy Redeemer	33	2.4	\$36,635
Hospital Fox Chase Cancer	11	1.6	\$7,336
Hospital University PA	60	2.4	\$31,025
Jeanes	20	1.8	\$29,693
Jennersville Regional	17	2.3	\$22,402
Lehigh Valley	168	2.4	\$19,088
Lehigh Valley/Muhlenberg	43	2.4	\$16,931
Main Line Bryn Mawr	88	2.2	\$26,384
Main Line Lankenau	42	2.8	\$25,420
Main Line Paoli	35	2.7	\$33,186
Mercy Fitzgerald	18	3.8	\$38,795
Mercy Philadelphia	24	2.1	\$28,831
Mercy Suburban	5	2.7	\$33,815

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊕ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Prostatectomy - Transurethral

Hospital	Cases	Length of Stay	Average Charge
Methodist Division/TJUH	29	2.2	\$17,851
Montgomery	38	2.8	\$22,213
Nazareth	22	2.7	\$20,934
Palmerton	2	NR	NR
Penn Presbyterian	13	1.8	\$24,614
Pennsylvania	251	1.9	\$20,224
Phoenixville	24	2.4	\$16,630
Pottstown Memorial	31	2.1	\$24,801
Pottsville Warne Clinic	26	1.7	\$8,719
Reading	66	3.3	\$12,236
Riddle Memorial	15	2.5	\$37,051
Roxborough Memorial	7	1.3	\$14,452
Sacred Heart/Allentown	5	2.9	\$9,571
Saint Catherine	0	NR	NR
Springfield	1	NR	NR
St Joseph/Reading	28	2.9	\$13,531
St Joseph's/Philadelphia	1	NR	NR
St Luke's Miners	4	NR	NR
St Luke's Quakertown	9	1.8	\$16,643
St Luke's/Bethlehem	67	2.9	\$15,765
St Mary	45	3.6	\$26,360
Taylor	3	NR	NR
Temple East	11	1.8	\$21,733
Temple Lower Bucks	13	2.9	\$36,907
Temple University	21	2.6	\$56,025
Thomas Jefferson Univ	31	1.6	\$33,594
Warminster	4	NR	NR
Southeastern Pennsylvania	1,760	2.5	\$23,542
TOTAL: Statewide	3,948	2.6	\$16,836

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Abington Memorial	79	⊖	2.4	⊖	●	\$49,800
Albert Einstein	11	⊖	4.2	⊖	⊖	\$80,039
Brandywine	10	⊖	3.9	⊖	⊖	\$69,306
Central Montgomery	5	⊖	NR	NR	NR	NR
Chester County	60	⊖	2.0	⊖	⊖	\$13,223
Chestnut Hill	12	⊖	2.4	⊖	⊖	\$37,408
Crozer-Chester	30	⊖	2.0	⊖	⊖	\$58,638
Delaware County Memorial	26	⊖	3.6	⊖	⊖	\$66,957
Doylestown	29	⊖	3.2	⊖	⊖	\$30,207
Easton	30	⊖	1.7	⊖	⊖	\$60,774
Frankford	75	⊖	2.8	⊖	⊖	\$36,394
Gnaden Huetten Memorial	0	NR	NR	NR	NR	NR
Good Samaritan Regional	27	⊖	1.7	⊖	⊖	\$8,275
Graduate	8	⊖	2.2	⊖	⊖	\$98,337
Grand View	35	⊖	3.0	⊖	⊖	\$33,101
Hahnemann University	17	⊖	3.2	⊖	⊖	\$109,493
Holy Redeemer	33	⊖	2.7	⊖	⊖	\$44,218
Hospital Fox Chase Cancer	0	NR	NR	NR	NR	NR
Hospital University PA	90	⊖	2.9	⊖	⊖	\$55,853
Jeanes	17	⊖	2.5	⊖	⊖	\$65,946
Jennersville Regional	4	NR	NR	NR	NR	NR
Lehigh Valley	153	⊖	2.6	⊖	⊖	\$36,961
Lehigh Valley/Muhlenberg	33	⊖	2.2	⊖	⊖	\$21,314
Main Line Bryn Mawr	72	⊖	1.8	⊖	⊖	\$25,603
Main Line Lankenau	45	⊖	2.3	⊖	⊖	\$40,021
Main Line Paoli	71	⊖	1.7	⊖	⊖	\$24,187
Mercy Fitzgerald	18	⊖	2.9	⊖	⊖	\$62,053
Mercy Philadelphia	5	⊖	4.6	⊖	⊖	\$63,966
Mercy Suburban	14	⊖	2.1	⊖	⊖	\$35,429

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊖ Not significantly different than expected.
- ⊕ Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Removal of Blockage of Neck Vessels

Hospital	Cases	Mortality Rating	Length of Stay	Readmission Rating		Average Charge
				For Any Reason	For Complication or Infection	
Methodist Division/TJUH	18	⊙	3.0	⊙	⊙	\$48,536
Montgomery	27	⊙	1.3	⊙	⊙	\$26,783
Nazareth	14	⊙	3.0	⊙	⊙	\$45,238
Palmerton	10	⊙	1.8	⊙	⊙	\$5,817
Penn Presbyterian	26	⊙	2.3	⊙	⊙	\$35,350
Pennsylvania	44	⊙	1.6	⊙	⊙	\$32,061
Phoenixville	53	⊙	3.1	⊙	⊙	\$29,781
Pottstown Memorial	9	⊙	3.5	⊙	⊙	\$39,789
Pottsville Warne Clinic	40	⊙	1.9	⊙	⊙	\$12,173
Reading	119	⊙	3.0	⊙	⊙	\$16,359
Riddle Memorial	21	⊙	3.7	⊙	⊙	\$64,885
Roxborough Memorial	4	NR	NR	NR	NR	NR
Sacred Heart/Allentown	48	⊙	2.0	⊙	⊙	\$13,198
Saint Catherine	0	NR	NR	NR	NR	NR
Springfield	0	NR	NR	NR	NR	NR
St Joseph/Reading	37	⊙	1.8	⊙	⊙	\$19,433
St Joseph's/Philadelphia	0	NR	NR	NR	NR	NR
St Luke's Miners	9	⊙	2.1	⊙	⊙	\$20,844
St Luke's Quakertown	16	⊙	1.6	⊙	⊙	\$21,902
St Luke's/Bethlehem	113	⊙	2.2	⊙	⊙	\$24,432
St Mary	64	⊙	2.8	⊙	⊙	\$35,524
Taylor	2	NR	NR	NR	NR	NR
Temple East	17	⊙	2.2	⊙	⊙	\$35,275
Temple Lower Bucks	24	⊙	4.3	⊙	⊙	\$66,813
Temple University	27	⊙	2.6	⊙	⊙	\$110,474
Thomas Jefferson Univ	76	⊙	2.5	⊙	⊙	\$54,892
Warminster	2	NR	NR	NR	NR	NR
Southeastern Pennsylvania	1,829		2.5			\$37,071
TOTAL: Statewide	5,243		2.3			\$24,852

The mortality, length of stay and readmission figures account for varying illness levels among patients. See page 3.

- Significantly higher than expected.
- ⊙ Not significantly different than expected.
- Significantly lower than expected.
- NR Not reported. Had fewer than five cases evaluated.
- NC Non-compliant. Not reported due to missing/incomplete data.



Pennsylvania Health Care Cost Containment Council

Marc P. Volavka, Executive Director

225 Market Street, Suite 400, Harrisburg, PA 17101

Phone: 717-232-6787 • Fax: 717-232-3821

www.phc4.org

Hospitals may have commented on this report. Copies of their comments are available on the PHC4 Web site or by request.